Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

AEOLUS LEVEL-2B ALGORITHM THEORETICAL BASIS DOCUMENT

(MATHEMATICAL DESCRIPTION OF THE AEOLUS LEVEL-2B PROCESSOR)

Authors

David TAN, Michael RENNIE, Erik ANDERSSON ECMWF

Paul POLI, Alain DABAS MÉTÉO-FRANCE

Jos De KLOE, Gert-Jan MARSEILLE, Ad STOFFELEN KNMI



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

CHANGE LOG

Issue.	Date	New pages	Modified pages (after introducing new pages)	Observations	Name
0.1	25.11.2005			First draft	Poli, Tan
0.2	22.12.2005	29-31,32-33	16,21-22,23	Further details: centre-of-gravity height referenced to geoid, tripod obscuration correction in Mie processing, error quantifiers.	Tan
0.3	06.07.2006			Revisions to Mie Hlos error (Section 17).	Dabas
0.4	25.07.2006			L1B Screening, Retrieval of optical properties	Marseille
1.0	13.09.2006			Editorials	Tan
2.0	05.12.2006			Main title "Algorithm Theoretical Baseline Document".	Tan de Kloe
				Details of Sections 7-10.	Stoffelen
				Description of Matchup.	de Kloe
2.1	23.12.2007			Comments from ESA. Change bars with respect to Issue 2.0.	Tan
2.2	03.04.2008	16-18,		FP scene classification	Marseille
draft		44-56		FP optical properties retrieval	.viaioomo
2.2	09.02.2009		Sections 11,12,13 and A.3. And Section 18.1.1.3.	Editorials (change equation font size). And a Clarification. (ESA requests, AGS, 15-02-08)	Tan
			Section 6.	Update of Screening tests.	
			Section 19.2.1	Corrections in x/y/z to lat/lon.	
2.3 draft A	08.04.2010	77-81	5, 43-55, 65-76	Added reference documents. Equation numbering, comments from ESA (mail 15/5/2008)	Marseille
2.3 non- draft	06.04.2011		Sections 12, 13 and 14	Updated description and formulae of Rayleigh and Mie processing. Changed equation numbering in section 18 and appendices C, D and E.	Rennie/Tan
2.4	26.11.2012			Many minor modifications. Added a section on the Grouping Algorithm.	Rennie
2.5	01.07.2014			New baseline Mie error quantifier Review for L2BP v2.10 release	Rennie



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

2.6	17.03.2015	Update references	Rennie
2.7	11.11.2015	Update and cleaning of chapters 7 and 19, new section 7.1, remove Appendix C, update and clean new Appendix D, add references	Marseille
2.8	23.06.2016	A few editorial improvements and updated references	Rennie
2.9	04.10.2016	Added the Range Dependent Bias correction in Sections 13 and 0	Rennie
3.0	06.09.2017	Major update following response to ESA documentation review	Rennie



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Table of Contents

	Introduction	
2.	Documents	
	2.1. Applicable documents	
	2.2. Reference documents	
	2.3. Acronyms	
	2.4. Commonly used symbols for variables in this document	
3.	Overview of the Level-2B processing	
	3.1. File types used in relation to the Level-2B processing	
	3.2. Purpose of the Level-2B processing	
	High-level architecture of the Level-2B processing	
5.	Main Level-2B processing tasks	
	5.1. Determine reference geolocations for computing auxiliary meteorological data	
	5.2. Generate auxiliary meteorological data at reference geolocations	
	5.3. Pre-process auxiliary meteorological data	
	5.4. Aeolus L2B HLOS wind retrieval	
6.	Input product validation	
	6.1. Screening of Level-1B Data Input Product	
	6.2. Screening of Auxiliary Meteorological Data Input Product	21
	6.3. Screening of Rayleigh-Brillouin Calibration Data Input Product	
	6.4. Screening of Calibration Coefficient Data Input Product	
	6.5. Screening of Climatological Data Input Product	
	The measurement Grouping Algorithm	
8.	Atmospheric scene classification	
	8.1. An introduction to the Optical Properties Code retrieval	
	8.2. Option 1: Classification using scattering ratio	
	8.3. Option 2: Classification using particle feature detection	
	8.4. Option 3: Classification using particle extinction coefficient	
	Measurement-bin selection	
). Weighting of measurement-bins	
	I. Accumulation of measurement-bin information	
12	2. Computation of (H)LOS wind observation geolocation and auxiliary parameters	
	12.1. Computation of the observation's centre-of-gravity geolocation	
	12.2. Computation of a representative L2B observation integration length	41
	12.3. Computation of the reference pressure and temperature	
13	3. Rayleigh channel (H)LOS wind processing — L2B Rayleigh wind observation retrieval	
	13.1. Computation of a weighted atmospheric Rayleigh response	
	13.2. Computation of a weighted scattering ratio	44
	13.3. Computation of the atmospheric return LOS wind component (using the ILIAD scheme)	
	13.4. Computation internal reference and correction terms	
	13.4.1. Computation of a weighted internal reference LOS velocity component	
	13.4.2. Computation of a weighted spacecraft LOS velocity component	
	13.4.3. Ground return corrections	
	13.4.4. Rayleigh range dependent bias correction	
	13.5. Computation of the Rayleigh channel (H)LOS wind component	
14	1. Mie channel (H)LOS wind processing — L2B Mie wind observation retrieval	
	14.1. Computation of weighted Mie spectrometer readouts	
	14.2. Computation of the raw response via the Mie core algorithm	
	14.3. Spectral nonlinearity correction	
	14.4. Computation of the atmospheric return LOS velocity component	
	14.5. Computation of post Mie core algorithm correction terms	
	14.5.1. Computation of the weighted internal reference LOS velocity component	
	14.5.2. Computation of a weighted spacecraft LOS velocity component	
	14.5.3. Ground return corrections	
	14.5.4. Mie range dependent bias correction	
	14.6. Computation of the post Mie core algorithm HLOS wind component	51
1	5. The ILIAD retrieval – for Rayleigh channel	
	15.1. Rayleigh channel atmospheric response inversion	
	15.2. Internal Reference response inversion	
16	6. The Mie core algorithm	60



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

17. Rayleigh channel uncertainty estimation processing	61
17.1. Option 1: The Rayleigh HLOS wind error estimate (using output of ILIAD algorithm)	61
17.2. Option 2: L2B Rayleigh error quantifier based on the L1B approach	63
18. Mie channel uncertainty estimation processing	
18.1. Option 1: L2B Mie error quantifier based on L1B approach	65
18.2. Option 2: L2B Mie error quantifier from the Tellus paper	
18.3. Option 3: L2B Mie error quantifier based on least squares fit of an integrated Lorentzian	
19. Optical Properties Code: Retrieval of particulate optical properties from the Fabry-Pérot signal	ıl
only	71
19.1. Estimation of the calibration factor	72
19.2. Particle layer detection	
19.3. Particle layer optical properties	
19.3.1. Particle layer capturing 3 Aeolus bins	
19.3.2. Particle layer capturing 1 Aeolus bin	
19.3.3. Particle layer capturing 2 Aeolus bins	
19.3.4. Particle layers capturing more than 3 Aeolus bins	
19.4. Optical properties for bins outside particle layers	
19.5. Summary optical properties code (OPC) input and output	76
19.6. Height dependent scattering ratio threshold	
20. Matchup algorithm between AUX_MET profiles and L1B measurements	
20.1. Dummy Matchup	
20.2. Nearest Neighbour Matchup	
20.2.1. Select the L1B measurement-bin geolocation	
20.2.2. Apply time-window	
20.2.3. Apply a distance range	80
20.2.4. Choose closest NWP profile	
21. Potential future algorithm developments	82

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

1. Introduction

This document is the Algorithm Theoretical Basis Document (ATBD) for the ADM-Aeolus Level-2B Processor. It has evolved over the years from Technical Note 2.3 (issue 1.0) of the "Development and Production of Aeolus Wind Data Products" contract study whose contents are fully described in [AD2]. It provides a mathematical description of the algorithms used for the Aeolus Level-2B (L2B) processing with information on where the input/output data are sourced/stored and details various processing options.

The nature of the L2B products and high-level architecture of the L2B processing is described in Mission Requirements Document [RD20]. File formats for L2B/C products and associated auxiliary data are described in [RD10].

The following diagram is provided to aid the explanation of the Level-2B processor algorithms.

Aeolus sampling terminology




Figure 1. Diagram of Aeolus sampling terminology to aid in the description of the Level-2B processor

The Level-2B processor produces Line-of-sight (LOS) or Horizontal LOS (HLOS) wind components (a settings parameter) suitable for use in Numerical Weather Prediction (NWP) and atmospheric scientific research. The main inputs are Level-1B measurement data and calibration products. The Level-2B processor produces Aeolus wind products with a number of corrections beyond those provided in the Level-1B wind mode product:

- Measurements are gathered together into groups according to parameter settings to allow flexibility in the horizontal resolution and the noise characteristics of the L2B observations;
- Measurement-bins are classified into different meteorological categories (clear or cloudy are the current options) using atmospheric optical properties information (the default is to use L1B scattering ratio estimates); with the main aim of avoiding significant Mie signal (particulate) contamination of the Rayleigh (molecular) channel;
- Accumulation of the grouped and classified measurement-bin spectrometer counts prior to wind retrieval to obtain an appropriate resolution and noise level;
- (H)LOS wind retrievals are performed with the grouped and classified measurement spectrometer counts;
- Separate (H)LOS wind retrievals are performed for the Mie and Rayleigh channels resulting in (currently) four different types of (H)LOS winds: Rayleigh-clear, Rayleigh-cloudy, Mie-clear and Mie-cloudy. N.B. Mie-clear is produced because the classification process is imperfect due to noise in the optical properties information, meaning that cloudy measurements can be incorrectly assigned as clear;



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

 Rayleigh winds are corrected for the effects of temperature and pressure i.e. Rayleigh-Brillouin Correction using a priori temperature and pressure information (AUX_MET) in combination with an appropriate calibration look-up table (AUX_RBC). Without this correction 10 m/s HLOS wind biases can occur;

- Rayleigh winds are also corrected for Mie contamination (cross-talk) using optical properties information (the default is to use L1B scattering ratio estimates);
- Uncertainty estimates (wind component random error estimates) and quality flags for each wind observation;
- L2B wind observations are essentially independent however profiles are also defined via lists of observation indices;
- The processing algorithm choices are controlled by an external settings file (AUX_PAR_2B)

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

2. Documents

2.1. Applicable documents

Ref	Document title	Document ref	Ver	Date
[AD1]	Statement of Work of the Development and Production of	AE-SW-ESA-GS-0117	1B	Sep 2004
	L2B/C Aeolus data.			
[AD2]	Answer to RFQ/3-11094/04/NL/MM.			Jul 2004
[AD3]	ADM-Aeolus PDGS - L2/MetPF Interface Control	XADM-GSEG-EOPG-ID-04-0002	1.14	08/03/2017
	Document			
[AD4]	Implementation of Level 2B/2C Processing Facility.	XADM-GSEG-EOPG-RD-04-0003	2.0	Apr 2015
	Technical Requirements			
[AD5]	Earth Explorer Ground Segment File Format Standard	PE-TN-ESA-GS-001	1.4	Jun 2003

2.2. Reference documents

Ref	Document title	Document ref	Ver	Date
[RD1]	Aladin Instrument Operation Definition	AE-TN-ASF-AL-00044	3.0	Oct 2004
[RD2]	Level 1b Processor Detailed Processing Model	ADM-MA-52-1800	3/06	01-Jun- 2016
[RD3]	Level1B Master Algorithm Document	AE-SW-ASU-GS-023	9.0	March 2017
[RD4]	Impact of line shape on wind measurements and correction methods	AE-SW-ESA-GS-016	1.0	Feb 2004
[RD5]	L1B & E2S Input/Output Data Definitions Interface Control Document	ADM-IC-52-1666	4/07	July 2017
[RD6]	Selection of L2B Parameters (Study TN2.1)	AE-TN-MFG-L2P-0021	1.2	Sep 2005
[RD7]	Aeolus Data Products Contents Guidelines	AE-TN-ESA-SY-007	1B	May 2004
[RD8]	Definition of Baseline Aeolus Level-2B Processing (Study TN2.2)	AE-TN-ECMWF-L2P-0022	1.2	Sep 2005
[RD9]	Level 1b Processor Detailed Processing Model	ADM-MA-52-1800	3/06	01 Jun 2016
[RD10]	ADM-Aeolus Level-2B Processor Input/Output Data Definitions Interface Control Document	AE_IF_ECMWF-L2BP-001	3.00	August 2017
[RD11]	Aeolus Product Modification for Implementation in L1bP CodeV2	AE.TN.DLR.APM-L1B.150206	1.3	Feb 2006
[RD12]	Calibration constants for the retrieval of optical properties of the atmosphere	AE-TN-MFG-L2A-CAL	1.0	Mar 2006
[RD13]	Raman Lidar Monitoring of Extinction and Backscattering of African Dust Layers and Dust Characterization	Appl. Optics, vol. 42, 9, pp 199- 1709, 2003 by De Tomassi, F., Blanco, A., Perrone, M.R.,		2003
[RD14]	Simulation of wind profiles from a space-borne Doppler wind lidar	Q.J.R. Meteorol. Soc., 129, pp. 3079-3098, 2003, by Marseille, G.J. and Stoffelen, A		2003
[RD15]	Lidar sensing of aerosols and clouds in the troposphere and stratosphere	Proc. IEEE, 77, 433-448, 1989 by Reagan, J.A., McCormick, M.P., Spinhirne, J.D.,		1989
[RD16]	L2A PRODUCT ALGORITHM THEORETICAL BASIS DOCUMENT (ATBD)	AE-TN-IPSL-GS-001	5.4	March 2015
[RD17]	Performance of Aeolus in heterogeneous atmospheric conditions using high-resolution radiosonde data	Atmos. Meas. Tech., 7, pp. 2695- 2717, doi:10.5194/amt-7-2695-2014	-	2014
[RD18]	The L2/Met PF: Aeolus Level-2B/C processing at ECMWF	AE-TN-ECMWF-L2BP-0091	2.0	April 2017
[RD19]	AEOLUS LEVEL-2B PROCESSOR SOFTWARE USER'S MANUAL	AE-MA-ECMWF-L2BP-001	1.8	August 2017
[RD20]	ADM-Aeolus Mission Requirements Document	AE-RP-ESA-SY-001	2.0	



Ref: AE-TN-ECMWF-L2BP-0023

Version: 3.0

Date: 6 September 2017

2.3. Acronyms

ACCD Accumulation Charge Coupled Device

ADS Annotation Data Set

AMD Auxiliary Meteorological Data
AOCS Attitude and Orbit Control System

BRC Basic Repeat Cycle

BUFR Binary Universal Form for the Representation of meteorological data

DEM Digital Elevation Model E2S End-to-End Simulator

ECMWF European Centre for Medium-Range Weather Forecast

EE Earth Explorer

EGM96 Earth Gravitational Model 1996

FSR Free spectral range
FWHM Full width half maximum
GADS Global Annotation Data Sets
HLOS Horizontal Line Of Sight

ILIAD IMPACT of LINE SHAPE on AEOLUS-ADM DOPPLER ESTIMATES

LOS Line of sight
L1B Level-1B
L2B Level-2B
L2C Level-2C

L2/Met PF Level-2 Meteorological Processing Facility (hosted by ECMWF)

MDS Measurement Data Set
MPH Main Product Header
MRC Mie response calibration

N/A Not applicable NRT Near Real Time

NWP Numerical Weather Prediction

ODB Observation DataBase (ECMWF software)

OPC Optical Properties Code
PCD Product Confidence Data
PDGS Payload Data Ground Segment
PRF Pulse Repetition Frequency

QRT Quasi Real Time

RBC Rayleigh Brillouin Correction
RDB Range Dependent Bias
RRC Rayleigh response calibration

SNR Signal to Noise Ratio SPH Specific Product Header

SR Scattering Ratio
TBD To be determined
USR Useful spectral range

WGS84 World Global System 84: Reference Ellipsoid for GPS data

WMO World Meteorological Organization

WVM Wind Velocity Measurement

ZWC Zero Wind Correction



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

2.4. Commonly used symbols for variables in this document

Symbol	Meaning
i	Range-bin number
k	Measurement number
(i, k)	Index for measurement-bin
W	Weights for measurement-bins
j	Index for ACCD pixel
N	Number of measurement-bins used in an observation
λ_0	Laser wavelength
v	(H)LOS wind velocity component
V	LOS velocity component (e.g. for satellite-earth
	velocity correction)
α_p	Particle extinction coefficient
p	Pressure
T	Temperature
W	Scattering ratio
Z	Altitude
β_p	Particle backscatter coefficient
β_m	Molecular backscatter coefficient
β_p	Particle backscatter coefficient
α_m	Molecular extinction coefficient
α_p	Particle extinction coefficient
$ au_m$	Molecular transmission
$ au_p$	Particle transmission



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

3. Overview of the Level-2B processing

Details on how to use the software can be obtained and installed are available in the SUM [RD19]. Here with provide a brief introduction to the L2B processor inputs/outputs for the benefit of this document.

3.1. File types used in relation to the Level-2B processing

A variety of files are involved in the input/output of the L2B processor. The following table lists files that are referred to within this document.

Table 1. List of file types relevant to the L2B processing that are referred to in the ATBD

File type	Short-hand name	Input/Output to L2B processor	Purpose
Aeolus Level- 1B WVM Product	ALD_U_N_1B	I	Main input to L2B processor; e.g. spectrometer counts, geolocation info, MRC info, error estimates etc.
Predicted Ground Track File	GRND_TRACK	N/A	Contains one week of predicted orbit ground track geolocations (nadir and offnadir). For use in L2/Met PF AUX_MET generation.
Aeolus Collocated Meteorologica 1 Product	AUX_MET_12	I	Necessary input to L2B processing. Provides temperature and pressure information needed in Rayleigh-Brillouin correction (and optionally used by the Optical Properties Code)
Rayleigh- Brillouin Correction Table	AUX_RBC_L2	I	Calibration look-up table input to L2B processor to enable correction of Rayleigh winds for temperature and pressure effects
Climatology Lookup Table	AUX_CLM_L2	I	Optical Properties Code retrievals in the future may use this file (provides climatology of lidar ratio)
L2 Calibration Coefficient Auxiliary File	AUX_CAL_L2	I	The Optical Properties Code can optionally use this calibration dataset
Level 2B Processing Parameters	AUX_PAR_2B	I	Contains settings and parameters for the L2B processing i.e. controls which options are used in the algorithms. A necessary input to the L2B processor. See Appendix F for the options.
Aeolus Level- 2B Product	ALD_U_N_2B	О	Output product of L2B processor. Meteorologically representative (H)LOS wind observations for use in data assimilation/scientific research.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Aeolus Level-	ALD_U_N_2C	N/A. This is	Aeolus assisted wind vector
2C Product		produced by the	product (based on the L2B
		L2.Met PF only	product plus information from
			the ECMWF analysis).

NWP model IFS first Dissemination and trajectory archiving AUX MET 12 **AUX MET 12** generator Acquisition and archiving GRND_TRACK ALD_U_N_2C MPL ORBPRE L2B processing AUX_PAR_1B L2C processing AUX CAL L2 AUX PAR 2B AUX CLM L2 IFS 4D-Var AUX LUT BL ALD B N 2B (bufr)

Figure 2. Diagram showing the inputs and outputs of the L2B processor as implemented in the $L2/Met\ PF$

NWP data assimilation

3.2. Purpose of the Level-2B processing

The Level-2B processing of Level-1B Wind Velocity Measurement (WVM) data (referred to as ALD_U_N_1B in this document) is required for the generation of L2B data products (ALD_U_N_2B). L2B products are intermediate between L1B and L2C products.

The Level-2B processing HLOS wind retrieval involves taking L1B products (ALD_U_N_1B), auxiliary input parameters (AUX_PAR_2B), auxiliary calibration information (AUX_RBC_L2 and optionally AUX_CAL_L2 and AUX_CLM_L2) and auxiliary meteorological data (AUX_MET_12), and applying essential modifications, corrections and additions to generate a product of HLOS wind component observations which are suitable for data assimilation by the NWP systems and for more general scientific research. The L2B processor works on the principal of summing the signals (spectrometer counts) from Aeolus measurement-bins (effectively horizontal averaging) after classification into different atmospheric conditions and performing a wind retrieval on the integrated signals, rather than performing retrievals on individual measurements and then averaging the wind results.

A key input to the L2B processing HLOS wind retrieval is the auxiliary meteorological data file. Auxiliary Meteorological data (AUX_MET_12¹) generation involves the generation/acquisition of auxiliary meteorological data as required as an input for the Level-2B Rayleigh HLOS wind retrieval. Information from the AUX_MET_12 file can also be applied in the optional L2BP Optical Properties Code retrieval algorithm and is also used as part of the Aeolus Calibration software and the L2A processing

¹ The "12" in the file name refers to Level-1, Level-2 rather than the validity period of the file (which used to be 12 hours). Actually AUX_MET_12 files produced in the L2/Met PF will nominally have a validity period of 30 hours.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

which is operated by the PDGS (Payload Data Ground Segments). Note that the Level-2B Mie wind retrieval does not require AUX_MET_12 data. Although AUX_MET_12 will have an indirect effect on the Mie results if the Optical Properties Code is applied in the scene classification algorithm. The auxiliary meteorological data take the form of *a priori* estimates of the atmospheric temperature and pressure (and some other variables not needed by the L2B processor e.g. wind, humidity, cloud ice/water content) geolocated to be close to the Aeolus L1B measurement data. Appendix A describes Auxiliary Meteorological Data generation as applicable in the operational mode (L2/Met PF).

During the Aeolus mission the Level-2B processing is envisaged to be operated in four environments, which are:

- The operational environment: Level-2B products to be produced in NRT by the L2/Met PF (part of the Aeolus Ground Segment) hosted by ECWMF
- The operational re-processing environment: reprocessed Level-2B products to be produced by the PDGS as necessary during the mission
- The NWP centre environment: NWP centres may wish to run their own instance of the L2B processor (and possibly generate their own AUX_MET_12) to produce products for their own data assimilation systems
- The non-operational scientific research environment: for more general scientific investigations e.g. CAL/VAL investigations

The operational environment will be the main source of Level-2B data (or L2B BUFR file format data derived from this) for NWP users. Operational re-processing will be done occasionally (as necessary) when the Ground Segments processors undergo improvements.

The L2B processing algorithms described in this document are applied in the same way in all environments.

Because Aeolus is an Earth Explorer demonstration mission the L2BP algorithms will probably undergo significant modifications during the lifetime of the mission. This version of the ATBD is in line with version 3.00 of the L2B processor (v3.00).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

4. High-level architecture of the Level-2B processing

The high-level architecture of how to generate L2B products is shown in Figures 1 and 2. Figure 1 shows the main processing tasks for the generation AUX_MET_12 data and how that links to the HLOS wind retrieval, which is shown in Figure 2. The various steps of the L2B processor are indicated in Figure 2.

Different software in the operational L2/Met PF and possible NWP centre implementations is confined to differences in how the AUX_MET_12 is generated (Figure 1). The L2B processing (Figure 2) part will be the same wherever the processor is run (apart from different processing settings choices possible via the AUX_PAR_2B file).

Aspects of Figure 1 that are not expected to apply in non-operational NWP centre mode are a) the sending of data to the PDGS, and b) the use of predicted orbit tracks (GRND_TRACK files). NWP centres are free to modify the other aspects of auxiliary meteorological data processing to suit their own requirements (and also to modify/improve the L2B processing algorithms if they wish - however they should inform the L2B development team of any such improvements).

The dashed box in Figure 1 is not applicable to the PDGS re-processing mode. Instead, auxiliary meteorological data at reference geolocations (before interpolation to locations requested by the HLOS wind retrieval algorithm) are to be obtained from the archive within the PDGS. The reprocessing mode will apply auxiliary pre-processing as described in Appendix A.3, consistent with the operational mode.

A high-level description of the main processing tasks is given in Section 5.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 1: Data flow for Aeolus Level-2B processing. All the steps before HLOS wind retrieval comprise AUX_MET_12 data generation steps in operational mode. Reprocessing mode does not need to regenerate AUX_MET_12 data. NWP centre mode may run their own AUX_MET_12 generation. Data flow for primary Level-2B processing (i.e. HLOS retrieval) is given in Figure 2.




Figure 2: Data flow for Aeolus Level-2B HLOS wind retrieval.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

5. Main Level-2B processing tasks

Mathematical descriptions of the main processing tasks are given in Sections 6 to 18. To show the correspondence of these algorithms with the high-level architecture provided in the previous Section and with the rest of the document we briefly discuss them in the task headings below.

AUX_MET_12 data is a compulsory input the L2B processing and hence it much be generated or obtained from the PDGS archive.

5.1. Determine reference geolocations for computing auxiliary meteorological data

This is part of auxiliary meteorological data processing and is described in the Appendix A.1.

Note: determining reference geolocations is a pre-processing step performed outside the L2BP processing code. The L2BP software package provides various tools which can help in implementing this step at NWP centres. For example, there are tools to read the L1B file and write out the geolocation information needed to help generate appropriate auxiliary meteorological data. There is also a tool for reading the L1B files (and if required the GRND_TRACK data) and extracting the geolocation information to the ECMWF Observation Database 2 (ODB-2) format — again this may be adapted by NWP centres for their own formats.

5.2. Generate auxiliary meteorological data at reference geolocations

This is part of auxiliary processing and is described in the Appendix A.2.

5.3. Pre-process auxiliary meteorological data

This is part of auxiliary processing and is described in the Appendix A.3.

5.4. Aeolus L2B HLOS wind retrieval

The steps of primary L2B processing are described in separate Sections:

- Input product validation, Section 6
- Measurement grouping, Section 7
- Atmospheric scene classification, Section 8
- Measurement-bin selection, Section 9
- Weighting of measurement-bins, Section 10
- Accumulation of measurement-bin data, Section 11
- Computation of L2B (H)HLOS wind observation geolocation and relevant parameters, Section 12
 - o centre-of-gravity geolocation
 - Start/stop geolocations
 - o representative integration length
 - Weighting of auxiliary meteorological data (reference pressure and temperature) for selected measurement-bins
- Computations of L2B variables: (H)LOS wind computation and uncertainty estimation, comprising
 - o Rayleigh channel (H)LOS wind processing, Section 13 and 15
 - Mie channel (H)LOS wind processing, Section 14 and 16
 - Rayleigh channel (H)LOS wind uncertainty estimation processing, Section 17
 - Mie channel (H)LOS wind uncertainty estimation processing, Section 18
- Optical Properties Code retrieval using only the Rayleigh channel, Section 19
- AUX MET data matchup algorithm, Section 20
- Potential future algorithm updates, Section 21

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

6. Input product validation

Any dynamic files that are read by the L2B processor undergo some basic screening checks to ensure the values are within expected ranges. The L2B processor produces warnings regarding unexpected values and potentially may not use the data in the HLOS wind retrieval depending on the context.

Product validation comprises:

- Screening of Level-1B WVM Data Input Product (ALD U N 1B)
- Screening of Auxiliary Meteorological Data Input Product (AUX_MET_12)
- Screening of Rayleigh-Brillouin Calibration Data Input Product (AUX_RBC_L2)
- Screening of Calibration Coefficient Data Input Product (AUX_CAL_L2)

6.1. Screening of Level-1B Data Input Product

In the L1B-screening procedure L1B input variables of relevance to the L2B processing are checked for their validity i.e. whether the values meet our expectation. The L2B screening results indicate whether the L1B data have passed or failed the screening procedure. The results are stored in the L2B product (see [RD10]) as part of:

L2B Meas Product Confidence Data (PCD) ADS

- L1B Input Screening:
 - L1B Obs Scr
 - o Obs Screening

For screening of L1B PCD data on the observation scale. N.B. observation scale L1B data is not used in the L2B HLOS wind retrieval; this screening has no effect on the HLOS wind retrieval.

- Mie Meas
 - o Meas QC

For screening of L1B PCD Mie data on the measurement profile scale i.e. applicable to all range-bins in the measurement. N.B. the measurements are still used in the HLOS wind retrieval if problems are detected (warnings in the standard output will be given however)

- o Bin Screening
 - -■ Bin QC

For screening of L1B PCD Mie data on measurement range-bin scale. Measurement range-bins with problems as indicated by the <code>Bin_QC</code> are discarded from the HLOS wind retrieval (and warnings are given in the standard output)

- Rayleigh Meas
 - o Meas_QC

For screening of L1B PCD Rayleigh data on the measurement profile scale i.e. applicable to all range-bins in the measurement. N.B. the measurements are still used in the HLOS wind retrieval if problems are detected (warnings in the standard output will be given however).

- o Bin Screening
 - Bin_QC

For screening of L1B PCD Rayleigh data on measurement range-bin scale. Measurement range-bins with problems as indicated by the Bin_QC are discarded from the HLOS wind retrieval (and warnings are given in the standard output).

The values of the L2B screening output variables are determined by the values of the L1B variables and the threshold parameters defined in the AUX_PAR_2B. The AUX_PAR_2B threshold variables are obtained from the L2B Processing parameter GADS:

Screening Params

- L1B Screening Params
 - o L1B Obs Screening Params
 - o L1B Mie_Meas_Screening_Params
 - o L1B_Rayleigh_Meas_Screening_Params



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

See Appendix F for a list of the relevant AUX_PAR_2B parameters available.

In case of a missing variable or failure of the threshold test, the failure is reported and the L2B screening output variable is flagged. A threshold failure is reported when the L1B value is *larger than* a pre-defined upper threshold value or *smaller than* a pre-defined lower threshold value. The L1B input variables and corresponding threshold parameters are described in the following tables.

Table 2. Screening on the L1B observation scale. The L1B variables correspond to those in Table 2-20 of the L1B-IODD [RD11]. Thresholds given by a symbolic name refer to parameters in the AUX_PAR_2B processing parameters file. In case of a screening failure, the numerical value of the L2B variable in L1B_Obs_Screening (See table 17 of [RD10]) is set to the corresponding value in the first column of Table 18 of [RD10].

L1B variable	Lower threshold parameter	Upper threshold parameter
Laser related:	Lower unconoid parameter	Opper unconoid parameter
L1B_Laser_Freq_Unlocked	0	L1B_Laser_Freq_Unlocked_Thresh
L1B_Ref_Pulses_Unlocked	0	L1B_Ref_Pulses_Unlocked_Thresh
L1B_Laser_Freq_Offset	0	L1B_Laser_Freq_Offset_Thresh
L1B_Laser_UV_Energy	0	L1B_Laser_UV_Energy_Thresh
L1B_ Laser_Freq_Offs_Stdev	0	L1B_Laser_Freq_Offs_StdevThresh
L1B_	0	L1B_Laser_UV_Energy_StdevThresh
Laser_UV_Energy_Stdev	Ç	
L1B_Mie_Mean_Emit_Freq	L1B_Mie_Mean_Emit_Freq_Min	L1B_Mie_Mean_Emit_Freq_Max
L1B_ Mie _Emit_Freq_Stdev	0	L1B_Mie_Emit_Freq_Stdev_Thresh
L1B_Rayl_Mean_Emit_Freq	L1B_Rayleigh_Mean_Emit_Freq_Mi	L1B_Rayleigh_Mean_Emit_Freq_Ma
	n	X
L1B_ Rayl _Emit_Freq_Stdev	0	L1B_RayleighEmitFreqStdevThresh
Satellite related		
L1B_Sat_Not_on_Target	0	L1B_Sat_Not_on_Target_Thresh
Measurement related		
L1B_Mie_Invalid_Meas	0	L1B_Mie_Corrupt_Thresh
L1B_Mie_Invalid_Ref_Pulses	0	L1B_Mie_Ref_PulsesCorruptThresh
L1B_Rayl_Invalid_Meas	0	L1B_Rayleigh_Corrupt
L1B_Rayl_Invalid_Ref_Pulse	0	L1B_Rayl_RefPulsesCorruptThresh
S		
Combinations		
L1B_Mie_Invalid_Meas	0	L1B_Mie_Invalid_Meas_Thresh
L1B_Mie_ Invalid_Ref_Pulses	0	L1B_Mie_Invalid_RefPulsesThresh
L1B_Rayl_Invalid_Meas	0	L1B_Rayl_Invalid_Meas_Thresh
L1B_Rayl_	0	L1B_Rayl_InvalidRefPulsesThresh
Invalid_Ref_Pulses		
Nr_Invalid_Mie_Peaks	0	N_range_gates

Table 3. Screening of L1B Mie data on measurement profile scale. The L1B variables correspond to those in Table 2-25 of the L1B-IODD [RD11]. Thresholds given by a symbolic name refer to parameters in the AUX_PAR_2B processing parameters file. In case of a screening failure, the numerical value of the L2B variable in L1B_Mie_Meas_QC (See table 19 of [RD10]) is set to the corresponding value in the first column of Table 20.

L1B variable	Lower threshold parameter	Upper threshold parameter
L1B_Mie_Meas_Invalid_Ref_Pulse	0	L1B_MieMeasInvalidRefPlssThres
S		h
L1B_Avg_Laser_Freq_Offset	L1B_Avg_Laser_Freq_Offset_Min	L1B_Avg_Laser_Freq_Offset_Max
L1B_Avg_UV_Energy	L1B_Avg_UV_Energy_Min	L1B_Avg_UV_Energy_Max
L1B_Laser_Freq_Offset_Stdev	0	L1B_Laser_FreqOffsetStdevThres
		h
L1B_UV_Energy_Std_Dev	0	L1B_UV_Energy_Stdev_Thresh
L1B_Vel_of_Att_Uncertainty_Error	L1B_VelofAttUncertaintyErrorMin	L1B_VelofAttUncertaintyErrorMax
L1B_Mie_Mean_Emitted_Freq	L1B_Mie_Mean_Emitted_Freq_Mi	L1B_Mie_Mean_Emitted_Freq_Ma
	n	X
L1B_Mie_Emitted_Freq_Stdev	This parameter is no longer screened (removed in L1B v1.3)	



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

L1B_Reference_Pulse_FWHM

New parameter added in L1B v1.3; no thresholds defined yet in the code.

Table 4. Screening of L1B Mie data on measurement-bin scale (see Chapter 7 for measurement-bin definition). The L1B variables correspond to those in Table 2-27 of the L1B-IODD [RD11]. Thresholds given by a symbolic name refer to parameters in the AUX_PAR_2B processing parameters file. In case of a screening failure the numerical value of the L2B variable in L1B_Mie_Meas_QC (See table 21 of [RD10]) is set to the corresponding value in the first column of Table 22. The logical variable has been set by L1BP and is either true (T) or false (F), but note that this screening test may be disabled until further notice.

L1B variable	Lower threshold parameter	Upper threshold parameter	Logical
L1B_Mie_Bin_Invalid	-	-	T/F
L1B_Scattering_Ratio	L1B_ScatteringRatio_Min	L1B_ScatteringRatio_Max	-
L1B_Mie_SNR	L1B_Mie_SNR_Thresh	No upper threshold	=

N.B. The L1B_Mie_Bin_Invalid results can be ignored by setting Ignore_Mie_Meas_Invalid_Switch to be True in the AUX_PAR_2B. See Appendix E for a list of the relevant AUX_PAR_2B parameters available.

Table 5. Screening of L1B Rayleigh data on measurement profile scale. The L1B variables correspond to those in Table 2-25 of the L1B-IODD [RD11]. Thresholds given by a symbolic name refer to parameters in the AUX_PAR_2B processing parameters file. In case of a screening failure, the numerical value of the L2B variable in L1B_Rayleigh_Meas_QC (See table 23 of [RD10]) is set to the corresponding value in the first column of Table 24.

L1B variable	Lower threshold parameter	Upper threshold parameter
L1B_Rayl_Meas_Invalid_Ref_Puls	0	L1B_RayMeasInvalidRefPlssThres
es		h
L1B_Avg_Laser_Freq_Offset	L1B_Avg_Laser_Freq_Offset_Min	L1B_Avg_Laser_Freq_Offset_Max
L1B_Avg_UV_Energy	L1B_Avg_UV_Energy_Min	L1B_Avg_UV_Energy_Max
L1B_Laser_Freq_Offset_Stdev	0	L1B_Laser_FreqOffsetStdevThres
		h
L1B_UV_Energy_Std_Dev	0	L1B_UV_Energy_Stdev_Thresh
L1B_Vel_of_Att_Uncertainty_Error	L1B_VelofAttUncertaintyErrorMin	L1B_VelofAttUncertaintyErrorMax
L1B_Rayleigh_Mean_Emitted_Fre	L1B_Rayl_Mean_Emitted_Freq_M	L1B_Rayl_Mean_Emitted_Freq_M
q	in	ax
L1B_Rayleigh_Emitted_Freq_Stde	0	L1B_Rayl_EmittedFreqStdevThres
V		h

Table 6. Screening of L1B Rayleigh data on measurement-bin scale (see Chapter 7 for definition of measurement-bin). The L1B variables correspond to those in Table 2-27 of the L1B-IODD [RD11]. Thresholds given by a symbolic name refer to parameters in the AUX_PAR_2B processing parameters file. In case of a screening failure the numerical value of the L2B variable in L1B_Rayleigh_Bin_QC (See table 25 of [RD10]) is set to the corresponding value in the first column of Table 26. The logical variable has been set by L1BP and is either true (T) or false (F), but note that this screening test may be disabled until further notice.

L1B variable	Lower threshold parameter	Upper threshold parameter	Logical
L1B_Rayleigh_Bin_Invalid	-	-	T/F
L1B_Rayleigh_SNR_A	L1B_Rayleigh_SNR_Min	L1B_Rayleigh_SNR_Max	-
L1B_Rayleigh_SNR_B	L1B_Rayleigh_SNR_Min	L1B_Rayleigh_SNR_Max	-

N.B. The L1B_Rayleigh_Bin_Invalid results can be ignored by setting Ignore_Rayleigh_Meas_Invalid_Switch to be True in the AUX_PAR_2B. See Appendix E for a list of the relevant AUX_PAR_2B parameters available.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

6.2. Screening of Auxiliary Meteorological Data Input Product

Screening is performed on a selection of the auxiliary meteorological data variables against the maximum and minimum allowed values. Only temperature, pressure and the associated geometric altitudes are used in the HLOS wind retrieval; hence only temperature and pressure are checked. The whole AMD vertical profile is flagged as invalid if one or more of the temperature or pressure values within the profile is outside the expected physical range and a warning message is given. Currently the AUX_MET_12 data profile can still be used in the HLOS wind retrieval, even if flagged invalid.

The variables checked from the AUX_MET_12 file format (see Table 81 of [RD10]) are:

Meteorological MDS

- List of Profile Data
 - AMD pbase
 - AMD T

The threshold variables for the screening come from the L2B Processing parameter (AUX_PAR_2B) GADS:

Screening_Params

• L2B AMD Screening Params

See Appendix F for a list and for more details on the AUX_PAR_2B parameters.

The results of screening AMD variables are stored in the L2B product (see [RD10]) as part of the: L2B AMD Product Confidence Data (PCD) ADS

• L2B AMD Screening

- L2B_AMD_Screening_QC: set to L2B_AMD_Unlikely_Profile if any pressure or temperature values are outside the expected range
- L2B_AMD_Screening_QC_Flags: Bit flag indicating the type of problem detected e.g. AMD T out of bounds nadir

Table 7. Screening of AUX_MET_12 data. The AUX_MET variables can be found in Table 81 of [RD10]. The thresholds are part of the AUX_PAR_2B; see Table 136 of [RD10].

AUX_MET variable	Lower threshold parameter	Upper threshold parameter
AMD_pbase (Pressure at bottom of model layer)	L2B_AMD_p_min	L2B_AMD_p_max
AMD_T (Temperature at AMD_pnom)	L2B_AMD_T_min	L2B_AMD_T_max

6.3. Screening of Rayleigh-Brillouin Calibration Data Input Product

There are a number of checks on the AUX_RBC_L2 file content, for example:

- Checking the pressure and temperature grids are consistent with the values given in the SPH (maximum, maximum and number of elements) and that the spectrum array sizes match with the size of the temperature and pressure grids.
- Checking that the various frequency grids are consistent with the SPH (minimum, maximum and number of elements) and that the array is monotonically increasing or decreasing.

If any of the tests fail then the L2B processor exits with an error message explaining what the problem is.

6.4. Screening of Calibration Coefficient Data Input Product

This is not implemented yet. The AUX_CAL_L2 is optionally used by the Optional Properties Code (Section 19).

6.5. Screening of Climatological Data Input Product

This is not implemented yet. The AUX_CLM_L2 may be used by the Optional Properties Code (Section 19) in the future.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

7. The measurement Grouping Algorithm

This section explains the Grouping Algorithm method. Firstly we need to provide some definitions related to the spatial sampling of Aeolus data to help describe the Grouping Algorithm. This is illustrated in Figure 3 which shows a representation of a two dimensional section of Aeolus data. The smallest constituent, which we refer to as the measurement-bin, relates to the data of a particular range-bin of a particular measurement profile.




Figure 3. Spatial sampling of Aeolus data is defined in terms of measurements, groups of measurements, range bins and measurement-bins.

The HLOS wind retrieval (which is described in the upcoming Sections) results in HLOS wind component "observations". We refer to these observations also as wind results, to reflect the fact that they are not slant-path profiles of winds, but independent wind observations. The wind results are the output of a wind retrieval algorithm which is performed using the spectrometer data accumulated from a group of measurement-bins.

Prior to the wind retrievals the profiles of measurements are first assigned to groups; these groups are the output of the Grouping Algorithm.

The Grouping Algorithm provides flexibility in the horizontal resolution of L2B wind results and hence also flexibility in the signal-to-noise ratio. Longer along-track accumulations may be necessary to produce more representative winds for NWP data assimilation or research applications or to produce winds with a desired level of noise. The accumulation of measurement-bin data which comes after the Grouping Algorithm is explained in Section 11. Note that the grouping is followed by further partitioning of measurement-bins such as applying the scene classification (as described in Section 8) and QC decisions ("measurement selection"), see the next sections.

The Grouping Algorithm can produce groups of measurements across L1B BRCs and hence L2B wind results which span BRCs. This is possible due to the continuous nature of the Aeolus data along the orbit ground-track. N.B. the L1B processed wind observations are restricted to one BRC.

The Grouping Algorithm is performed independently for each channel (Mie and Rayleigh; with independent settings); this is necessary because the two channels have unique properties e.g. such as potentially different range-bin height definitions and different horizontal averaging requirements to reach a certain precision (typically Mie winds require fewer measurement-bins to achieve a given level of precision compared to the Rayleigh winds).

Here is a list of some features of the measurement Grouping Algorithm:

- A group of measurements can be a minimum of one measurement up to all the measurements in the input L1B WVM file (although this latter choice is clearly not recommended)
- The resultant groups are not required to be of a constant size in terms of the number of measurements they contain.
- The grouping algorithm starts from the first measurement in the L1B file and groups are constructed, one by one, along the orbit.
- A minor consequence is that rather small groups may be formed at locations where grouping
 has to stop (i.e. when the range bin definition has changed significantly, or at the end of the L1B
 file, etc.).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

• The maximum horizontal extent (and therefore the number of measurements) of a given group is determined by parameters specified in the AUX_PAR_2B file and their interaction with the L1B data of a particular file.

• It is possible to select the group size to be equal to one BRC, which is referred to as the Classic setting. Given that nominally a BRC consists of 30 contiguous measurements, which corresponds to roughly 90 km horizontal distance of ground-track, then observations constructed from one BRC may actually be a sensible choice for some global NWP models. Mesoscale NWP model users may wish to choose higher horizontal resolution (i.e. smaller group sizes).

Inputs:

- L1B measurement level geolocation information
- Grouping parameters from the AUX_PAR_2B settings file

Outputs:

 Group structures defining which measurements belong to which group. These are reported in the L2B product under: Mie and Rayleigh Grouping ADS, see Table 18 of the IODD [RD10]

Algorithm:

The Grouping Algorithm method is selected via the AUX PAR 2B settings file; in particular:

- WVM Params
 - o BRC Grouping Params²
 - Grouping Method

The chosen <code>Grouping_Method</code> determines the group size. The group size provides an upper limit on the horizontal extent of an observation. There are currently three Grouping methods available:

- Classic
 - This mimics the L1B processor method, in that it creates groups which exactly match the BRCs. I.e. observations can only be constructed from the 30 (nominal) measurements in one BRC.
- Advanced
 - This uses the parameters specified in the AUX_PAR_2B file, and constructs groups as large as possible given the constraints imposed from the parameters given the available set of measurements in a L1B product file.
- Combine BRCs
 - This uses a parameter specified in the AUX_PAR_2B (WVM_Params/BRC_Group ing_Params/num_BRCs_to_merge) file to construct groups of integer numbers of BRCs.

The "Advanced" method is controlled by the following parameters (separate parameters for Mie and Rayleigh channels):

- WVM Params
 - o BRC Grouping Params
 - Grouping_Method
 - Max_Vertical_Rangebin_Misalignment_{Mie,Rayleigh}

The maximum allowed vertical altitude difference between two {Mie, Rayleigh} measurement-bins with the same range-bin vertical index in a group. Moving along one measurement-bin at a time, if a measurement-bin's altitude differs by more than the threshold relative to the first measurement-bin of the group, then a new group will be started. Range bin height definitions can change due to the Terrain Model shifting (which shifts the whole profile of range-bins) and also due to changes in the definition of the range bins which can occur up to seven times per orbit. This parameter is used to restrict the averaging of measurement-bins at different altitudes since this will reduce the vertical resolution of the observations.

• Max_Horizontal_Accumulation_Length_{Mie, Rayleigh}

_

² "BRC" grouping parameters is a misnomer. In hindsight it should have been called "measurement" grouping parameters.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

The maximum horizontal distance between the first and last {Mie, Rayleigh} measurements in a group. If a measurement being considered for the group is a greater distance from the first measurement in the group than the threshold permits then a new group will be started.

• Max Allowed Gap Between {Mie, Rayleigh} Measurements

The maximum length of missing {Mie, Rayleigh} measurements before a group definition is closed and a new group is started. This ensures that large gaps between the data in a group can be eliminated e.g. do not want the situation with observations constructed from two widely spaced measurements, one at either end of the group. There should nominally not be many gaps in the data along the orbit. It is unclear how often missing measurements will occur; therefore this criterion may not have any influence in practice.

These AUX_PAR_2B parameters effectively control the maximum horizontal scale of the wind observations. Increasing the accumulation length allows more measurements into a group and hence should reduce random noise in the resultant winds, but at the cost of poorer horizontal resolution, which suppresses the detection of atmospheric variability. Note however that the final horizontal extent of a wind result also depends on the "measurement selection" algorithm and its settings (see Section 9).

Mie channel HLOS winds will most likely require smaller averaging lengths compared to the Rayleigh channel to achieve a given wind quality as has been demonstrated in end-to-end simulations.

Figure 4 illustrates the Grouping Algorithm via a so-called "measurement map"; this shows the location of measurement-bins in the vertical and horizontal (along-track) dimensions. Each small rectangular bin represents one measurement-bin (similar to Figure 3). The results of the grouping algorithm is shown by the groups which are indicated by green arrows (at the bottom), showing the horizontal extent of the groups. In this first cartoon example, the grouping algorithm distance criteria has been set such that groups are formed from five measurements (horizontally).

Measurement-bins within a group are later assigned to specific observations (see Section 9) — in Figure 4 the observation index to which a measurement-bin belongs to is also shown for clarity. This scenario could be for example the Rayleigh-clear observations obtained from a clear atmosphere, since all measurement-bins in a group on a given range bin are available for the HLOS wind retrieval. The light blue shading highlights for example the measurement-bins that go into observations numbers 1 and 54.




Figure 4. A "measurement map" to illustrate the how the measurement Grouping Algorithm works. The vertical axis represents the 24 vertical range bins of Aeolus and the horizontal axis represents either time or distance along the orbit track (or measurement number). The green



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

arrows at the bottom indicate the number of measurements (and hence horizontal distance) over which groups are formed. The number within each measurement-bin shows to which wind observation it will be assigned to (in later processing decisions). The Max_Horizontal_Accumulation_Length_* must have been chosen in this example to allow up to 5 measurements per group.

Figure 5 (in a similar way to Figure 4) illustrates how the grouping can vary with the "Advanced" grouping algorithm settings. Only one group is produced in this example which would happen with more relaxed distance criteria settings. Here all the measurement-bins on a given range bin will be assigned to one observation.




Figure 5. A "measurement map" illustrating a case where the Grouping Algorithm thresholds are not exceeded, so that one group has been formed from all the available measurements. The Max_Horizontal_Accumulation_Length_* must have been chosen in this example to exceed 25 measurements per group.

Figure 6 illustrates how new groups are started (and current groups are ended) if the vertical displacement of range bins heights is larger than a chosen threshold parameter. The observations (as a result of classification) could be for example Mie cloudy observations; hence not available on every range bin or perhaps the QC has rejected the other measurement-bins. In such a scenario the group sizes can be quite variable.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 6. A "measurement map" illustrating the effect of changes of range-bin height definition on the grouping. Here only some of the measurement-bins are assigned to observations, which is possible with "measurement selection" (see section 9).

Variable group sizes may be a problem for some applications, since consistent quality and resolution may be preferred. Using the "Classic" method avoids this issue at the grouping stage, however the "measurement selection" may still lead to highly variable observation scales within one BRC of the "Classic" mode (particularly in inhomogeneous e.g. cloudy scenarios).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

8. Atmospheric scene classification

One of the main features of the L2B processor is the accumulation of the signal from measurement-bins that have the same atmospheric class. The wind retrieval is then performed on the accumulated data (Section 9). The atmospheric class for each measurement-bin (a measurement-bin is defined in Section 7; see Figure 3) is determined through a process referred to as "scene classification". By "atmospheric class" we are referring to classifying the atmosphere of the measurement-bin sensing volume according to its optical properties. In particular we want to know how much particulate backscatter is contributing to the signal received by Aeolus.

Accumulating measurement-bins of the same atmospheric class is done because it can improve the quality of the wind results:

- Mie HLOS wind results require strong particulate backscatter (high Mie channel signal) to be
 accurate whereas naturally they have poorer quality in an atmosphere with only low levels of
 particulates (low signal) or no signal at all (clear air). Gross errors are possible with very low
 SNR. Therefore it makes sense to only accumulate measurement-bins in which a reasonable
 level of particulate backscatter signal is detected.
- Rayleigh HLOS wind results are of good quality in clear air conditions, but have reduced
 accuracy where there is strong particulate backscatter which contaminates the Rayleigh
 channel signal. We try to correct for Mie contamination (cross-talk) using estimates of scattering
 ratio, but this correction is imperfect, see Section 13). Therefore improved Rayleigh winds can
 be determined by only using measurement-bins which are not contaminated with particulate
 backscatter signal.

Currently the L2B processor produced four types of L2B Aeolus wind observations by classifying the measurement-bins into **Clear** or **Cloud** conditions:

- Mie-cloudy:
 - Mie winds derived from measurement-bins classed as being cloudy i.e. have non-zero particle backscatter
- Mie-clear:
 - Mie winds derived from measurement-bins classed as being clear i.e. having only molecular backscatter.
 - They should only be possible for cases in which classification failed to detect particulate backscatter.
- Rayleigh-cloudy:
 - Rayleigh winds derived from measurement-bins classed as being cloudy i.e. have non-zero particle backscatter
 - For cases where Rayleigh results are contaminated with Mie signal. With the Mie decontamination correction (Section 13) these wind results can be useful (particularly for small scattering ratios.
- · Rayleigh-clear:
 - Rayleigh winds derived from measurement-bins classed as being clear i.e. having only molecular backscatter.

Rayleigh-clear and Mie-cloudy wind results are expected to be of superior quality compared to the other two for the reasons mentioned above.

The atmospheric scene classification can be done by three alternative methods, each with specific algorithms:

- 1) Classification by scattering ratio³: Section 8.2
- 2) Classification by particle feature finding⁴: Section 8.3
- 3) Classification by particle extinction coefficient⁵. Section 8.4

³ The scattering ratio is defined as the ratio of total backscatter coefficient (molecular plus particulate) to molecular backscatter coefficient. Values greater than 1 indicate the presence of particulate backscattering and hence some Mie signal contamination of Rayleigh signals.

⁴ Particle feature finding is part of the Optical Properties Code (OPC).

⁵ The extinction coefficient of the atmosphere characterizes how easily it can be penetrated by a beam of light. SI unit: m⁻¹



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

The algorithm used for scene classification is chosen via an AUX_PAR_2B setting, in particular:

Classification Params/Classification Type {Mie, Rayleigh}

Option 1: Class_Backscat_Ratio Option 2: Class_Layer_Detected Option 3: Class Ext Threshold

8.1. An introduction to the Optical Properties Code retrieval

For all three classification options listed above it is possible to obtain the relevant variables used for classification via the Optical Properties Code (OPC) algorithm, which is described in Section 19. The OPC uses only the Rayleigh interferometer (Fabry-Pérot) signal (does not use the Mie channel) to retrieve particulate optical properties. It provides information on the presence or not of particles (feature finding) and also can retrieve extinction and scattering ratio estimates that can be used in the scene classification algorithms.

A Rayleigh measurement-bin alone is not sufficient to detect particulate scattering, however the slant-path profile of Rayleigh measurement-bins can be used to retrieve particulate optical properties given a priori estimates of the atmosphere temperature and pressure at the measurement location. The AUX_MET_12 input file provides this information from which estimates of molecular backscatter and extinction coefficients (in clear atmosphere) can be derived (see Appendix E). Deviations in the observed Rayleigh lidar signal from the forward modelled (lidar equation) clear air signal provides information on particulate layers.

The OPC derived optical properties are expected to be particularly beneficial where there are Rayleigh measurement-bins containing particulate scattering, yet there are no Mie measurement-bins in close proximity (i.e. the Mie channel cannot be used to detect the particulate scattering). Rayleigh winds derived with an assumption of clear air when in fact it is not clear will be significantly biased. This may be a problem in atmospheric scenarios with e.g. Polar Stratospheric Clouds (PSC) or high cirrus clouds, because the nominal Mie range-bin definitions stop around the tropopause level.

The OPC output depends on the provision of signal calibration constants. These are available in the auxiliary input data (AUX_CAL_L2 file) to the L2B processor or alternatively they can be calculated in the OPC itself. The source of calibration constants is controlled in the AUX_PAR_2B settings (see Appendix F). Some algorithms for checking the supplied calibration constants during L2B processing are given in Appendix C.

The expected signal and measured signal profiles are input for the OPC iterative scheme discussed in Appendix D. The result is an estimate of particle pseudo transmission throughout the measurement profile. Deficiencies in the expected and measured FP signals results in an oscillating nature in the retrieved particle transmission profile. Deficiencies in the measured profile are due to crosstalk and instrument noise. Deficiencies in the estimated profile is due to, e.g., imperfect pressure and temperature estimates from the AUX_MET input files and imperfect (estimation of) calibration parameters. The *k*-power method discussed in Appendix D damps the oscillations substantially.

With the feature finding option, particle detection is performed by putting a threshold value on the retrieved particle pseudo transmission profile. This is done for all measurement-bins within a group. Next a 2-dimensional median filter is applied to filter outliers (this is optional).

Particle extinction is retrieved from the OPC measurement-bin transmission estimates. Then backscatter and subsequently scattering ratio are obtained from the retrieved particle extinction coefficient profile, assuming knowledge of the lidar ratio (extinction/backscatter). The lidar ratio information may be provided by the AUX_CLM_L2 files in future; however currently it uses hard-coded estimates. This will probably lead to biases in the estimated scattering ratios.

Once a particle layer is detected, additional properties are estimated as discussed in Section 19.3. These optical properties include particle backscatter, extinction, scattering ratio, lidar ratio (inverse of the backscatter-to-extinction ratio), the particle layer top and bottom location and the cross-talk correction factor. For isolated layers the transmission is obtained from the product of the retrieved particle transmission for bins capturing the particle layer.

The effects of noise can be mitigated with options to use a median filter (averaging along both the measurement and range-bin direction).

The Optical Properties Code iterative algorithm is controlled via settings in the AUX_PAR_2B file under ${\tt Optical_Properties_Params}$

The OPC settings include:

• k power



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

- FP Xtalk factor
- Median Filter Window Width x
- Median Filter Window Width y
- Calibration from AuxCal
- Cross Talk from AuxCal
- Apply Median Filter
- Apply_2D_Feature_Finder
- FP On Upper Bin Std Threshold

See Table 102 of the IODD [RD10] for the meaning of these settings.

8.2. Option 1: Classification using scattering ratio

Inputs:

- This method of classification uses measurement-bin level scattering ratio estimates provided by either:
 - L1B Mie measurement-bin level scattering ratio estimates. This is the current recommended method for classification.
 - Optical Properties Code (OPC) retrievals of scattering ratio derived on Rayleigh measurement-bins. This method of classification is still undergoing testing and is not yet recommended.
- L1B range bin altitude (top and bottom)
- Threshold scattering ratio profile as a function of altitude.

Outputs:

Atmospheric class of each measurement-bin (for both Mie and Rayleigh); clear or cloud. The results are stored in the L2B product under: L2B/L2C Product Confidence Data L2B {Rayleigh, Mie} Meas Classification QC e.g. Table 40 of the IODD [RD10].

Algorithm:

The choice regarding which source of scattering ratio estimates to use is made via the AUX_PAR_2B file. In particular: Optical_Properties_Params/ScatRatio_Method Options include:

- Scat_Ratio_from_L1B_Mie use the L1B Mie measurement-bin nominal scattering ratio estimates.
- Scat_Ratio_from_L1B_Mie_refined use the L1B Mie measurement-bin refined scattering ratio estimates. This is the recommended option; they are more accurate than the L1B nominal estimates
- Scat_Ratio_from_RaylOnly use the scattering ratio estimates derived by the OPC iterative algorithm
- Scat_Ratio_One_If_No_Mie- Assign scattering ratio=1.0 to Rayleigh measurement-bins if
 Mie measurement-bins are not in available (in close proximity; overlapping)

The scattering ratio threshold values (as a function of altitude) used in classification are defined in the AUX_PAR_2B file i.e. a list of threshold versus altitude:

An example of the AUX_PAR_2B file are provided in the software release e.g. see SUM [RD19].

This classification algorithm is based on detecting cloudy or clear scenes using threshold values of the scattering ratio (which can vary with altitude):

• **Cloud**: If the scattering ratio is greater than the threshold value then this indicates particulate scattering (Mie scattering) is present on top of the molecular scattering (Rayleigh scattering).




Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

N.B. Cloud is intended to encompass all particulate scattering, including hydrometeors and aerosols.

• Clear: If the scattering ratio is less than the threshold value then the measurement-bin is assumed to have only molecular scattering. N.B. Clear is intended to mean no particulate scattering, only molecular scattering.

Note, however that the classification by threshold is prone to errors due to the noisiness of the estimates of measurement-bin scattering ratio. For example, Figure 7 illustrates how the L1B Mie measurement-bin refined scattering ratio estimates are rather noisy and can have coarse resolution compared to the true scattering ratio. Of course the scattering ratio estimates below optically thick clouds are very noisy if not just missing values (black areas). The classification based on a scattering ratio threshold of 1.25 (constant with altitude) is also shown.





Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 7. Realistic simulation of Aeolus for a cloudy atmosphere a) input "truth" scattering ratio b) example L1B Mie measurement-bin refined scattering ratio c) example of classification based on threshold scattering ratio of 1.25.

The L1B scattering ratio (SR) is only available on the Mie measurement-bins. Therefore, to allow classification of the Rayleigh measurement-bins, the Mie measurement-bin scattering ratio must be mapped onto the Rayleigh measurement-bins. Also, the OPC scattering ratio is only available on the Rayleigh measurement-bins. Therefore, to allow classification of the Mie measurement-bins, the Rayleigh measurement-bin scattering ratio must somehow be mapped onto the Mie measurement-bins.

Note that the Rayleigh measurement-bins are not compelled to coincide with the Mie ones; however it is typically expected that one Rayleigh measurement-bin can have an integer number of Mie measurement-bins within it. Therefore several situations can arise:

- Mie and Rayleigh measurement-bins match one-to-one: in which case just copy the Mie (Rayleigh) SR to the Rayleigh (Mie).
- Multiple Mie (Rayleigh) measurement-bins lie within one Rayleigh (Mie) measurement-bin: in which case average the Mie (Rayleigh) scattering ratios.
- Mie and Rayleigh are not properly aligned (average?)
- Mie (Rayleigh) but no Rayleigh (Mie) data: in which case there is nothing to do

There are options in the algorithm to set the scattering ratio to 1.0 (i.e. assume perfectly clear air) if there are no Mie measurement-bins available for assigning to the Rayleigh measurement-bins i.e. we do not



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

extrapolate. This is typically done in the AUX_PAR_2B via setting the back-up method: Optical_Properties_Params/ScatRatio_Method2 to be Scat_Ratio_One_If_No_Mie There is also a minimum altitude for assuming scattering ratio is equal to one parameter: Optical Properties Params/Minimum Altitude for Assuming Rho 1

Once the Mie and Rayleigh measurement-bins are assigned scattering ratios, then the classification can begin.

For classification of both Mie and Rayleigh measurement-bins: The middle altitude of the range gate, z, is determined from the average of the range gate top and bottom. Subsequently, a threshold scattering ratio value is determined from the threshold profile by linearly interpolating to the altitude z. If the scattering ratio exceeds the interpolated threshold, then the measurement-bin's atmospheric class is set to Cloud, else it is set to Clear.

8.3. Option 2: Classification using particle feature detection

This method of classification is still undergoing testing and therefore it not yet recommended.

Inputs:

- o Particle feature detection mask (binary measurement-bin map) as output of the Optical Properties Code (OPC) derived on Rayleigh measurement-bins.
- L1B range bin altitude (top and bottom)

Outputs:

o Atmospheric class of each measurement-bin (for both Mie and Rayleigh); clear or cloud. The results are stored in the L2B product under: L2B/L2C Product Confidence Data L2B {Rayleigh, Mie} Meas Classification QC e.g. Table 40 of the IODD [RD10].

Algorithm:

There are algorithm choices regarding how the particle features are detected, which are controlled via the AUX_PAR_2B file. In particular under: Optical Properties Params/

- Median_Filter_Window_Width_x: controls how many measurements to apply a median filter to, to reduce noise
- Median_Filter_Window_Width_y: control how many range-bins to apply a median filter to, to reduce noise.
- Apply Median Filter: whether or not to apply a median filter, to reduce effects of noise
- Apply 2D Feature Finder: whether or not to allow feature finding in 2 dimensions.

The OPC requires molecular extinction estimates and the available methods are documented in Appendix E.

The classification algorithm is based on detecting cloudy or clear scenes via threshold values of particle pseudo-transmission values (see section 19.2 for details of the algorithm). The thresholds are calculated internally in the algorithm. A typical threshold value is 0.1, which means that bins with transmission values > 1.1 and smaller than 0.9 are assigned: **Cloud** i.e. particulate scattering is present, otherwise **Clear**.

Note, however that the classification by threshold is prone to errors due to the noisiness of the estimates of measurement-bin pseudo-transmission. For this reason a two-dimensional (optional, see settings above) median filter, which extends over one observation group, is applied to the outcome of the above procedure, as such removing outliers and increase homogeneity of detected layers.

The classification measurement-bin map is provided on Rayleigh measurement-bins. Therefore, to allow classification of the Mie measurement-bins, the Rayleigh results must be mapped onto the Mie measurement-bins.

Note that the Rayleigh measurement-bins are not compelled to coincide with the Mie ones; however it is typically expected that one Rayleigh measurement-bin can have an integer number of Mie measurement-bins within it (or none at all if above a certain altitude). Therefore several situations can arise:

 Mie and Rayleigh measurement-bins match one-to-one: in which case just copy the Rayleigh classification result to the Mie.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

 Multiple Mie measurement-bins lie within one Rayleigh measurement-bin: in which case copy the Rayleigh classification results to the Mie bins.

- Mie and Rayleigh are not properly aligned: TBD
- Mie but no Rayleigh data: this should not happen

8.4. Option 3: Classification using particle extinction coefficient

This method of classification has not been scientifically tested yet and hence is not recommended.

Inputs:

- Optical Properties Code (OPC) retrievals of particle extinction coefficient derived on Rayleigh measurement-bins.
- L1B range bin altitude (top and bottom)
- o Threshold particle extinction coefficient profile as a function of altitude

Outputs:

O Atmospheric class of each measurement-bin (for both Mie and Rayleigh); clear or cloud. The results are stored in the L2B product under: L2B/L2C Product Confidence Data L2B {Rayleigh, Mie} Meas Classification QC e.g. Table 40 of the IODD [RD10].

Algorithm:

There are algorithm choices regarding the method of calculating both particle and molecular extinction in the OPC, which are controlled via the AUX_PAR_2B file.

Particle extinction method:

Optical_Properties_Params/PartExt_Method/

Options include (only one option):

• PartExt Method Iterative

Molecular extinction method: see Appendix E for details.

The particle extinction threshold values (as a function of altitude) for use in classification are defined in the AUX PAR 2B file. That is:

Classification_Params/List_of_{Mie,Rayleigh}_Extinction_Thresholds/{Mie,Rayleigh} Extinction Threshold/Threshold Value/

/Altitude/

An example of the AUX PAR 2B file are provided in the software release e.g. see SUM [RD19].

The classification algorithm is based on detecting cloudy or clear scenes via threshold values of the particle extinction coefficient:

- **Cloud**: If the extinction coefficient is greater than the threshold value then this indicates particulate scattering (Mie) is present (intended to encompass all particulate scattering, including hydrometeors and aerosols).
- Clear: If the extinction coefficient is less than the threshold value then the measurement-bin is assumed to be particulate free.

Note, however that the classification by threshold is prone to errors due to the noisiness of the estimates of measurement-bin particle extinction coefficient. For this reason a two-dimensional median filter, which extends over one BRC, is applied to the outcome of the above procedure, as such removing outliers and increase homogeneity of detected layers.

The OPC particle extinction coefficient is provided only on the Rayleigh measurement-bins. Therefore, to allow classification of the Mie measurement-bins, the Rayleigh measurement-bin particle extinction coefficient must be mapped onto the Mie measurement-bins.

Note that the Rayleigh measurement-bins are not compelled to coincide with the Mie ones; however it is typically expected that one Rayleigh measurement-bin can have an integer number of Mie measurement-bins within it (or none at all if above a certain altitude). Therefore several situations can arise:

 Mie and Rayleigh measurement-bins match one-to-one: in which case just copy the Rayleigh particle extinction coefficient to the Mie.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

- Multiple Mie measurement-bins lie within one Rayleigh measurement-bin: in which case copy the Rayleigh particle extinction coefficient to the Mie bins.
- Mie and Rayleigh are not properly aligned (average?)
- Mie but no Rayleigh data: this should not happen

For classification of both Mie and Rayleigh measurement-bins: The middle altitude of the range gate, z, is determined from the average of the range gate top and bottom. Subsequently, a threshold particle extinction coefficient value is determined from the threshold profile by linearly interpolating to the altitude z. If the particle extinction coefficient exceeds the interpolated threshold, then the measurement-bin's atmospheric class is set to Cloud, else it is set to Clear.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

9. Measurement-bin selection

This section relates to how the measurement-bins are chosen for use in the wind

Inputs:

- The grouping algorithm results for each channel (from Section 7)
- The atmospheric class of each measurement-bin within the group (from Section 8)
- Quality control decisions on the L1B measurement-bin data (from Section 6)

Outputs:

- Number of classification types detected for the group, per range bin
- Measurement map, relating each measurement-bin to the observation index it belongs to. This
 is stored in the L2B product as: Measurement Map ADS, see Section 4.3.1 of the IODD [RD10]

Algorithm:

For a given channel, for a measurement group, for a range-bin, wind retrievals (see sections 13 and 14) are performed using the accumulated signal from the measurement-bins of a certain atmospheric classification. This accumulated signal wind retrieval is restricted to one vertical range bin at present, see sections 10 and 11. Therefore there is the potential for one L2B wind observation for each combination:


- Rayleigh
 - o Group ID
 - Range-bin number
 - Clear
 - Cloudy
- Mie
 - o Group ID
 - Range-bin number
 - Clear
 - Cloudy

If all the measurement-bins in a group (for a given range-bin) are classified as clear, then obviously a cloudy wind result will not be available and vice versa if all cloudy. Whether or not to use a measurement-bin is also dependent on the quality control results of the L1B measurement-bin data (Section 6).

For each measurement-bin, the observation index to which it belongs is stored in a "measurement map" structure. For example, Figure 9.1 shows how the "measurement map" could look based on a classification of cloudy measurements (e.g. Mie-cloudy). Notice how only one observation (of this type) is allowed per range bin and per group (here only one group is shown).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017



gl

Figure 9.1. Similar to Figure 8.4, but with measurement-bin selection such that not all measurement-bins are assigned to this type of observation e.g. could be a Mie-cloudy type of observation.

N.B. Profiles of wind observations can still be defined given the flexibility of the L2B file format, which allows profiles to be defined as arrays of observation indices as indicated on the right of Figure 9.1, see [RD10] for a description of the file format. Of course the profiles are not exactly vertical due to the off-nadir pointing of the satellite in WVM mode.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

10. Weighting of measurement-bins

Each measurement-bin is assigned a weight for its use in an accumulation of signal (see Section 11). The summed up (or accumulated) data e.g. spectrometer counts, is later passed to the wind retrieval algorithm to produce a wind result (e.g. see Section 13). Each measurement-bin (on a given range-bin) contributes to only one type of observation i.e. to the clear or the cloudy observation for a given channel (Rayleigh or Mie). This differs from the L1BP for which all measurement-bins (for a given range-bin) for one BRC are used to produce a wind observation. In other words the L2BP averages more flexibly over the appropriate measurement-bins to produce a wind observation with the resolution that the user decides whilst avoiding mixing clear and cloudy measurement-bins.

Inputs:

• Mapping of the measurement-bins into the observations (Section 9)

Outputs:

- Map of measurement weights for each measurement-bin, i.e.
 - Weights $W_{Mie}(i, k)$ for every Mie measurement k, range bin i
 - Weights $W_{Ray}(i, k)$ for every Rayleigh measurement k, range bin i
 - Weights of the measurement-bins used in L2B wind observations are recorded in the L2B product as: Measurement Map ADS, see section 4.3.1 of the IODD [RD10]
- Count of measurements within each observation

Default Weighting Algorithm:

At present the algorithm is very simple; each selected measurement-bin is assigned the same weight within its corresponding observation as follows:

$$W(i,k) = 1$$
 Eq. 10-1

That is, in the current implementation of the L2BP, each measurement-bin of an observation is weighted equally with a factor of 1 i.e. just a straight-forward summation.

As mentioned previously, a given measurement-bin contributes only to a single observation (wind result) for a given channel. If a measurement-bin's class is different to the observation class being considered then its weight is set to zero; meaning for example that clear measurement-bins should not contribute to cloudy wind results.

The number of measurements contributing to an observation atmospheric class is counted.

NOTE: for more efficient storage, the weights written to the L2B output file are:

$$W^*(i,k) = Int[1000 * W(i,k)]$$
 Eq. 10-2



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

11. Accumulation of measurement-bin information

Measurement-bin L1B data is accumulated in the horizontal dimension only (across measurements), not vertically (across range-bins), to produce observation level data, upon which the wind retrieval can be performed. Measurement-bin data can be very noisy and is fairly small-scale (~3 km horizontal extent) prohibiting use in e.g. NWP data assimilation. Accumulation of the signal across measurements improves the signal-to-noise ratio and produces more spatially representative wind observations for use in NWP data assimilation and atmospheric research. The resultant horizontal scale can be determined to a significant extent by the Grouping algorithm settings, as was described in Section 7. Note the accumulated data for wind retrievals consists of the L1B spectrometer data rather than the calculated response (or wind) of each measurement-bin; this process will be explained in Sections 13 and 14. This choice is made to reduce the chance of measurement-bin level gross errors contaminating the observation-level wind result.

Inputs:

Map of measurement-bin weights for each observation (Section 10)

Outputs:

- Accumulated L1B spectrometer data for each channel, group, range-bin and class (from which a wind result can be retrieved) - Sections 13.1 and 14.1
- Annotated L1B data (updated with, e.g., weight information)
- Precise geolocation information (e.g. L2B wind result centre-of-gravity) Section 12.1
- Representative horizontal averaging length of L2B wind estimate Section 12.2. It will be useful
 for NWP users to know what the wind result represents in terms of horizontal resolution.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

12. Computation of (H)LOS wind observation geolocation and auxiliary parameters

In the following chapters N refers to the number of measurements selected in the group that goes on to form the observation.

12.1. Computation of the observation's centre-of-gravity geolocation

Inputs:

Symbol	Description	Input variable source
$\lambda_m(i,k)$	Measurement-bin latitude ⁶	ALD_U_N_1B
$\phi_m(i,k)$	measurement-bin longitude	ALD_U_N_1B
$z_m^u(i,k)$	Measurement-bin upper altitude ⁷	ALD_U_N_1B
$z_m^l(i,k)$	Measurement-bin lower altitude	ALD_U_N_1B
Z geoid	Geoid offset (vertical distance) relative to WGS 84 ellipsoid valid for the BRC	ALD_U_N_1B
α	Vertical centre-of- gravity height parameter	AUX_PAR_2B: RBC_Algorithm_Params/Rayleigh_Height_Weight_Upper
W(i,k)	Measurement-bin weights	Output of Section 10

Outputs:

Symbol	Description	ALD_U_N_2B file variable						
$\lambda_{cog}(i)$	Centre-of-gravity latitude	{Mie,Rayleigh}_Geoloc_ADS/WindResult_Geolocation /Latitude_COG						
$oldsymbol{\phi}_{cog}(i)$	Centre-of-gravity longitude, reported in L2B product	{Mie,Rayleigh}_Geoloc_ADS/WindResult_Geolocation /Longitude_COG						
$oldsymbol{z_{cog}^{u,l}(i)}$	Centre-of-gravity upper/lower altitude (relative to the geoid)	<pre>{Mie,Rayleigh}_Geoloc_ADS/WindResult_Geolocation /{Altitude_top,Altitude_Bottom}</pre>						
$\mathbf{z}_{cog}^{v}(\mathbf{i},\mathbf{k})$	Vertical centre-of- gravity altitude ⁸ (relative to the geoid)	{Mie,Rayleigh}_Geoloc_ADS/WindResult_Geolocation /Altitude_VCOG						
Z geoid	Height of geoid above WGS84 ellipsoid (repeat of L1B input value for nearest BRC)	{Mie,Rayleigh}_Geoloc_ADS/WindResult_Geolocation /WGS84_to_Geoid_Altitude						

⁶ The latitude and longitudes reported in the L1B data are geodetic according to the WGS 84 ellipsoid.

⁷ The altitude from L1B measurement-level data is the geometric height relative to the WGS 84 ellipsoid.

⁸ The observation-level altitude is the geometric height with respect to EGM96 geoid.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Algorithm:

The centre-of-gravity geolocation of the L2B observation is derived from the L1B measurement-bin geolocation data via a centre-of-gravity measurement index. This centre-of-gravity measurement index is a normalised weighted sum of the measurement index k of the observation group and is calculated as:

$$\overline{k}_i = int \left[rac{\sum_{k=1}^N W(i,k)k}{\sum_{k=1}^N W(i,k)}
ight]$$
 Eq. 12-1

where int[] denotes the integer part of a real number.

Let $\lambda_m(i,k)$ denote the latitude at measurement-bin (i,k). Then the centre-of-gravity latitude is given by:

$$\lambda_{cog}(i) = \lambda_m(i, \overline{k}_i)$$
 Eq. 12-2

Similarly, let $\phi_m(i,k)$ denote the longitude at measurement-bin (i,k). Then the centre-of-gravity longitude is given by:

$$\phi_{cog}(i) = \phi_m(i, \bar{k}_i)$$
 Eq. 12-3

Similarly, let $z_m^{u,l}(i,k)$ denote the altitude at upper/lower edge of measurement-bin (i,k). Then the upper/lower edge of the centre-of-gravity altitude (relative to the geoid) is given by:

$$z_{cog}^{u,l}(i) = z_{m}^{u,l}(i, \bar{k}_{i}) - z_{geoid}$$
 Eq. 12-4

Note that L2B centre-of-gravity altitudes are relative to the geoid height of the nearest BRC (L1B report geoid offset at the BRC level).

A more representative altitude for the observation can be found by weighting the upper and lower altitudes to give the vertical centre-of-gravity altitude:

$$z_{cog}^{v}(i) = z_{cog}^{l}(i) + \alpha(z_{cog}^{u}(i) - z_{cog}^{l}(i))$$
 Eq. 12-5

The resultant altitude is a fraction α up the range bin.

For a fixed value of alpha for all the wind observations then set the AUX_PAR_2B parameters to be e.g.:

• For the Rayleigh channel:

<Rayleigh_Height_Assignment_Method>use_fixed_weight/Rayleigh_Height_Assign
ment Method>

<Rayleigh Height Weight Upper>0.49</Rayleigh Height Weight Upper>

• For the Mie channel:

<Mie_Height_Assignment_Method>use_fixed_weight</Mie_Height_Assignment_Method>

<Mie Height Weight Upper>0.5</Mie Height Weight Upper>

For the Rayleigh wind observations, using an exponentially decaying weighting with altitude (with a scale height of 7 km), to represent the climatological molecular scattering profile (which is proportional to density), the weighting factor should be typically in the range 0.46 to 0.49 for Aeolus Rayleigh range-bins (assuming the extinction is negligible). For the Mie wind observations the scattering from particulates depends on the position of particles within the range bin which cannot be known a priori, therefore a 0.5 weighting is probably best.

An optional Rayleigh altitude assignment is available, which uses the AUX_MET_12 provided temperature and pressure versus altitude information to calculate a more appropriate vertical positioning for the assignment of the altitude; taking into account the vertical weighting function of attenuated backscatter through the vertical range-bin. Also, there is an option to use a climatological molecular backscatter profile. These options for the Rayleigh Height Assignment Method are:

- calculate_from_pressure_and_temperature
- calculate from climatological beta m



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

There are further L2B wind observation geolocation values that are calculated in a similar fashion to that shown above using the centre-of-gravity measurement index:

- satellite range
- date-time
- azimuth angle
- · elevation angle

12.1. Observation start and stop geolocations

The geolocations for the start and stop of an observation are simply taken from the L1B measurement-bin geolocations for the first and last index in which the measurement-bins have non-zero weight. The results are stored in the L2B product under: $\{ \texttt{Mie}, \texttt{Rayleigh} \} _ \texttt{Geoloc}_ \texttt{ADS} / \texttt{WindResult}_ \texttt{Geolocation} / * _ \{ \texttt{Start}, \texttt{Stop} \} = \texttt{.g.}$ Latitude Start

12.2. Computation of a representative L2B observation integration length

Each wind observation includes a representative horizontal length-scale for the observation. This is obtained by calculating the great-circle distance between the latitude/longitude start and stop of the observation. The equations for the great circle distance were taken from: http://mathworld.wolfram.com/GreatCircle.html

The observation integration lengths are stored in the L2B product as: {Rayleigh, Mie} Wind MDS/WindResult/Integration Length

12.3. Computation of the reference pressure and temperature

Pressure and temperature data are provided from NWP model forecasts by the AUX_MET_12 file. They are required for the Rayleigh-Brillouin correction of Rayleigh wind results; see Section 15. Values that are representative for the L2B wind observation scale need to be determined.

Inputs:

 $p_{nwp}(i',k)$, $T_{nwp}(i',k)$ and $z_{nwp}(i',k)$ - preprocessed meteorological data from the AUX_MET_12 file (Section 5.3). Pressure, temperature and geometric height (w.r.t. geoid) respectively.

 $z_m(i,k)$ - measurement-bin mid-level geometric height relative to WGS 84 ellipsoid from L1B data

 z_{geoid} - geoid geometric height offset relative to WGS-84 ellipsoid for the group, reported in L1B products (one per BRC).

W(i,k) - measurement-bin weights, output from Weighting (Section 10)

Outputs:

 $p_0(i)$, $T_0(i)$ - reference temperature and pressure for each observation, reported in L2B products. They are stored in the L2B product as: {Rayleigh, Mie}_Wind_MDS/WindResult/Reference_{pressure, temperature}

Algorithm:

Computation of the reference pressure and temperature is done in two steps.

The first step is the vertical interpolation of the AUX_MET_12 profiles of pressure and temperature (on model levels) as a function of geometric height (with respect to geoid) to the observation geometric heights (with respect to geoid) producing intermediate values p_m and T_m . The second is a weighted average in the horizontal.

The intermediate pressures and temperatures are given by:

$$p_m(i,k) = p_{nwp}(i'(k),k)$$
 Eq. 12-6
 $T_m(i,k) = T_{nwp}(i'(k),k)$ Eq. 12-7



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

where i'(k) is such that $z_m(i,k)-z_{geoid}$ (i.e. measurement-bin geometric height relative to geoid) lies between $z_{nwp}(i'(k))$ and $z_{nwp}(i'(k)-1)$ (in geometric height space). Note that this is effectively a nearest neighbour interpolation.

The reference pressure for the observation is given by a normalised weighting of the pressure values for the measurement-bins:

$$p_0(i) = \frac{\sum_{k=1}^N W(i,k) p_m(i,k)}{\sum_{k=1}^N W(i,k)}$$
 Eq. 12-8

Similarly, the reference temperature is given by

$$T_0(i) = rac{\sum_{k=1}^N W(i,k) T_m(i,k)}{\sum_{k=1}^N W(i,k)}$$
 Eq. 12-9

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

13. Rayleigh channel (H)LOS wind processing — L2B Rayleigh wind observation retrieval

Inputs to the retrieval:

- $A_m(i,k)$, $B_m(i,k)$ Measurement-bin Useful Signal in Channels A and B, reported in L1B products
- $C_m(i,k)$, $D_m(i,k)$ Measurement-bin Internal Reference Signal in Channels A and B, reported in L1B products
- $\rho_m(i,k)$ Rayleigh measurement-bin scattering ratio. As derived from the L1B Mie measurement-bin scattering ratio values (either simple or refined estimates are available) or from the OPC derived scattering ratios.
- λ_m laser wavelength, reported in L1B products (provisional, pending refined internal reference treatment)
- $m{\phi}$ elevation angle of the line of sight (LOS) of the instrument, reported in L1B products (reported at BRC level)
- $V_{sat,m}(k)$ projection of the satellite apparent velocity onto the instrument LOS at measurement level, reported in L1B products
- C_R , W_{GR} , $fit_{Ray}(lat)$, W_{HR} , C_M , W_{GMR} , $fit_{Mie}(lat)$, W_{HMR} ground correction parameters, reported in L1B products
- $T_0(i), p_0(i)$ reference temperature and pressure (output from Section 12.3)
- W(i,k) measurement-bin weights, output from Weighting (Section 10)
- Rayleigh-Brillouin correction data, reported in AUX_RBC auxiliary input products
- r(i) satellite to target range distance (metres) at vertical centre-of-gravity
- r_{ref} satellite to target reference range (metres) for off-nadir pointing (available from the L1B file)
- K_{ray} the coefficient for the gradient of frequency offset with respect to range (Hz/km) for offnadir pointing (available from the L1B file) for the Rayleigh channel

Outputs:

- $v_{HLOS}(i)$ L2B Rayleigh HLOS (horizontal⁹ line of sight) wind component for the observation. The wind observations are stored in the L2B product under: Rayleigh Wind MDS, see section 4.3.9 of the IODD [RD10]. In particular: Rayleigh Wind MDS/WindResult/Rayleigh Wind Velocity
- The classification type for the observation is given by: Rayleigh_Wind_MDS/WindResult/observation_type
- $\frac{\partial v_{HLOS}(i)}{\partial T}$, $\frac{\partial v_{HLOS}(i)}{\partial p}$, $\frac{\partial v_{HLOS}(i)}{\partial RR}$, $\frac{\partial v_{HLOS}(i)}{\partial \rho}$ partial derivatives (sensitivities of HLOS wind to variables used); an auxiliary output from ILIAD (Section 15). Stored in the L2B product as: Rayleigh_Wind_MDS/WindResult/Rayleigh_Wind_to_{Temperature, Pressure, B ackscatter Ratio}
- $ho_0(i)$ The observation level scattering ratio used in the ILIAD scheme. Available in the L2B product under: Rayleigh_Wind_MDS/WindResult/Reference_Backscatter_Ratio

The Rayleigh channel HLOS wind retrieval involves computation of:

- the weighted Rayleigh response (Section 13.1),
- the ILIAD LOS wind component (Section 15.1),
- two post-ILIAD correction terms:
 - o the weighted internal reference LOS velocity component (Section 13.4.1),
 - o the weighted spacecraft LOS velocity component (Section 13.4.2),
- the post-ILIAD HLOS wind component (Section 13.5).

⁹ LOS	win	d compo	nent c	an also	be produced,	via a	switch	in the	AUX_	_PAR_	_2B:
line	of	Sight	Wind	Flag							



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

These are described separately below. The Rayleigh channel HLOS wind retrieval is done on the selected measurement-bins for each observation (see Section 9).

13.1. Computation of a weighted atmospheric Rayleigh response

The normalised weighted atmospheric Rayleigh response (effectively a mean average over the measurement-bins of the observation) is an input to ILIAD (the Rayleigh-Brillouin Correction code) and is computed as follows. The normalised weighting of useful signal in Rayleigh channels A and B are given by analogues of the quantities A2, B2 from L1B DPM document [RD2] eqn (103):

$$A_0(i) = \frac{\sum_{k=1}^N W(i,k) A_m(i,k)}{\sum_{k=1}^N W(i,k)}$$
 Eq. 13-1

$$B_0(i) = \frac{\sum_{k=1}^{N} W(i,k) B_m(i,k)}{\sum_{k=1}^{N} W(i,k)}$$
 Eq. 13-2

The weighted atmospheric Rayleigh response is given by the analogue of L1B DPM [RD2] r1ro(i), eqn (105):

$$RR_{atm}(i) = \frac{A_0(i) - B_0(i)}{A_0(i) + B_0(i)}$$
 Eq. 13-3

This response is used as input to ILIAD algorithm (Section 13.3).

13.2. Computation of a weighted scattering ratio

Following the previous normalised weighting expressions, an observation-level scattering ratio is constructed from measurement-bin estimates and is given by:

$$\rho_0(i) = \frac{\sum_{k=1}^{N} W(i,k) \rho_m(i,k)}{\sum_{k=1}^{N} W(i,k)}$$
 Eq. 13-4

This is an input to the ILIAD algorithm (Section 13.3).

13.3. Computation of the atmospheric return LOS wind component (using the ILIAD scheme)

The ILIAD scheme is applied to give the atmospheric return LOS wind component:

$$V_{atm}(i) = ILIAD(RR_{atm}(i), \rho_0(i), T_0(i), p_0(i))$$
 Eq. 13-5

Further details on the ILIAD algorithm are given in Section 15.1. This is used as input to post-ILIAD corrections (Section 13.5).

Additional outputs are the LOS sensitivity with respect to temperature, pressure and scattering ratio: $\frac{\partial v_{LOS}}{\partial T}$, $\frac{\partial v_{LOS}}{\partial p}$, $\frac{\partial v_{LOS}}{\partial \rho}$.

They must be multiplied by $1/\sin(\varphi)$ to produce the L2B output parameters HLOS sensitivity with respect to temperature and pressure.

13.4. Computation internal reference and correction terms

Two steps are described in this section, in preparation for use in the post-ILIAD HLOS wind component calculation (Section 13.5).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

13.4.1. Computation of a weighted internal reference LOS velocity component

Computation of a normalised weighted internal reference LOS velocity component $V_{INT}(i)$ is performed as follows. The normalised weighted summation of internal reference signal for Channels A and B are given by analogues of the quantities C2, D2 from L1B DPM [RD2] eqn (104):

$$C_0(i) = \frac{\sum_{k=1}^N W(i,k) C_m(i,k)}{\sum_{k=1}^N W(i,k)}$$
 Eq. 13-6
$$D_0(i) = \frac{\sum_{k=1}^N W(i,k) D_m(i,k)}{\sum_{k=1}^N W(i,k)}$$
 Eq. 13-7

$$D_0(i) = \frac{\sum_{k=1}^{N} W(i,k) D_m(i,k)}{\sum_{k=1}^{N} W(i,k)}$$
 Eq. 13-7

The weighted Rayleigh internal reference response is given by an analogue of L1B DPM eqn (105):

$$RR_{int}(i) = \frac{C_0(i) - D_0(i)}{C_0(i) + D_0(i)}$$
 Eq. 13-8

The internal reference LOS velocity component is calculated, using an analogue to the ILIAD scheme

$$V_{int}(i) = ILIAD(RR_{int}(i))$$
 Eq. 13-9

The required input for this method is provided by the AUX RBC L2 file. Further details of this are given in Section 15.2.

This is used as an input to the post-ILIAD corrections (Section 13.5)

13.4.2. Computation of a weighted spacecraft LOS velocity component

The normalised weighted spacecraft LOS velocity component is given by:

$$V_{sat}(i) = \frac{\sum_{k=1}^{N} W(i,k) V_{sat,m}(k)}{\sum_{k=1}^{N} W(i,k)}$$
 Eq. 13-10

This is used as an input to the post-ILIAD corrections (Section 13.5).

13.4.3. Ground return corrections

 $V_{\it GR}$ is the ground correction velocity component term, which accounts for various sources of bias such as errors in LOS pointing knowledge. This is optionally used in the final HLOS wind calculation. It is calculated as follows, with correction components taken directly from the L1B product file. All the components are derived from ground return wind estimates (done by the L1B processor). The ground correction velocity component is:

$$V_{GR}(i) = W_{GR}C_R + W_{HR}fit_{Rav}(lat) + W_{GMR}C_M + W_{HMR}fit_{Mie}(lat)$$
 Eq. 13-11

WGR, WGMR, WHR and WHMR are weighting parameters (expected values 0 or 1 and sum 0 or 1) that are basically switches to control the use of the various correction terms. This makes the calculation very flexible for use. The fit_{Mie,Ray}(lat) functions are the result of the Harmonic Bias estimation tool. C_M is the Mie ground correction factor and C_R is the Rayleigh ground correction factor (the ZWC results of the L1B product without harmonic function filtering). Note the total correction V_{GR} value that is provided in the L1B file can be used instead of re-calculating it from the coefficients in the L2Bp. The Mie channel correction factors are included as a possibility for the Rayleigh because the Rayleigh channel ground returns may not be accurate enough to use; whereas the Mie might be good enough.

The weighting factors and whether or not to use the total L1B correction value are controlled by the various AUX PAR 2B settings: ZWC Params.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

13.4.4. Rayleigh range dependent bias correction

 V_{RDB} is velocity component term which corrects for the so-called range dependent bias (RDB). This is calculated in the same way as for the L1B processor (see L1B DPM section 15.2.2) i.e. assuming the RDB varies linearly with satellite to target range (distance):

$$V_{RDB}(i) = \frac{\lambda_0}{2} K_{Ray}(r(i) - r_{ref})$$
 Eq. 13-12

Use of this correction term is optional and is controlled via the AUX_PAR_2B switch: ${\tt RDB_Params/Do_Rayleigh_RDB_corr}$

13.5. Computation of the Rayleigh channel (H)LOS wind component

The Rayleigh channel HLOS wind component observation is given by the analogue of L1B DPM [RD2] eqn (69):

$$v_{HLOS}(i) = \frac{1}{\sin(\varphi)} \left(V_{atm}(i) - V_{int}(i) - V_{sat}(i) - V_{GR}(i) - V_{RDB}(i) \right)$$
 Eq. 13-13

This is the main L2B result reported in L2B products: i.e. the HLOS wind component observation. The first two terms in the bracket account for the difference in frequency between emitted and backscattered light i.e. the Doppler shift. Other terms are basically corrections so that we are only left with a Doppler shift due to atmospheric wind. That is, residual Doppler shift due to the satellite to Earth velocity is subtracted (although this should be small if the satellite pointing is working well) and terms to account for various biases which can be measured using ground returns (which are a zero-wind reference) and the so-called range-dependent bias (an angular effect on the spectrometers).

If one wishes to produce line-of-sight rather than horizontal line-of-sight wind components then the $1/\sin(\varphi)$ factor is removed. This is controlled via the AUX_PAR_2B settings i.e.


- HLOS winds: <Line of Sight Wind Flag>false</Line of Sight Wind Flag>
- LOS winds: <Line of Sight Wind Flag>true</Line_of_Sight_Wind_Flag>

To give an impression of what the Aeolus Rayleigh L2B winds look like, Figure 8 shows an example from the same simulation scenario as used in Figure 7. Some key parameters used:

- Grouping algorithm was used with the advanced method with a maximum accumulation set to 100 km
- Classification was done with L1B refined scattering ratio with a constant threshold of 1.25.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017





Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 8. Realistic simulation (using E2S with TcO1279 ECMWF model input) of Aeolus for a cloudy atmosphere. Lidar cross-section plots of a) input "truth" logarithm of scattering ratio i.e. showing where cloud is b) input "truth" HLOS wind c) L2B Rayleigh-clear wind observations d) L2B Rayleigh-cloudy wind observations.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

14. Mie channel (H)LOS wind processing — L2B Mie wind observation retrieval

Inputs:

- $LID_{atm}(i,j,k)$ Measurement spectrometer counts at measurement-bin level, reported in L1B products
- $LID_{int}(j,k)$ Internal Reference spectrometer counts at measurement level, reported in L1B products
- EMR_{atm} , EMR_{int} spectral nonlinearity corrections, reported in L1B products
- MRS_{atm} , MRS_{int} , α , δ L1B Mie channel processing parameters (i.e. Mie response calibration parameters), reported in L1B products
- λ_0 laser wavelength, reported in L1B products
- φ elevation angle, reported in L1B products (at BRC level)
- $V_{sat,m}(k)$ projection of the satellite apparent velocity on the instrument LOS at measurement level, reported in L1B products
- C_M , W_{GM} , $fit_{Mie}(lat)$, W_{HM} Mie ground correction parameters, reported in L1B products
- Mie core algorithm processing parameters set in AUX_PAR_2B processing parameter file
- W(i,k) measurement-bin weights, output from Weighting (Section 10)
- r(i) satellite to target range distance (metres) at vertical centre-of-gravity
- r_{ref} satellite to target reference range (metres) for off-nadir pointing (available from the L1B file)
- K_{mie} the coefficient for the gradient of frequency offset with respect to range (Hz/km) for offnadir pointing (available from the L1B file) for the Mie channel

Outputs:

- $v_{HLOS}(i)$ L2B Mie HLOS (horizontal¹⁰ line of sight) wind component for the observation. The wind observations are stored in the L2B product under: Mie Wind MDS, see section 4.3.8 of the IODD [RD10]. In particular: Mie Wind MDS/WindResult/Mie Wind Velocity
- The classification type for the observation is given by: Mie_Wind_MDS/WindResult/observation_type

Algorithm:

The Mie channel HLOS wind retrieval involves:

- computation of weighted Mie spectrometer readouts (Section 14.1)
 - the computation is performed for both the atmospheric signal and the internal reference signal
- computation of the raw response via the Mie core algorithm (Section 14.2),
 - the computation is performed for both the atmospheric signal and the internal reference signal
- spectral nonlinearity correction (Section 14.3)
 - the computation is performed for both the atmospheric signal and the internal reference signal
- computation of the Mie core algorithm LOS wind velocity component (Section 14.4)
- computation of two post-core correction terms
 - o the weighted internal reference LOS velocity component (Section 14.5.1)
 - the weighted spacecraft LOS velocity component (Section 14.5.2)
- computation of the post-core HLOS wind component (Section 14.6).

These are described separately below. The Mie channel HLOS wind retrieval is done on the selected measurement-bins for each observation (see Section 9).

¹⁰ LOS	3 wir	nd comp	onent	can also	be produced,	via a	switch i	n the	AUX_{-}	_PAR_	_2B:
line	of	Sight	Wind	Flag							

Version: 3.0

Date: 6 September 2017

Ref: AE-TN-ECMWF-L2BP-0023

14.1. Computation of weighted Mie spectrometer readouts

The weighted Mie spectrometer readouts needed as input to the Mie core algorithm are computed as follows. The weighted summation spectrometer readouts (before tripod obscuration correction) for the atmospheric signal and for the internal reference are given by analogues of the quantities LID_0 , INT_0 from L1B DPM [RD2] eqn (53) and (54):

$$LID_{atm}(i,j) = \sum_{k=1}^{N} W(i,k) LID_{atm}(i,j,k)$$
 Eq. 14-1
 $LID_{int}(i,j) = \sum_{k=1}^{N} W(i,k) LID_{int}(j,k)$ Eq. 14-2

14.2. Computation of the raw response via the Mie core algorithm

The Mie core algorithm is applied to produce the following raw response values for the atmospheric and internal reference:

$$MR_{atm}^{raw}(i) = Mie_Core[LID_{atm}(i,j)]$$
 Eq. 14-3
 $MR_{int}^{raw}(i) = Mie_Core[LID_{int}(i,j)]$ Eq. 14-4

Further details on the Mie core algorithm are given in Chapter 16.

14.3. Spectral nonlinearity correction

Spectral nonlinearity correction takes the same form as L1B DPM [RD2] eqn (57) and (58):

$$\begin{split} MR_{atm}^{lin}(i) &= MR_{atm}^{raw}(i) - EMR_{atm}[MR_{atm}^{raw}(i)] \\ MR_{int}^{lin}(i) &= MR_{int}^{raw}(i) - EMR_{int}[MR_{int}^{raw}(i)] \end{split}$$
 Eq. 14-5

The raw responses are corrected to the values that would exist if the response curve was linear using a look-up table of non-linearity corrections as a function of raw response.

14.4. Computation of the atmospheric return LOS velocity component

Computation of a meteorologically-weighted LOS wind velocity component for the atmospheric return is performed as follows.

$$V_{atm}(i) = rac{-\lambda_0}{2} \Big(rac{MR_{atm}^{lin}(i) - lpha}{MRS_{atm}}\Big)$$
 Eq. 14-7

This is used as input to post Mie core HLOS wind component computation (Section 14.6).

14.5. Computation of post Mie core algorithm correction terms

Two steps are described in this section, in preparation for use in the post Mie core algorithm HLOS wind component (Section 14.6).

14.5.1. Computation of the weighted internal reference LOS velocity component

Computation of a meteorologically-weighted internal reference LOS velocity component $V_{INT}(i)$ is given by:

$$V_{int}(i) = rac{-\lambda_0}{2} igg(rac{MR_{int}^{lin}(i) - \delta}{MRS_{int}}igg)$$
 Eq. 14-8



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

This is used as input to post Mie core algorithm HLOS wind component computation (Section 14.6).

14.5.2. Computation of a weighted spacecraft LOS velocity component

The normalised weighted spacecraft LOS velocity component is given by:

$$V_{sat}(i) = rac{\sum_{k=1}^{N} W(i,k) V_{sat,m}(k)}{\sum_{k=1}^{N} W(i,k)}$$
 Eq. 14-9

This is used as input to post Mie core algorithm HLOS wind component computation (Section 14.6).

14.5.3. Ground return corrections

The ground correction velocity component term, which accounts for various sources of bias such as errors in LOS pointing knowledge is calculated as follows. This is optionally used in the final (H)LOS wind calculation. It is calculated as follows, with correction components taken directly from the L1B product file. All the components are derived from ground return wind estimates (done by the L1B processor). The ground correction velocity component is:

$$V_{GM}(i) = W_{GM}C_M + W_{HM}fit_{Mie}(lat)$$
 Eq. 14-10

W_{GM} and W_{HM} are weighting parameters (expected values 0 or 1 and sum 0 or 1) that are basically switches to control the use of the various correction terms. This makes the calculation very flexible for use. The fit_{Mie}(lat) functions are the result of the Harmonic Bias estimation tool. C_M is the Mie ground correction factor (the ZWC results of the L1B product without harmonic function filtering). Note the total correction V_{GM} value that is provided in the L1B file can be used instead of re-calculating it from the coefficients in the L2Bp.

The weighting factors and whether or not to use the total L1B correction value are controlled by the various AUX_PAR_2B settings: ZWC Params.

14.5.4. Mie range dependent bias correction

 $V_{\it RDB}$ is velocity component term which corrects for the so-called range dependent bias (RDB). This is calculated in the same way as for the L1B processor (see L1B DPM section 15.2.2) i.e. assuming the RDB varies linearly with satellite to target range (distance):

$$V_{RDB}^{Mie}(i) = \frac{\lambda_0}{2} K_{Mie}(r(i)-r_{ref})$$
 Eq. 14-11 Use of this correction term is optional and is controlled via the AUX_PAR_2B switch:

RDB Params/Do Mie RDB corr

This is used as input to post Mie core algorithm HLOS wind component computation (Section 14.6).

14.6. Computation of the post Mie core algorithm HLOS wind component

The Mie channel HLOS wind component observation is given by the analogue of L1B DPM [RD2] eqn. (62):

$$v_{HLOS}(i) = \frac{1}{\sin(\varphi)} \Big(V_{atm}(i) - V_{int}(i) - V_{sat}(i) - V_{GM}(i) - V_{RDB}^{Mie}(i) \Big)$$
 Eq. 14-12

This is the main L2B Mie result reported in L2B products: i.e. the HLOS wind component observation. The first two terms in the bracket account for the difference in frequency between emitted and backscattered light i.e. the Doppler shift. Other terms are basically corrections so that we are only left with a Doppler shift due to atmospheric wind. That is, residual Doppler shift due to the satellite to Earth velocity is subtracted (although this should be small if the satellite pointing is working well) and terms to



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

account for various biases which can be measured using ground returns (which are a zero-wind reference) and the so-called range-dependent bias (an angular effect on the spectrometers).

If one wishes to produce line-of-sight rather than horizontal line-of-sight wind components then the $1/\sin(\varphi)$ factor is removed. This is controlled via the AUX_PAR_2B settings i.e.


- HLOS winds: <Line of Sight Wind Flag>false</Line of Sight Wind Flag>
- LOS winds: <Line_of_Sight_Wind_Flag>true</Line_of_Sight_Wind_Flag>

To give an impression of what the Aeolus Mie L2B winds look like, Figure 9Figure 8 shows an example from the same simulation scenario as used in Figure 7 and Figure 8. Some key parameters used:

- Grouping algorithm was used with the advanced method with a maximum accumulation set to 20 km
- Classification was done with L1B refined scattering ratio with a constant threshold of 1.25. In
 this example the classification has done a fairly good job, hence the Mie-clear winds are mostly
 of poor quality.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017





Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 9. Realistic simulation (using E2S with TcO1279 ECMWF model input) of Aeolus for a cloudy atmosphere. Lidar cross-section plots of a) input "truth" logarithm of scattering ratio i.e. showing where cloud is b) input "truth" HLOS wind c) L2B Mie-cloudy wind observations d) L2B Mie-clear wind observations.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

15. The ILIAD retrieval - for Rayleigh channel

ILIAD stands for IMPACT of LINE SHAPE on AEOLUS-ADM DOPPLER ESTIMATES. This Section concerns the Rayleigh-Brillouin correction of the winds for the effects of temperature and pressure. Section 15.1 describes the method of inverting the Rayleigh response to a Doppler frequency shift, given the *a priori* temperature and pressure information (from the AUX_MET_12 file) and the scattering ratio estimate (from either the L1B SR estimates or derived from the OPC). The ILIAD method is referred to in called via the algorithms of Section 13. Section 15.2 describes the inversion for the internal reference LOS velocity; this is referred to in section 13.4.

15.1. Rayleigh channel atmospheric response inversion

Input:

The temperature and pressure correction scheme requires as input the following arrays (as provided by the AUX_RBC_L2 file):

- T_A and T_B, transmission curves for the Fabry-Pérot interferometer channels A and B, defined for
 - frequencies freq (vector of size n_{freq}) between [-FSR,+FSR] =[-10.95 GHz, +10.95 GHz] with a step df = 25 MHz. N.B. FSR values can vary, values here are for example.
- S, three-dimensional array of pre-calculated Rayleigh-Brillouin spectrum estimates of size n_P . n_T . n_{fr} defined for
 - pressures P_{grid} (vector of size n_P) between [P_{min} = 10 hPa, P_{max} = 1100 hPa] with a step dP = 50 hPa. N.B. The pressure grid is not fixed
 - temperatures T_{grid} (vector of size n_T) between [T_{min} = 170 K, T_{max} = 330 K] with a step dT = 1 K . N.B. The temperature grid is not fixed
 - and frequencies fr (vector of size n_{fr}) between [-FSR-USR/2, +FSR+USR/2]
 = [-11.70 GHz, +11.70 GHz] with a step df. N.B. USR is not fixed.
- F, three-dimensional array of frequencies of size n_P . n_T . n_{RR} , defined for
 - pressures P_{grid},
 - temperatures T_{grid},
 - and Rayleigh responses RR0 (vector of size n_{RR}) between [-0.5, +0.5] with a step dRR=0.01
- fd, vector of size nfd covering the range of potential Doppler shifts due to wind¹¹, i.e. detector frequencies between [-USR/2, +USR/2] = [-0.75 GHz, +0.75 GHz], with a step df

The correction algorithm processes the following inputs (vectors of size *n*):

- RRmes, responses derived from measurements
- ρ , scattering ratios derived from measurements
- Pmod, pressure estimate obtained from auxiliary meteorological information (AUX_MET_12)
- *Tmod*, temperature estimate obtained from auxiliary meteorological information (AUX MET 12)

Algorithm:

In what follows below we define an index i and loop from 1 to n.

Correction of the Rayleigh signals for temperature and pressure effects:

The algorithm involves finding the frequency in the look-up table (F) grid that is closest to *RRmes*, *Tmod* and *Pmod* and then doing a linear interpolation to the actual values of *RRmes*, *Tmod* and *Pmod*.

The algorithm searches the arrays:

• P_{grid} for the closest point to $P_{mod}(i)$; iP is found $(n_P \ge iP \ge 1)$

¹¹ 1 MHz corresponds to a LOS wind change of 0.18 m/s for Aeolus's wavelength.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

- P_{grid} for the closest point immediately above $P_{mod}(i)$; iP^+ is found $(n_P \ge iP^+ \ge 1)$
- P_{qrid} for the closest point immediately below $P_{mod}(i)$; iP is found $(n_P \ge iP \ge 1)$
- T_{grid} for the closest point to $T_{mod}(i)$; iT is found $(n_T \ge iT \ge 1)$
- T_{grid} for the closest point immediately above $T_{mod}(i)$; iT^+ is found $(n_T \ge iT^- \ge 1)$
- T_{grid} for the closest point immediately below $T_{mod}(i)$; iT is found $(n_T \ge iT \ge 1)$
- RR0 for the closest point to $RR_{mes}(i)$; iR is found $(n_{RR} \ge iR \ge 1)$
- RR0 for the closest point immediately above $RR_{mes}(i)$; iR^+ is found $(n_{RR} \ge iR^+ \ge 1)$
- RR0 for the closest point immediately below $RR_{mes}(i)$; iR^- is found $(n_{RR} \ge iR \ge 1)$

The algorithm then numerically estimates the following partial derivatives:

$$\bullet \qquad \alpha_{P} \big(i \big) = \frac{\partial f}{\partial P} = \frac{F(iP^+, iT, iR) - F(iP^-, iT, iR)}{P_{grid}(iP^+) - P_{grid}(iP^-)}$$
 Eq. 15-1

$$\bullet \qquad \alpha_{\scriptscriptstyle T} \big(i \big) = \frac{\partial f}{\partial T} = \frac{F(iP, iT^+, iR) - F(iP, iT^-, iR)}{T_{\scriptscriptstyle grid}(iT^+) - T_{\scriptscriptstyle grid}(iT^-)}$$
 Eq. 15-2

$$\bullet \qquad \alpha_{RR}(i) = \frac{\partial f}{\partial RR} = \frac{F(iP,iT,iR^+) - F(iP,iT,iR^-)}{RRO(iR^+) - RRO(iR^-)}$$
 Eq. 15-3

The atmospheric temperature- and pressure-corrected frequency offset for the atmospheric response $RR_{mes}(i)$ is then calculated as (tangent-linear approximation, between grid-points):

$$f_{\text{mod}} = F(iP, iT, iR) + \alpha_T(i) \cdot \left(T_{\text{mod}}(i) - T_{grid}(iT)\right) + \alpha_P(i) \cdot \left(P_{\text{mod}}(i) - P_{grid}(iP)\right) + \alpha_{RR}(i) \cdot \left(RR_{mes}(i) - RRO(iR)\right)$$
 Eq. 15-4

Correction of the Mie cross-talk:

It is important to correct the Rayleigh signal for any contamination by particulate (Mie) backscatter signal, as this can affect the measured Rayleigh response significantly. This correction is not done using a look-up table, but does still require some inputs from the AUX_RBC_L2 file. We form a matrix **S1** of Rayleigh-Brillouin normalised spectrum estimates (for our given *a priori* temperature and pressure values) over the FSR of possible frequencies *freq* (n_{freq} of them) and over the range of possible Doppler shifts on top of this, *fd* (n_{fd} of them):

$$\underline{\underline{S1}} = \begin{bmatrix} S(iP,iT,1) & S(iP,iT,2) & \cdots & S(iP,iT,n_{freq}) \\ S(iP,iT,2) & S(iP,iT,3) & \cdots & S(iP,iT,n_{freq}+1) \\ \vdots & \vdots & \ddots & \vdots \\ S(iP,iT,n_{fd}+1) & S(iP,iT,n_{fd}+2) & \cdots & S(iP,iT,n_{freq}+n_{fd}-1) \end{bmatrix}$$

Eq. 15-5

where the three-dimensional array *S* was calculated beforehand (stored in AUX_RBC_L2 file) using a parameterised version of the Tenti S6 model. We then do matrix multiplication of **S1** by the calibration transmission curves (this is effectively a numerical integration of Rayleigh-Brillouin spectra with the calibration response curves) to get the counts.¹²

$$\underline{N}_{A}^{(1)} = df \cdot \left(\underline{S1} \cdot \underline{T}_{A}\right)
\underline{N}_{B}^{(1)} = df \cdot \left(\underline{S1} \cdot \underline{T}_{B}\right)$$
Eq. 15-6

¹² Vectors have been indicated by a single underline, and matrices by a double underline.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Which are vectors of size n_{td} . We then calculate the Rayleigh response without yet accounting for the Mie signal in the Rayleigh i.e. as if the scattering ratio is 1

$$\underline{R}^{(1)} = \frac{\underline{N}_A^{(1)} - \underline{N}_B^{(1)}}{N_A^{(1)} + N_B^{(1)}} \text{ (vector of size } n_{fd})$$

We then interpolate the range of frequencies -fd from the calculated responses $R^{(1)}$ to the measured response RRmes(i) value using spline interpolation to obtain a frequency value fR1 to which the measured RRmes(i) value applies. Finally, we calculate the expected calibration response values without Mie contribution $T1_A$ and $T1_B$ valid at frequency fR1 by interpolating the arrays T_A and T_B (respectively) from the frequency responses freq to fR1.

In order to calculate the frequency responses with a Mie contribution (cross-talk), we first form the following matrix, which is the spectra of the Rayleigh and the Mie signal added together (here (ρ_0 -1) is the ratio of particulate backscatter to molecular backscatter i.e. ρ_0 is the "measured" scattering ratio):

$$\underline{\underline{S2}} = \underline{\underline{S1}} + (\rho_0 - 1) \cdot \begin{bmatrix} g_{Mie}(1) & g_{Mie}(2) & \cdots & g_{Mie}(n_{freq}) \\ g_{Mie}(2) & g_{Mie}(3) & \cdots & g_{Mie}(n_{freq} + 1) \\ \vdots & \vdots & \ddots & \vdots \\ g_{Mie}(n_{fd} + 1) & g_{Mie}(n_{fd} + 2) & \cdots & g_{Mie}(n_{freq} + n_{fd} - 1) \end{bmatrix}$$

Eq. 15-8

where we have prior to this calculated the following parameters from the laser wavelength $\lambda \omega$:

$$FWHM = \frac{c \cdot 0.02 \cdot 10^{-12}}{\lambda_0^2} \text{ (c is the speed of light), } \sigma_{Mie} = \frac{FWHM}{2 \cdot \sqrt{\log(2)}} \text{ and}$$
 Eq. 15-9

This FWHM value appears to be hardcoded, does it depend on the Mie characterisation settings, therefore should it be flexible? The FWHM value in E2S is 50 MHz, whereas this calculation gives 47.57 MHz. Trying 50 MHz makes very little difference: of order 1.0e-5 m/s in HLOS wind.

The Mie contribution to the spectrum is assumed to be a normalised Gaussian function with variance $\sigma_{Mie}^2/2$ i.e.

$$g_{\mathit{Mie}} = \frac{1}{\sigma_{\mathit{Mie}} \cdot \sqrt{\pi}} \cdot \exp\left(-\frac{fr^2}{\sigma_{\mathit{Mie}}^2}\right)$$
 Eq. 15-10

It is a vector of size *nfr* defined for frequencies *fr*.

We apply the similar steps as previously, but to create the Rayleigh response that would be obtained with Mie contamination, namely:

$$\underline{N}_{A}^{(2)} = df \cdot (\underline{S2} \cdot \underline{T}_{A})$$

$$\underline{N}_{B}^{(2)} = df \cdot (\underline{S2} \cdot \underline{T}_{B})$$
Eq. 15-11

$$\underline{R}^{(2)} = \frac{\underline{N}_A^{(2)} - \underline{N}_B^{(2)}}{\underline{N}_A^{(2)} + \underline{N}_B^{(2)}} \text{ (vector of size } n_{fd}\text{)}$$

We then interpolate the range of frequencies -fd from the calculated responses $R^{(2)}$ to the measured response RRmes(i) using spline interpolation and obtain a frequency value fR2. Finally, we calculate the expected counts with Mie contribution $N2_A$ and $N2_B$ given the response fR2 by interpolating the arrays $N_A^{(2)}$ and $N_B^{(2)}$ (respectively) from the detector frequencies fd to frequency fR2.

We then estimate the partial derivative of the frequency offset with respect to the scattering ratio (at scattering ratio $\rho = \rho_0$ using:



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$\frac{\partial f}{\partial \rho} \bigg|_{\rho = \rho_0} = \frac{\frac{\partial R}{\partial \rho} \bigg|_{\rho = \rho_0}}{\frac{\partial R}{\partial f} \bigg|_{\rho = \rho_0}}$$
 Eq. 15-13

where
$$\left. \frac{\partial R}{\partial \rho} \right|_{\rho = \rho} \approx \frac{T1_A - T1_B - RR_{mes}(i) \cdot \left(T1_A + T1_B\right)}{N2_A + N2_B}$$
 (unclear on the specific derivation, can get similar formula)

and
$$\frac{\partial R}{\partial f} = \frac{Rf \ 2^+ - Rf \ 2^-}{fR \ 2^+ - fR \ 2}$$
 where $Rf2^+ \ (Rf2^-)$ is obtained by interpolating $R^{(2)}$ from fd to $fR2+1$ ($fR2$, respectively).

In addition to the earlier correction for pressure and the temperature effects, the atmospheric frequency offset is now further corrected for the Mie contamination to produce a frequency value that only depends on the atmospheric wind. The dependence of the frequency offset upon scattering ratio (ρ) can be written as a Taylor expansion around $\rho = \rho_0$ as:

$$f(\rho) = f(\rho_0) + \frac{\partial f(\rho_0)}{\partial \rho}(\rho - \rho_0) + \frac{1}{2} \frac{\partial^2 f(\rho_0)}{\partial \rho^2}(\rho - \rho_0)^2 + \cdots$$
 Eq. 15-16
To determine the frequency offset without Mie contamination i.e. at $\rho = 1$ the above equation can be

determined at f(1). Hence the corrected frequency offset is (to first order only):

$$f_{cor} = f_{mod} + (1 - \rho_0) \frac{\partial f}{\partial \rho} \bigg|_{\rho = \rho_0}$$
 Eq. 15-17

A first order correction appears to be sufficient for Rayleigh-clear winds with ρ < 1.8 The LOS wind velocity component is computed from the Doppler frequency shift as:

$$V_{ILIAD}\left(i
ight) = -f_{cor} \cdot rac{\lambda_0}{2}$$
 Eq. 15-18

The algorithm outputs $V_{ILIAD}(i)$, $\alpha_P(i)$ and $\alpha_T(i)$.

15.2. Internal Reference response inversion

Input:

The internal reference inversion requires the following array as input (from AUX_RBC_L2 file):

 F_{ref} , one-dimensional array of frequencies of size n_{RR} , defined for responses RR0 (vector of size n_{RR}) between [-0.5, +0.5] with a step dRR=0.01

The correction algorithm processes the following input (vector of size *n*):

RR_{ref}, measured Rayleigh internal reference response

Algorithm:

In what follows below we define an index *i* and loop from 1 to *n*.

The algorithm searches the array *RR0*:



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

- for the closest point to $RR_{ref}(i)$; iR is found $(n_{RR} \ge iR \ge 1)$
- for the closest point immediately above $RR_{ref}(i)$; iR^+ is found $(n_{RR} \ge iR^+ \ge 1)$
- for the closest point immediately below $RR_{ref}(i)$; iR is found $(n_{RR} \ge iR \ge 1)$

The algorithm then calculates the following partial derivative:

$$\alpha_{ref}\left(i\right) = \frac{\partial f}{\partial RR_{ref}} = \frac{F_{ref}\left(iR^{+}\right) - F_{ref}\left(iR^{-}\right)}{RR0(iR^{+}) - RR0(iR^{-})}$$
 Eq. 15-19

The frequency for the internal reference channel response $RR_{ref}(i)$ is then calculated as (tangent-linear approximation between the grid points):

$$f_{ref} = F_{ref}(iR) + \alpha_{ref}(i) \cdot \left(RR_{ref}(i) - RRO(iR)\right)$$
 Eq. 15-20

The internal reference channel LOS velocity component is computed from the Doppler frequency shift as:

$$V_{\mathit{INT}}(i) = -f_{\mathit{ref}} \cdot rac{\lambda_0}{2}$$
 Eq. 15-21



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

16. The Mie core algorithm

The L2B Mie core algorithm is a FORTRAN implementation of the L1B Mie core algorithm Option-2 ("Downhill-simplex"), which is defined in Section 13.2.1 of [RD3]. This performs the offset subtraction, the tripod obscuration correction and the background correction, before going on to estimate the offset of the Mie signal (along with various parameters indicating the quality).

N.B. The offset subtraction part of the Mie core algorithm in the L2BP differs from the L1BP. It is a more flexible calculation than the L1B DPM [RD2] eqn (80), since it uses a weight factor, w, to calculate the offset value using both pixels 19 and 20 of the ACCD readout:

$$y(j) = y(j) - y_{offset}$$

 $y_{offset} = wy(20) + (1 - w)y(19)$ Eq. 16-1

where $0 \le w \le 1$

Version: 3.0

Date: 6 September 2017

Ref: AE-TN-ECMWF-L2BP-0023

17. Rayleigh channel uncertainty estimation processing

The recommended L2B Rayleigh HLOS wind error quantifier algorithm is Option 1 given in Section 17.1. An alternative, Option 2 is based on the approach taken for L1B HLOS wind error quantifiers, is retained as a back-up (Section 17.2).

Which algorithm to use is controlled via the AUX_PAR_2B file; in particular: Error Quantifier Params/ErrorQuantMethod Rayleigh

Option 1: ErrorQuantMethod_Ray_iliad_sens Option 2: ErrorQuantMethod Ray 1Bweighted

17.1. Option 1: The Rayleigh HLOS wind error estimate (using output of ILIAD algorithm)

This is the default Rayleigh HLOS wind error estimate algorithm.

Inputs:

 A_i , B_i - Measurement-bin Useful Signal in Channels A and B, reported in L1B products $SNR(A_i)$, $SNR(B_i)$ - Measurement-bin SNR in Channels A and B, reported in L1B products λ_0 laser wavelength, reported in L1B products

φ elevation angle, reported in L1B products

W(i,k) - weights, output from Weighting (Section 10)

 ∂ LOS 0 / ∂ T, ∂ LOS 0 / ∂ p, ∂ LOS 0 / ∂ R, ∂ LOS 0 / $\partial\rho$ - local derivatives of LOS 0 , auxiliary outputs from ILIAD (Section 15)

 σ_T and σ_P - error estimates for Tref and Pref, reported in AUX_MET products

 σ_{a} - error estimate for scattering ratio - source TBD, awaiting input from KNMI

Outputs:

EQR(i) - L2B Rayleigh HLOS wind error quantifier. The results are stored in the L2B product under: Rayleigh Wind Product Confidence Data ADS, see IODD section 4.3.7 [RD10]. In particular: Rayleigh Wind Product PCD/Rayleigh Wind QC/Hlos error estimate

The HLOS wind error from the ILIAD scheme can be estimated from the SNR of the useful Rayleigh responses A and B, the consequent error in the response R = (A - B) / (A + B), the ILIAD scheme that computes the LOS wind from R, and the projection of the LOS wind onto the horizontal.

From a sensitivity analysis it follows that the error in Rayleigh response R is

$$\Delta R = \frac{\partial R}{\partial A} \Delta A + \frac{\partial R}{\partial B} \Delta B = \frac{2B}{\left(A+B\right)^2} \Delta A + \frac{-2A}{\left(A+B\right)^2} \Delta B$$
 Eq. 17-1

where A_k and B_k are available on measurement level (L1B DPM [RD2] section 15-3), and expected standard deviations for ΔA and ΔB , σ_A and σ_B respectively, follow from the signal-to-noise ratio, SNR, respectively $\sigma_{A,k} = A_k / SNR(A_k)$ and $\sigma_{B,k} = B_k / SNR(B_k)$, with k the measurement index.

The L1B SNR calculation accounts for Poisson noise both of the signal and the UV background (that is subtracted to get the signal).

Note that A_k and B_k may be negative due to the background subtraction (small risk and resulting (high) winds doubtful). As such, it would have been better to request the estimated error standard deviations from L1B at measurement level, rather than the SNR, for the above equation. Now the L2BP needs to check A_k , B_k , SNR_k < epsilon for precaution. This is implemented in the screening function.

To obtain L2B observations for A and B, A_k and respectively B_k are accumulated over N measurement-bins in a weighted sum, where each of the measurement-bins has a fractional weight w(i,k) (Section 12.1). σ_A and σ_B , on L2B observation level, are thus as well obtained from a weighted sum, respectively

$$\sigma_A^2 = \sum_{k=1}^N W(i,k)^2 \sigma_{A,k}^2, \quad \sigma_B^2 = \sum_{k=1}^N W(i,k)^2 \sigma_{B,k}^2$$
 Eq. 17-2

This computation logically fits in with the other weighting computations (i.e., for *A* and *B*) in the code, and not at HLOS wind error computation level. The SNRs on measurement level will be available from the recent additions to the L1B IODD.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

For independent errors in A and B the estimated error in the response R , $\sigma_R = \sqrt{\langle \Delta R \Delta R \rangle}$ with $\langle \rangle$ the operator for the expected covariance, is obtained by

$$\sigma_R = \frac{2}{(A+B)^2} \sqrt{B^2 \sigma_A^2 + A^2 \sigma_B^2}$$
 Eq. 17-3

This is the first step in the HLOS wind error computation.

The ILIAD scheme computes in the inversion step the radial wind, LOS^0 , from response R, temperature T and pressure p, using the sensitivity $\partial LOS^0 / \partial \rho$, for a zero scattering ratio, $\rho = 0$. For the given scatter ratio, $\rho \neq 0$, a linear correction is applied

$$LOS = LOS^{0} + \rho \frac{\partial LOS^{0}}{\partial \rho}$$
 Eq. 17-4

As such that the sensitivity is:

$$\Delta LOS = \frac{\partial LOS^{0}}{\partial R} \Delta R + \frac{\partial LOS^{0}}{\partial T} \Delta T + \frac{\partial LOS^{0}}{\partial p} \Delta p + \rho \frac{\partial LOS^{0}}{\partial \rho}$$
 Eq. 17-5

where $\partial LOS^0 / \partial T$ and $\partial LOS^0 / \partial p$ are the local sensitivities of the LOS^0 to T and p respectively. For uncorrelated errors in the backscatter ratio, temperature, pressure and the response, the resulting LOS error, $\sigma_{LOS} = \sqrt{\langle \Delta LOS \Delta LOS \rangle}$ with $\langle \rangle$ the operator for the expected covariance, is estimated as

$$\sigma_{LOS} = \sqrt{\left(\frac{\partial LOS^0}{\partial R}\sigma_R\right)^2 + \left(\frac{\partial LOS^0}{\partial T}\sigma_T\right)^2 + \left(\frac{\partial LOS^0}{\partial p}\sigma_p\right)^2 + \left(\frac{\partial LOS^0}{\partial \rho}\sigma_\rho\right)^2}$$
 Eq. 17-6

 ∂ LOS 0 / ∂ R is about 296 m/s (TDC) and slightly variable, but is really computed in ILIAD and thus should be exported. ∂ LOS 0 / $\partial\rho$ and other sensitivities are available from ILIAD. The terms with the standard deviation of error for temperature and pressure, respectively σ_{T} and σ_{p} , are small, but this needs to be further tested. As a start σ_{T} = 1 K and σ_{p} = 1 hPa could be taken, but if the temperature and pressure sensitivities are incorporated in the data assimilation system, these values would have to be reset at that point. As such, it may be relevant to report the individual contributions as well in L2B.

In the error budget analysis part of the sensitivity study, KNMI plans to analyse the errors in the diverse backscatter ratio estimates as a first test for the scene classification. For the baseline KNMI suggests to take $\Delta \rho = 0$.

The LOS error in the end needs projection to the horizontal HLOS error by the given projection angle, where the associated projection error is neglected (order 0.01 m/s if properly specified):

$$\sigma_{HLOS} = \frac{1}{\sin(\varphi)} \sigma_{LOS}$$
 Eq. 17-7

An example of the Rayleigh HLOS error estimates are given in Figure 10 below:

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017




Figure 10. Example of L2B Rayleigh-clear wind standard error estimates (m/s), for the same simulation scenario as in Figure 8. Errors are much larger below clouds due to the low transmission of the laser light.

17.2. Option 2: L2B Rayleigh error quantifier based on the L1B approach

This method is kept as an option until both algorithms can be verified after launch.

Inputs:

RRSR - Rayleigh response sensitivity factor, reported in L1B products

Ka₂, Ka₃, Kb₂, Kb₃ - error quantifier parameters, reported in L1B products

Am(i,k), Bm(i,k) - Measurement-bin Useful Signal in channels A and B, reported in L1B products λ_0 laser wavelength, reported in L1B products

φ elevation/incidence angle (TBC), reported in L1B products

W(i,k) - weights, output from Weighting (Section 10)

Outputs:

EQR(i) - L2B Rayleigh error quantifier. The results are stored in the L2B product under: Rayleigh Wind Product Confidence Data ADS, see IODD section 4.3.7 [RD10]. In particular: Rayleigh Wind Product PCD/Rayleigh Wind QC/Hlos error estimate

The option based on the L1B approach consists of adapting the Error Quantifier approach detailed in section 13.1.3 of L1B DPM (version 1.2 dated 29 September 2005). This approach consists in relating the error estimate to the Rayleigh useful signal M(i) by using the generic function below:

nate to the Rayleigh useful signal M(i) by using the generic function below:
$$EQRa(i) = \frac{\left(A(i) + Ka_2\right)^{Ka_3}}{A(i)}$$

$$EQRb(i) = \frac{\left(B(i) + Kb_2\right)^{Kb_3}}{B(i)}$$
 Eq. 17-8 ex designates the height bin and Ka₂ Ka₂ Kb₂ and Kb₃ are coefficient

Here, the index designates the height bin and Ka₂, Ka₃, Kb₂, and Kb₃, are coefficients determined empirically - stored in the Auxiliary Satellite Characterization Auxiliary and repeated in L1B products.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

The use of this equation for the L2B processor is possible, taking into account the definition of meteorologically-weighted useful signal for channels A and B (Section 12.1). Accordingly, equation (77) of the DPM is modified to take into account the variable weight of measurements in the profile

$$A(i) = \frac{\sum_{k} W(i,k)A_{m}(i,k)}{\sum_{k} W(i,k)}$$
 Eq. 17-9

$$B(i) = \frac{\sum_{k} W(i,k)B_{m}(i,k)}{\sum_{k} W(i,k)}$$
 Eq. 17-10

The equations above are applied with λ_0 =355nm is the laser wavelength and ϕ is the elevation angle (at height bin level).

The problem is that the parameters Ka₂, Ka₃, Kb₂, and Kb₃, are not known, they shall be established during a pre-launch, on-ground characterization of the instrument. Default values can be found in the Satellite Characterization files delivered with the L1Bp, but may be meaningless.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

18. Mie channel uncertainty estimation processing

The recommended L2B Mie HLOS wind error quantifier algorithm is Option 3 given in Section 18.3. Alternative algorithms are available and are retained as back-ups. Option 1 is based on the approach taken for L1B HLOS wind error quantifier (Section 18.1). Option 2 (Section 18.2) is similar option 3, but less sophisticated.

Option 1: ErrorQuantMethod_Mie_1Bweighted Option 2: ErrorQuantMethod_Mie_core_sens Option 3: ErrorQuantMethod_Mie_core_sens2

18.1. Option 1: L2B Mie error quantifier based on L1B approach

Inputs:

 K_1 , K_2 , and K_3 - error quantifier parameters, reported in L1B products LID(i,j,k) - spectrometer counts, reported in L1B products λ_0 laser wavelength, reported in L1B products ϕ elevation/incidence angle (TBC), reported in L1B products W(i,k) - weights, output from Weighting (Section 10)

Outputs:

EQM(i) - L2B Mie error quantifier. The results are stored in the L2B product under: Mie Wind Product Confidence Data ADS, see IODD section 4.3.6 [RD10]. In particular: Mie Wind Product PCD/Mie Wind QC/Hlos error estimate

The option based on the L1B approach consists of adapting the Error Quantifier approach detailed in section 13.1.2 of L1B DPM (version 1.2 dated 29 September 2005). This approach consists in relating the error estimate to the Mie useful signal M(i) by using the generic function below:

$$EQM(i) = \frac{\lambda_0}{2\sin(\varphi)} K_1 \frac{(M(i) + K_2)^{K_3}}{M(i)}$$
 Eq. 18-1

Here, the index designates the height bin and K_1 , K_2 , and K_3 are coefficients determined empirically stored in the Auxiliary Satellite Characterization Auxiliary and repeated in L1B products.

The use of this equation for the L2B processor is possible. The algorithm would be start with the removal of the offset read-out offset

$$LID(i, j, k) = LID(i, j, k) - \frac{1}{2} \sum_{j=19}^{20} LID(i, j, k)$$
 Eq. 18-2

Then the background is removed

$$LID(i, j, k) = \left[LID(i, j, k) - \frac{t_i}{t_i^{'}} LID(25, j, k) \right]$$
 Eq. 18-3

Equation (72) of the DPM is modified to take into account the variable weight of measurements in the profile

$$LID(i,j) = \frac{\displaystyle\sum_{k} W(i,k) LID(i,j,k)}{\displaystyle\sum_{k} W(i,k)}$$
 Eq. 18-4

The weight-averaged spectra are then integrated to get the useful signal

$$M(i) = \sum_{j=3}^{18} LID(i, j)$$
 Eq. 18-5

and equation earlier is applied with λ_0 =355nm is the laser wavelength and ϕ is the elevation angle (can take 35 degrees for a start or the DEM intersection elevation given in L1B IODD - table 5-14 on page 5-9, and later the elevation angle at height bin level).

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

The problem is that the parameters K_1 , K_2 and K_3 are not known, they shall be established during a prelaunch, on-ground characterization of the instrument. Default values can be found in the Satellite Characterization files delivered with the L1Bp, but may be meaningless.

18.2. Option 2: L2B Mie error quantifier from the Tellus paper

Note: the definition in this section is provisional and subject to future improvement. In particular, additional terms are needed for contributions from internal reference and from post-core correction terms (see Section 14.5).

Inputs:

LID(i,j,k) - spectrometer counts, reported in L1B products

 $T_{obs}(j)$ - tripod obscuration factors, reported in L1B products

 λ_0 laser wavelength, reported in L1B products

φ elevation angle, reported in L1B products

W(i,k) - weights, output from Weighting (Section 10)

peak_height, FWHM and \hat{f}_{mie} (in frequency units) - outputs of the Mie core algorithm (Section 14.2

USR: useful spectral range, reported in L1B products or set as a configuration parameter (TBD)

Outputs:

EQM(i) - L2B Mie error quantifier. The results are stored in the L2B product under: Mie Wind Product Confidence Data ADS, see IODD section 4.3.6 [RD10]. In particular: Mie Wind Product PCD/Mie Wind QC/Hlos error estimate

The baseline for the L2B Mie error quantifier is the error standard deviation given by the equation:

$$EQM(i) = \frac{\lambda_0}{2\sin\varphi} \left[\sum_{j=3}^{18} \alpha(i,j)^2 \right]^{-1} \sqrt{\sum_{j=3}^{18} \sigma_{i,j}^2 \alpha(i,j)^2}$$
 Eq. 18-6

where

$$\sigma_{i,j}^2 = \sum_{k=1} W^2(i,k) LID(i,j,k)$$
 Eq. 18-7

is an estimate for the variance (consistent with Poisson noise) of the weighted sum of photo-counts LID(i,j,k) (that is, after removal of the video offset), W(i,k) is the weight associated to bin i, measurement k for the profile at stake, and

$$\alpha(i, j) = T_{obs}(j) \text{ peak _height} \left[\frac{1}{1 + \frac{4(f_{j}^{+} - \hat{f}_{mie}(i))}{FWHM^{2}}} - \frac{1}{1 + \frac{4(f_{j}^{-} - \hat{f}_{mie}(i))}{FWHM^{2}}} \right]$$
 Eq. 18-8

Here, <code>peak_height</code>, <code>FWHM</code> and \hat{f}_{mie} (in frequency units) are the outputs of the Mie core algorithm (peak height and <code>FWHM</code> of the fitted Lorentzian spectrum, and Mie frequency estimate), $T_{obs}(j)$ is the tripod obscuration factor for CCD bin j, and $f_{j}^{+,-}$ are the upper and lower frequencies of CCD bin j:

$$f_{j}^{-} = (j-3)\frac{USR}{16} - \frac{USR}{2}$$
 and $f_{j}^{+} = (j-2)\frac{USR}{16} - \frac{USR}{2}$ Eq. 18-9



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

(USR=1500 MHz).

A derivation for the above equations can be found in the appendix of Tan et al. 2008 (The ADM-Aeolus wind retrieval algorithms, Tellus).

18.3. Option 3: L2B Mie error quantifier based on least squares fit of an integrated Lorentzian

This is the recommended L2B Mie error quantifier. This baseline L2B Mie error quantifier has similarities to the method in Section 18.2 in that they are both derived from the assumption that the Mie core algorithm is effectively performing a least squares fit of a model to the useful ACCD count data. However this method appears to consider that not only peak position is being fitted, but includes the effects of the other parameters of the model.

Here we show how an estimate of the error on the Mie HLOS winds can be approximated from the solution error covariance of the weighted 'linear' least squares fit algorithm. The model is an integrated Lorentzian which is non-linear in terms of the state vector \underline{x} that describes it, but an error estimate can be made by linearising the model about a given \underline{x} (the model state as provided by the Mie core algorithm solution is chosen).

The integrated Lorentzian depends on four parameters: f_0 the position of the peak (in pixel space), f_w the FWHM of the Lorentzian (in pixel space), a the height of the peak (in spectrometer counts) and b the offset (in spectrometer counts). Hence the state vector can be written:

$$\underline{x} = \begin{bmatrix} f_0 \\ f_w \\ a \\ b \end{bmatrix}$$
 Eq. 18-10

In the following equations a double underline refers to a matrix and a single underline to a vector.

Some definitions:

- <u>x</u> is the state vector (variables) of the model (in our case an integrated Lorentzian)
- y is the vector of observations to be fitted by the model (in our case useful spectrometer counts). As obtained from a summation of LID as in previous section.
- W is a weight matrix used in the least squares fit
- \overline{Q} is the observation error covariance matrix (i.e. errors on the spectrometer counts)
- <u>H</u> is the Jacobian matrix (i.e. $\partial H(x)/\partial x$) of the integrated Lorentzian forward model.

Weighted linear least squares minimises a cost function $J(\underline{x})$ to find the solution state vector \underline{x}_s (see http://en.wikipedia.org/wiki/Linear least squares %28mathematics%29)

$$\underline{x}_s = \arg\min_{x} J(\underline{x})$$
 Eq. 18-11

where:

$$J(\underline{x}) = \left\| \underline{\underline{W}}^{1/2} \left(\underline{\underline{y}} - \underline{\underline{H}} \underline{\underline{x}} \right) \right\|^2 = \left(\underline{\underline{y}} - \underline{\underline{H}} \underline{\underline{x}} \right)^T \underline{\underline{W}} \left(\underline{\underline{y}} - \underline{\underline{H}} \underline{\underline{x}} \right) = \underline{\underline{y}}^T \underline{\underline{W}} \underline{\underline{y}} + \underline{\underline{x}}^T \underline{\underline{H}}^T \underline{\underline{W}} \underline{\underline{H}} \underline{\underline{x}} - 2\underline{\underline{x}}^T \underline{\underline{H}}^T \underline{\underline{W}} \underline{\underline{y}}$$
 Eq. 18-12

Here the weighting matrix is not yet defined. The solution is found when the gradient is zero:

$$\frac{\partial J(\underline{x})}{\partial x} = 2\underline{\underline{H}}^T \underline{\underline{W}} \underline{\underline{H}} \underline{x}_s - 2\underline{\underline{H}}^T \underline{\underline{W}} \underline{y} = 0$$
 Eq. 18-13

rearranging for the solution:

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$\underline{x}_s = \left(\underline{\underline{H}}^T \underline{\underline{W}} \underline{\underline{H}}\right)^{-1} \underline{\underline{H}}^T \underline{\underline{W}} \underline{y}$$

Eq. 18-14

The solution error covariance matrix can be calculated as follows (with \underline{x}_1 and \underline{y}_2 the true values):

$$\underline{\underline{X}_{s}} = E((\underline{x}_{s} - \underline{x}_{t})(\underline{x}_{s} - \underline{x}_{t})^{T}) = E((\underline{\underline{H}}^{T} \underline{\underline{W}} \underline{\underline{H}})^{-1} \underline{\underline{H}}^{T} \underline{\underline{W}}(\underline{y} - \underline{y}_{t})((\underline{\underline{H}}^{T} \underline{\underline{W}} \underline{\underline{H}})^{-1} \underline{\underline{H}}^{T} \underline{\underline{W}}(\underline{y} - \underline{y}_{t}))^{T})$$
Eq. 18-15

where E() is the expectation operator.

Since the observation error covariance is:

$$\underline{\underline{Q}} = E((\underline{y} - \underline{y}_t)(\underline{y} - \underline{y}_t)^T)$$
 Eq. 18-16

the solution error covariance matrix is:

$$\underline{\underline{X}_{s}} = (\underline{\underline{H}}^{T} \underline{\underline{W}} \underline{\underline{H}})^{-1} \underline{\underline{H}}^{T} \underline{\underline{W}} \underline{\underline{O}} \underline{\underline{W}}^{T} \underline{\underline{H}} (\underline{\underline{H}}^{T} \underline{\underline{W}}^{T} \underline{\underline{H}})^{-1} = \begin{bmatrix} \sigma_{f_{0}}^{2} & \sigma_{f_{0}} \sigma_{f_{w}} & \sigma_{f_{0}} \sigma_{a} & \sigma_{f_{0}} \sigma_{b} \\ \sigma_{f_{0}} \sigma_{f_{w}} & \sigma_{f_{w}}^{2} & \sigma_{f_{w}} \sigma_{a} & \sigma_{f_{w}} \sigma_{b} \\ \sigma_{f_{0}} \sigma_{a} & \sigma_{f_{w}} \sigma_{a} & \sigma_{a}^{2} & \sigma_{a} \sigma_{b} \\ \sigma_{f_{0}} \sigma_{b} & \sigma_{f_{w}} \sigma_{b} & \sigma_{a} \sigma_{b} & \sigma_{b}^{2} \end{bmatrix}$$

Eq. 18-17

If the weight matrix is set to be the identity matrix i.e. no weighting applied in least squares, then the solution error covariance matrix is:

$$\underline{\underline{X}_{s}} = (\underline{\underline{H}}^{T} \underline{\underline{H}})^{-1} \underline{\underline{H}}^{T} \underline{\underline{O}} \underline{\underline{H}} (\underline{\underline{H}}^{T} \underline{\underline{H}})^{-1}$$
 Eq. 18-18

This is the appropriate formula for the current L2Bp Mie core algorithm, which does not employ weighting in the least squares fit.

If the weight matrix is set to be the inverse observation error covariance matrix (which is appropriate for a maximum likelihood estimate assuming Gaussian error statistics for the observations), then the solution error covariance matrix simplifies to:

$$\underline{\underline{X}}_{\underline{s}} = \left(\underline{\underline{H}}^{T} \underline{\underline{Q}}^{-1} \underline{\underline{H}}\right)^{-1}$$
 Eq. 18-19

Using the observation error covariance matrix for the weighting may be employed in future Mie core algorithms. Both formulae are available as options in the L2Bp, with the default being the non-weighted.

The solution peak position error standard deviation (in pixels) is selected from an element of the solution covariance matrix i.e. $\sqrt{\underline{X}}_s(1,1)$. This error can be propagated from pixel space to HLOS wind space as follows:

$$\sigma_{HLOS} = \left(\frac{\partial HLOS}{\partial LOS}\right) \left(\frac{\partial LOS}{\partial f}\right) \left(\frac{\partial f}{\partial f_0}\right) \sigma_{f_0} = \frac{\lambda_0}{2MRS_{AL}\sin\varphi} \sigma_{f_0}$$
 Eq. 18-20

 $MRS_{A,I}$ is the gradient of the Mie response slope (either atmospheric A, or internal reference I). Φ is the elevation angle and λ_0 is the laser wavelength, as in the previous section.

Since the solution error covariance matrix (both formulae) depends on the Jacobian of the forward model and the observation error covariance matrix we now describe how these components are calculated. The forward model is an integrated Lorentzian over the pixel range i.e. for a given pixel j the spectrometer counts are simulated as:

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$H_{j}(\underline{x}) = \tau_{j} \int_{f_{j-0.5}}^{f_{j+0.5}} \left(\frac{af_{w}^{2}}{4(f_{0} - f)^{2} + f_{w}^{2}} + b \right) df$$
 Eq. 18-21

where t=tripod obscuration coefficient for pixel j. The integral can be solved analytically to give:

$$H_{j}(\underline{x}) = \tau_{j} \left(b \left(f_{j+0.5} - f_{j-0.5} \right) - \frac{a f_{w}}{2} \left(\tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j+0.5} \right] \right) - \tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j-0.5} \right] \right) \right) \right)$$

Eq. 18-22

The Jacobian matrix i.e. partial derivatives of the forward model with respect to different variables of x (i.e. a 4 by 16 matrix) can be constructed from the following equations:

$$\frac{\partial H_{j}(\underline{x})}{\partial f_{0}} = \tau_{j} a f_{w}^{2} \left(\frac{1}{4 \left(f_{0} - f_{j-0.5} \right)^{2} + f_{w}^{2}} - \frac{1}{4 \left(f_{0} - f_{j+0.5} \right)^{2} + f_{w}^{2}} \right)$$
 Eq. 18-23
$$\frac{\partial H_{j}(\underline{x})}{\partial f_{w}} = \tau_{j} a \left(f_{w} \left[\frac{f_{0} - f_{j+0.5}}{4 \left(f_{0} - f_{j+0.5} \right)^{2} + f_{w}^{2}} - \frac{f_{0} - f_{j-0.5}}{4 \left(f_{0} - f_{j-0.5} \right)^{2} + f_{w}^{2}} \right] - \frac{1}{2} \left[\tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j+0.5} \right] \right) - \tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j-0.5} \right] \right) \right]$$
 Eq. 18-24
$$\frac{\partial H_{j}(\underline{x})}{\partial a} = \frac{\tau_{j} f_{w}}{2} \left(\tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j-0.5} \right] \right) - \tan^{-1} \left(\frac{2}{f_{w}} \left[f_{0} - f_{j+0.5} \right] \right) \right)$$
 Eq. 18-25
$$\frac{\partial H_{j}(\underline{x})}{\partial b} = \tau_{j} \left(f_{j+0.5} - f_{j-0.5} \right)$$
 Eq. 18-26

When calculating the solution error covariance matrix, the observation error covariance matrix is assumed to be diagonal (and therefore so is its inverse) since the errors on the spectrometer counts for each pixel are assumed to be independent (if we have a need to include correlations then this can be done). The diagonal elements of the observation error covariance matrix are the error variances of the useful spectrometer counts for each pixel. The error variances are assumed to be consistent with Poisson statistics for the electron counts (i.e. the standard error for Poisson counting is the square root of the number of counts) and also taking account of the Mie radiometric gain in the conversion to the stored LSB. The error propagation from electron counts to useful spectrometer count (expressed in LSB), is as follows (showing the error variance on a given pixel for the spectrometer count):

$$LSB = r_g e_c Eq. 18-27$$

$$\sigma_{LSB}^2 = \left|\frac{\partial LSB}{\partial e_c}\right|^2 \sigma_{e_c}^2 = r_g^2 \sigma_{e_c}^2 = r_g^2 e_c = r_g LSB$$
 Eq. 18-28

Both weighted and non-weighted solution error covariance matrices require the inversion of a four-by-four matrix, either \underline{H}^T $\underline{O}^{-1}\underline{H}$ or \underline{H}^T \underline{H} . If the matrix inversion is not well conditioned (using finvert_simple which employs Gaussian elimination), then the error estimate is set to a missing value.

These error propagation methods are employed for both the atmospheric and the internal reference Mie signals. The resultant errors from both terms are added quadratically to give the overall Mie HLOS error estimate. Not yet considering ground correction errors and other terms shown earlier, hence will be an underestimate of the error. The results are stored in the L2B product under: Mie Wind



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Product Confidence Data ADS, see IODD section 4.3.6 [RD10]. In particular: Mie_Wind_Product_PCD/Mie_Wind_QC/Hlos_error_estimate

An example of the Mie HLOS error estimates are given in Figure 11 below:




Figure 11. Example of L2B Mie-cloudy wind standard error estimates (m/s), for the same simulation scenario as in Figure 9.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

19. Optical Properties Code: Retrieval of particulate optical properties from the Fabry-Pérot signal only

The optical properties code (OPC) is part of the L2B processor (L2Bp). Its main objective is to detect cloud and aerosol layers along the Aeolus track from the Fabry-Pérot (FP) i.e. Rayleigh channel signal only. The result is a binary map, used in the L2Bp classification procedure as input for the accumulation of Mie and Rayleigh signals from measurement to observation level. As such, the OPC is operated on measurement profile level. In addition to the binary map, the OPC provides for each measurement profile estimates of (i) aerosol backscatter and extinction, (ii) the scattering ratio, (iii) the positioning of particle layers inside the Aeolus bins, (iv) the cross-talk correction factor and in cases (v) the lidar ratio (inverse of the backscatter-to-extinction ratio). This section discusses the algorithm of the OPC implemented in the L2Bp.

Motivation for using the FP signal only in the OPC is the additional option of estimating the scattering ratio, and hence to enable classification, at altitudes of missing Mie range bins, e.g., in the UTLS where Polar Stratospheric Clouds may be present in some seasons. Also, in case of degradation of Mie channel performance and hence degradation of the L1B scattering ratio product, the OPC is a good alternative for a well-functioning FP channel. As such the OPC contributes to a mission risk reduction in case the Mie channel and/or the L1Bp detection procedure performs less than anticipated. Since classification is a crucial procedure (see section 8) in the L2Bp, the quality of produced winds strongly relies on the quality of the classification procedure.

It is noted that the scattering ratio is an important parameter in the ILIAD scheme to correct derived Rayleigh winds for Mie contamination in the Rayleigh channel signal, see Sections 15 and 17.

Output parameters include a binary map and for each measurement bin and various estimates of the optical properties e.g. extinction, backscatter, scattering ratio. The binary map may be used for scene classification as discussed in section 8.

From the L2A ATBD [RD16], page 37, or otherwise [ILIAD, RD12], one can write for the total Fabry-Pérot signal in bin *i*, (lidar equation) i.e., the total number of photon counts on Rayleigh channels A and B:

$$\begin{split} \text{FP}(i) &= K_{\text{ray}} C(v(i), P(i), T(i)) \beta_m(i) \frac{\Delta z(i)}{R^2(i)} T_m^2(i) T_p^2(i) \tau_m(i) \tau_p(i) + \varepsilon(i) \\ &C(v(i), P(i), T(i)) = C_1(v(i), P(i), T(i)) + C_2(v(i)) \left(\rho(i) - 1\right) \\ &T_x(i) = \prod_{i=0}^{i-1} \tau_x(j), \quad x = \left\{m, p\right\} \end{split}$$
 Eq. 19-1

Eq. 19-2

with K_{ray} the calibration factor, $\beta_m(i)$ and $\beta_p(i)$ are molecular and particle (aerosol or cloud) backscatter coefficients (m⁻¹sr⁻¹) in bin number i respectively, $T_m(i-1)$ and $T_p(i-1)$ the respective total one-way molecular and particle transmission from bins starting at the topmost bin (numbered i=1) to bin number i-1, $\tau_m(i)$ and $\tau_p(i)$ is the respective one-way molecular and particle transmission in bin number i and $\varepsilon(i)$ is the total noise in bin number i, $\Delta z(i)$ is the distance of the laser beam through bin number i, i.e., the bin size divided by the cosine of the incidence angle and R(i) is the range from the satellite to the bin centre. $C_1(v,P,T)$ is the fraction of molecular backscatter that is actually detected by the Rayleigh channel, depending on the pressure P, the temperature T and the Doppler-shift frequency v. $C_2(v)$ is the fraction of particle backscatter that is actually detected by the Rayleigh channel, also denoted the crosstalk factor, depending on the sole Doppler-shift frequency because of the small width of Mie scattering spectral peak and ρ is the scattering ratio defined as the total backscatter divided by molecular backscatter: $\rho(i)=[\beta_m(i)+\beta_0(i)]/\beta_m(i)$.

Additional Note. The calibration parameter $C_1(v,P,T)$ is determined from interpolating a Fabry-Pérot (FP) lookup table. The lookup table has been generated using ILIAD output files. More specifically for a range



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

of values for temperature, pressure and (Doppler shifted) frequency, the ILIAD software computes the Fabry-Pérot signal from the molecular (Rayleigh-Brillouin) spectrum and FP channel transfer functions. At the moment no pressure dependence is available in the lookup table. Currently $C_2(v)$ is set to zero, pending further developments in the optical calibration, see [RD12]. This means that the cross-talk factor is not available from AUX_CAL files. For this reason it is proposed to estimate it as part of the OPC, as discussed below.

For simplicity we introduce

$$K(i) = K_{\text{ray}} C_1(\nu(i), P(i), T(i)) \frac{\Delta z(i)}{R^2(i)}; \quad X = \frac{C_2(\nu(i))}{C_1(\nu(i), P(i), T(i))}$$
 Eq. 19-3

hence, for now ignoring cross-talk dependence to v, P and T. Eq. 19-1 is then rewritten to

$$\mathrm{FP}(i) = K(i) \Big[\beta_m(i) + X \beta_p(i) \Big] T_m^2 \Big(i - 1 \Big) T_p^2 \Big(i - 1 \Big) \tau_m(i) \tau_p(i) + \varepsilon(i), \quad i = 1,...,24$$
 Eq. 19-4

Molecular backscatter and transmission are easily estimated from pressure and temperature, available from the AUX_MET data, see Appendix E. From these, estimates of the FP signal are obtained, e.g., assuming an atmosphere with molecules only, denoted $F\hat{P}_{\text{mol}}$, or assuming molecules only in bin i, but with possible particles in layers aloft, denoted $F\hat{P}$:

$$\begin{split} F\hat{P}_{\text{mol}}(i) &= K(i)\beta_{m}(i)T_{m}^{2}(i-1)\tau_{m}(i) \\ F\hat{P}(i) &= K(i)\beta_{m}(i)T_{m}^{2}(i-1)T_{p}^{2}(i-1)\tau_{m}(i) \\ &= F\hat{P}_{\text{mol}}(i)T_{p}^{2}(i-1) \end{split}$$
 Eq. 19-5

Clearly $F\hat{P}_{mol}$ only requires the AUX_MET data for calculation, for known K(i), and $F\hat{P}$ requires an estimate of the transmission of particles in layers aloft in addition. K(i) is discussed in the next section.

19.1. Estimation of the calibration factor

Calculation of **Eq. 19-5** and **Eq. 19-8** requires the calibration factor K(i) which is defined in **Eq. 19-3**. The bin size and range to the satellite are known. For simplicity we assume that the calibration factor C_1 does not depend strongly on V, P and T and is assumed constant. The remaining constant $K = K_{ray}C_1$ is then estimated at observation level obtained from

$$K = \frac{\frac{1}{M} \sum_{m=1}^{M} FP(m,1)}{\beta_m (M/2,1) T_m^2 (M/2,1) \tau_m (M/2,1) \Delta z(1) / R^2(1)}$$

Eq. 19-7

Eq. 19-6

where we introduced index m that denotes measurement number. So FP(m,i) here denote the FP signal on bin number i for measurement m. The denominator is the uncalibrated molecules-only signal of the measurement at the observation centre, i.e., **Eq. 19-5** without the calibration factor $K_{ray}C_1$. M is the total number of measurements used in one observation, with a typical value of 30, but which can be changed during the mission (and with the grouping algorithm settings). The calibration factor is thus calculated from the FP signal in the topmost bins of all measurement capturing one observation, assuming that this bin does not contain particles. This latter assumption should be checked by monitoring both the mean signal of the FP signal in the uppermost bin of the M measurements, i.e., the numerator of Eq. 19-7, and the standard deviation of the FP signal in the uppermost bin of the M measurements. A jump in the value



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

of both the mean and standard deviation of adjacent observations might indicate the presence of particles. Also, a jump in the standard deviation only may indicate a change in the noise characteristics of the FP channel.

19.2. Particle layer detection

Initially, naively ignoring cross-talk and measurement noise in the FP signal in **Eq. 19-4** and taking the ratio of **Eq. 19-4** and **Eq. 19-6** yields an estimate of the particle transmission in bin *i*:

$$\hat{\tau}_{p}(i) = \left[FP(i) / F\hat{P}(i) \right]^{k}$$

Eq. 19-8

for k equal to 1. For Aeolus bins free of particles $\hat{\tau}_p$ should equal 1. If the Aeolus bin does contain particles, such as in case of a cloud or aerosol layers, then $\hat{\tau}_p$ deviates from 1, generally with values exceeding 1 (which is unphysical) in the uppermost bins (due to cross-talk, that is not part of the expected signal in the denominator of **Eq. 19-8**) and values smaller than 1 in the lowermost bins (due to extinction inside the particle layer and an transmission overestimation (values exceeding 1) in the uppermost bins).

A scheme based on **Eq. 19-8** has been implemented in the OPC. Details of this scheme are found in Appendix D. When using k=1 and applied to a typical FP measurement profile yields a strongly oscillating solution for the particle transmission profile as explained in Appendix D. Reducing the value of k shows (i) a damping of the oscillation and (ii) convergence of particle transmission to 1 below the cloud layer. For values closer to 0 the damping is stronger, however this is at the expense of getting transmission values substantially smaller than 1 for Aeolus bins below particle layers, i.e., potentially smearing the cloud to Aeolus bins below the actual cloud location.

Application of the k-power in **Eq. 19-8** thus strongly reduces oscillations in the particle transmission retrieval. These oscillations are the result of both cross-talk in the FP signal and measurement noise. The estimated particle transmission from **Eq. 19-8** can be used for the detection of particle layers, by putting thresholds. Clearly, the selection of threshold values is closely related to the selected value for k, which in turn is related to the noise level in the FP signal, i.e., k values closer to zero are needed to reduce noise contaminating the particle transmission estimate. However, this should be traded off against smearing the cloud location to lower bins.

A nice property of the algorithm is that the *total transmission of an isolated particle layer* is simply obtained from multiplying the transmission values obtained from Eq. 19-8 for bins i that are assigned to the particle layer. The result is independent of the value of k (smaller than 1) used in Eq. 19-8, which is explained by the convergence of the estimated particle transmission to 1 below the isolated particle layer, for all values of k smaller than 1.

19.3. Particle layer optical properties

From the discussion above, **Eq. 19-8** can be used in principle to detect particle layers which is sufficient input for the L2Bp classification procedure to accumulate Mie and Rayleigh signals from measurement to observation level. However, OPC is more ambitious and the current version is able to calculate additional information for isolated particle layers but also the cross-talk factor *X* and lidar ratio of particles in the detected layer. This is based on solving the FP equations, **Eq. 19-4**, for the bins assigned to the particle layer and the calculated total layer transmission.

19.3.1. Particle layer capturing 3 Aeolus bins

To start the analysis we assume that the particle layer is positioned in 3 Aeolus bins, numbered 1, 2 and 3. Later, we discuss options where the layer is positioned in more or less than 3 Aeolus bins.

From **Eq. 19-4** we may write for the FP signal of these 3 bins:

Version: 3.0

Date: 6 September 2017

Ref: AE-TN-ECMWF-L2BP-0023

$$\begin{aligned} & \text{FP(1)} = K(1) \Big[\beta_m(1) + X \beta_p(1) \Big] T_m^2(0) \tau_m(1) T_p^2(0) e^{-\gamma \beta_p(1) \Delta L(1)} \\ & \text{FP(2)} = K(2) \Big[\beta_m(2) + X \beta_p(2) \Big] T_m^2(1) \tau_m(2) T_p^2(0) e^{-2\gamma \beta_p(1) \Delta L(1)} e^{-\gamma \beta_p(2) \Delta L(2)} \\ & \text{FP(3)} = K(3) \Big[\beta_m(3) + X \beta_p(3) \Big] T_m^2(2) \tau_m(3) T_p^2(0) e^{-2\gamma \beta_p(1) \Delta L(1)} e^{-2\gamma \beta_p(2) \Delta L(2)} e^{-\gamma \beta_p(3) \Delta L(3)} \end{aligned}$$

Eq. 19-9

Here we used: $\tau_p(\mathbf{i}) = \exp[-\gamma\beta_p(\mathbf{i})\Delta L(\mathbf{i})]$ and $T_p(\mathbf{i}) = T_p(0)\prod_{j=1}^{i-1}\tau_p(j)$, with $\Delta L(\mathbf{i})$ the range of the lidar beam through the particle layer in bin \mathbf{i} , or $\Delta L(\mathbf{i}) = L(\mathbf{i})/\cos(\theta)$, with $L(\mathbf{i})$ the layer thickness of bin \mathbf{i} and θ the laser beam incidence angle. In addition we have for the total layer transmission:

$$\tau_{lay} = e^{-\gamma \left[\beta_p(1)\Delta L(1) + \beta_p(2)\Delta L(2) + \beta_p(3)\Delta L(3)\right]}$$

Eq. 19-10

To simplify these equations we divide both sides of the equations in **Eq. 19-9** by their corresponding molecules only signal, **Eq. 19-5**, times $T_p^2(0)$ and divided by the molecular backscatter β_m to yield

$$\begin{split} & \left[\beta_{m}(1) + X\beta_{p}(1)\right] e^{-\gamma\beta_{p}(1)\Delta L(1)} = C(1) \\ & \left[\beta_{m}(2) + X\beta_{p}(2)\right] e^{-2\gamma\beta_{p}(1)\Delta L(1)} e^{-\gamma\beta_{p}(2)\Delta L(2)} = C(2) \\ & \left[\beta_{m}(3) + X\beta_{p}(3)\right] e^{-2\gamma\beta_{p}(1)\Delta L(1)} e^{-2\gamma\beta_{p}(2)\Delta L(2)} e^{-\gamma\beta_{p}(3)\Delta L(3)} = C(3) \end{split}$$

Eq. 19-11

with known $C(i) = FP(i)/[K(i)T_m^2(i-1)\tau_m(i)T_p^2(0)]$. Total particle transmission from layers aloft, $T_p(0)$, is assumed known from eventual processed particle layers aloft. From **Eq. 19-10** and **Eq. 19-11** there are 4 equations with 7 unknowns: $\beta_p(1)$, $\beta_p(2)$, $\beta_p(3)$, $\Delta L(1)$, $\Delta L(3)$, X and γ . Note that $\Delta L(2)$ is known and equal to the length of the laser beam through the Aeolus bin size 2: $\Delta z(2)$. Also all variables with subscript m are known from the AUX_MET input.

Some assumptions are required to solve the equations, for instance a homogeneous distribution of particles inside the layer, thus constraining $\beta_p(i)$, or otherwise assuming that the Aeolus bins are fully filled with particles, thus constraining $\Delta z(i)$. The resulting estimate for particle backscatter is expected to be substantially larger than the aerosol background backscatter for both assumptions and a threshold on the scattering ratio will detect the layer for both options. An estimate of the positioning of the particle layer inside the Aeolus bins may reduce the height assignment error of retrieved winds and thus improve the quality of retrieved winds substantially [RD17].

For a particular scene with a layer around 15 km and temperatures below -40 degrees, the assumption of the layer being a cirrus layer seems logical. The lidar ratio of cirrus clouds sampled at 355 nm wavelength is assumed to be well known.

For known lidar ratio (e.g. a layer around 15 km and temperatures below -40 degrees, the assumption of the layer being a cirrus layer seems logical) and assuming a homogeneous cloud (constant β_p inside the cloud), we end up with 4 equations for the 4 unknowns: β_p , $\Delta L(1)$, $\Delta L(3)$ and X.

Here we note that the parameters to be estimated may change over time. For instance, once a valid estimate for X has been found that shows to be non-varying over time then X no longer needs to be estimated and γ may be estimated instead by the algorithm. Also, X may be obtained from the calibration files (AUX CAL).

To solve the set of equations, some new parameters are introduced. These include the fraction f(i) of the Aeolus bin covered by the particle layer: $\Delta L(i) = f(i) \Delta z(i)$. Then, the total length, L_{lay} , of the laser beam through the complete particle layer is obtained from

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$\begin{split} L_{\text{lay}} &= \Delta L(1) + \Delta L(2) + \Delta L(3) \\ &= f(1)\Delta z(1) + \Delta z(2) + f(3)\Delta z(3) \\ \tau_{\text{lay}} &= e^{-\gamma\beta_p L_{\text{lay}}} \end{split}$$

Eq. 19-12

Note from these definitions: $\beta_p(i)$ is defined as the mean aerosol backscatter in the complete bin i, while β_p is the actual backscatter inside the particle layer, i.e., $\beta_p(i) = \beta_p \Delta L(i)/\Delta z(i) = f(i)\beta_p(i)$.

An analytical solution for solving this set of equations has not been found so far. Instead a brute force approach has been implemented as follows.

- 1. Select values for f(1) and f(3)
- 2. This determines the length of the laser beam through the complete particle layer: L_{lay}
- 3. The transmission through each of the bins is then obtained from $\tau_p(i) = \pi_{ay}^{(f(i)\Delta z(i)/L_{lay})}$
- 4. Substituting these values into **Eq. 19-11** and dividing the left and right hand sides by these transmission terms yields

$$\begin{bmatrix} \beta_m(1) + f(1)X\beta_p \end{bmatrix} = y(1)$$
$$\begin{bmatrix} \beta_m(2) + X\beta_p \end{bmatrix} = y(2)$$
$$\begin{bmatrix} \beta_m(3) + f(3)X\beta_p \end{bmatrix} = y(3)$$

i.e. 3 equations for one unknown $X\beta_p$.

- 5. Solve this value for $X\beta_p$ from least squares and calculate the cost function $\sum_{i=1}^{3} \left[f(i)X\beta_p y(i) \right]^2$
- 6. Repeat steps 1-5 for a range of values for f(1) and f(3) with given step size Δf .
- 7. Select the values for f(1) and f(3) that minimize the cost function
- 8. Refine the solution by reducing the value of Δf and repeat steps 1-7 for the found optimal values of f(1) and f(3) in the previous cycle.

Next, β_p is obtained from the second equation of **Eq. 19-12** and subsequently *X* from the brute force solution for $X\beta_p$ divided by the calculated value of β_p :

$$\beta_{p} = -\ln(\tau_{\text{lay}})/\gamma L_{\text{lay}}$$
$$X = X\beta_{p}/\beta_{p}$$

Eq. 19-13

In case of known X, e.g., from the AUX_CAL calibration files or from previous estimates, then the lidar ratio can be calculated instead:

$$\beta_{p} = X \beta_{p} / X$$

$$\gamma = -\ln(\tau_{\text{lay}}^{f(1)\Delta_{z}(1)/L_{\text{lay}}}) / \beta_{p} f(1)\Delta_{z}(1)$$

19.3.2. Particle layer capturing 1 Aeolus bin

In case that the particle layer is positioned within a single Aeolus bin we have 2 equations for 3 unknowns. The two equations are the top equation of **Eq. 19-11** with $\Delta L(1)$ equal to L_{lay} and total layer transmission from the bottom equation of **Eq. 19-12**. The unknowns are: β_p , L_{lay} and X. To solve the equations we assume that the particle layer is located at the bin centre with size equal to half the bin size. In addition, we assume the lidar ratio γ to be known. Then $X\beta_p$ is obtained from

$$X\beta_{n} = \left| C(1) / \tau_{\text{lay}} - \beta_{m}(1) \right| / f(1)$$

and β_p and X follow from Eq. 19-13 but their estimate strongly relies on the imposed layer assumption.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

In case of known *X*, e.g., from the AUX_CAL calibration files or from previous estimates, then the lidar ratio can be calculated instead:

$$\beta_p = X\beta_p / X$$
$$\gamma = -\ln(\tau_{\text{lay}}) / \beta_p L_{\text{lay}}$$

The layer thickness, i.e., f(1) cannot be obtained from known X.

19.3.3. Particle layer capturing 2 Aeolus bins

In case that the particle layer is positioned within two Aeolus bins we have 3 equations for 4 unknowns. The three equations are the top two equations of **Eq. 19-11** and total layer transmission from the bottom equation of **Eq. 19-12**. Assuming homogeneity of the particle layer, the unknowns are: β_p , f(1), f(2) and X. To solve the equations we follow the brute force approach discussed in section 19.3.1. Note that for a particle layer covering 3 Aeolus bins in section 19.3.1 there were 4 equations for 4 unknowns and thus a unique solution in principle. Here there are 3 equations only, so no unique solution for e.g. the unknowns. For the monitoring of X, estimated values from layers covering 1 or 2 Aeolus bins should therefore be ignored. As before, for known X, the lidar ratio can be estimated instead.

19.3.4. Particle layers capturing more than 3 Aeolus bins

For increasing number of Aeolus bins covering the particle layer, more FP equations are available to estimate an increasing number of parameters, such as the lidar ratio, or the assumption of homogeneity can be relaxed. So far this option has not been implemented.

19.4. Optical properties for bins outside particle layers

Undetected bins, with particle transmission not exceeding threshold values, are assumed particle-free. Detected bins with no particle-free bins below, e.g., bins containing aerosols in the boundary layer cannot be treated as in the previous section, because the total layer transmission cannot be determined. These scenes require the solution of the FP signal. **This is still to be done in the OPC**.

19.5. Summary optical properties code (OPC) input and output

The previous sections discussed the detection of Aeolus bins containing particles and the estimation of optical properties for isolated particle layers. Here we summarize the required input and resulting output of the OPC.

Input parameters

The input parameters needed by the optical properties code for range bin i (i=1,...,24) are:

1.	FP(i)	: (counts); the total number of photon counts from Rayleigh channels A and B,
		from L1	B;
2.	<i>R</i> (i)	: (m)	; the range from the satellite to the centre of bin <i>i</i> , from L1B;
3.	$\Delta z(i)$; (m)	; the distance that the laser light travels through bin i , i.e., the bin size
4.			divided by the cosine of the local incidence angle, from L1B
5.	K_{ray} , $C_1(i)$: (-)	; Rayleigh channel calibration value, from the instrument calibration or
			otherwise obtained from the signal in the uppermost Rayleigh bin, see
			Eq. 19-7.
6.	$\beta_{m}(i)$: (m ⁻¹ sr ⁻¹); molecular backscatter in range bin i from AUX_MET data,
			see Appendix E
7.	$ au_{m}(i)$: (-)	; molecular transmission in range bin <i>i</i> from AUX_MET data,
			see Appendix E



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Output parameters

The output parameters from the optical properties code for range bin i (i=1,...,24) are:

```
; the FP calibration factor, see Eq. 19-7
              : (-)
                            ; particle transmission in range bin i, i.e., Eq. 19-8 for bins outside detected
2. \tau_{D}(i)
            : (-)
                             particle layers or \tau_p(\mathbf{i}) = \exp[-\gamma \beta_p(\mathbf{i}) \Delta \mathbf{z}(\mathbf{i})] for bins inside particle layers
                            ; particle extinction within range bin i: \alpha_p(i) = -\ln(\tau_p(i))/\Delta z(i)
3.
     \alpha_p(i) : (m<sup>-1</sup>)
4. \beta_p(i) : (m<sup>-1</sup>sr<sup>-1</sup>); mean particle backscatter in range bin i: \beta_p(i) = \alpha_p(i)/\gamma
                            ; scattering ratio within range bin i: \rho(i) = (\beta_m(i) + \beta_p(i))/\beta_m(i)
5. \rho(i)
              : (-)
                             particle lidar ratio in range bin i, i.e., the inverse of the particle
6. \gamma(i)
             : (sr)
                             backscatter-to-extinction ratio; optionally, only from isolated particle layers
                             and depending on the number of Aeolus bins capturing the particle layer
                              (3 at least)
                             cross-talk correction factor; only from isolated particle layers and depending
7. X
              : (-)
                              on the number of Aeolus bins capturing the particle layer (3 at least)
     ZL<sup>top</sup>
                             altitude of layer top: \mathbf{z_L}^{top} = \mathbf{z_{bot}}(i_{top}) + f(i_{top}) \Delta \mathbf{z}(i_{top}), with i_{top} the index of the
8.
              : (m)
                              Aeolus bin capturing the layer top
                            ; altitude of layer bottom: \mathbf{z_L}^{\text{bot}} = \mathbf{z_{bot}}(i_{\text{bot}}) + (1 - f(i_{\text{top}})) \Delta \mathbf{z}(i_{\text{bot}}), with i_{\text{bot}} the index
                              of the Aeolus bin capturing the layer bottom
```

10. The feature detection binary table by putting thresholds on $\tau_p(i)$ or $\rho(i)$

The optical properties retrieval results are stored in the L2B product under:

Meas Product Confidence Data (PCD) ADS/Opt_Prop_Result/, see Table 44 of the IODD [RD10].

19.6. Height dependent scattering ratio threshold

Two options have currently been implemented for particle detection in the OPC: (i) by putting thresholds on the retrieved particle transmission and (ii) by putting a threshold on the scattering ratio. The latter is default in the current L2Bp and the threshold value taken constant throughout the atmosphere, but height dependent thresholding is an option the L2Bp. In fact it was found that the application of a constant threshold resulted in many false alarms in the uppermost FP bins for the OPC derived scattering ratio, due to measurement noise and relative low molecular backscatter at these altitudes. Instead a height dependent threshold is proposed below and was tested offline.

The threshold value is set to a reference threshold value, T_{ref} , e.g. T_{ref} =1.2 at a reference height, e.g., at 10 km. Molecular backscatter at reference height, $\beta_{\text{m}}^{\text{ref}}$, is easily obtained from the AUX_MET data, typically temperature and pressure, see Appendix E. Next, the corresponding reference particle backscatter, $\beta_{\text{p}}^{\text{ref}}$, yielding a scattering ratio of T_{ref} is obtained from $\beta_{\text{p}}^{\text{ref}} = \beta_{\text{m}}^{\text{ref}}(T_{\text{ref}}-1)$. The height-dependent scattering ratio threshold is defined as: $T_{\text{sr}}(z) = [\beta_{\text{p}}^{\text{ref}} + \beta_{\text{m}}(z)]/\beta_{\text{m}}(z)$. Because β_{m} is decreasing with altitude z, $T_{\text{sr}}(z)$ is increasing with altitude according to the right panel of Figure 19-1.




Figure 19-1. Height-dependent threshold for the scattering ratio, see the text for details.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

20. Matchup algorithm between AUX_MET profiles and L1B measurements

Given the L1B measurement geolocations, and a set of auxiliary meteorological data available at reference geolocations, the purpose of the matchup algorithm is to obtain a selected subset of auxiliary meteorological data profiles that are the closest match in space and time to the L1B measurement locations.

The auxiliary meteorological data provided to the L2BP (via the AUX_MET_12 file) consists of typically 30 hours' worth of NWP model vertical profiles (and associated surface values). In general, the reference locations at which the meteorological profiles are given are close to the Aeolus measurement positions, but a one-to-one correspondence cannot be guaranteed. During the preprocessing step (see Appendix A.2) that generated the reference meteorological data, the locations may already have been interpolated to the exact BRC geolocations, but this is not a requirement. Even if an interpolation is done, only for the centre of the BRC will the profile match exactly (even then the perfect match is only for the near-surface range-bins). Due to the off-nadir LOS pointing angle of the laser (in wind mode) the vertical NWP model profiles will have a horizontal misplacement for range-bins at 30km altitude of around 23 km (however the ECMWF model effective resolution at the time of writing is ~40-80 km, so this will rarely matter).

Auxiliary meteorological data from the operational L2/Met PF is (at the time of writing) being provided along predicted orbit ground track geolocations every 3 seconds (every ~20 km).

Hence the L2BP needs an algorithm to choose which meteorological profile to use, and if required to interpolate between a set of nearby NWP profiles.

N.B. Other NWP centres may implement their own algorithm to enable for example interpolation between NWP profiles, in case use of high resolution data is desired. The L2BP provides two simple algorithms to be used here.

Inputs:

- L1B geolocation (lat, lon, date, time) for each measurement
- An array of NWP profiles and associated lat, lon, date, time for each profile
- Thresholds on the allowed distance range and time window (from AUX_PAR_2B file)

Outputs:

• The index of the selected NWP profile. Information on the co-location is kept in the L2B product under: L2B Meas Product Confidence Data (PCD)

ADS/L2B AMD Collocation, see Table 26 of the IODD [RD10].

Algorithm:

Currently two matching algorithms are available:

- Dummy Matchup
- Nearest Neighbour Matchup (the recommended option)

20.1. Dummy Matchup

This option is useful for development and testing purposes. The Dummy algorithm does not take any lat, lon or date, time information into account. It assumes that for every BRC an appropriate NWP profile is available, and matches them using the order in which they appear in the input files. The output index is simply the L1B BRC number. So BRC 1 in the L1B file is always combined with NWP profile 1 in the AMD file, BRC 2 in the L1B file is always combined with NWP profile 2 in the AMD file, etc.

The algorithm is selected by setting the AUX_PAR_2B AMD_Matchup_Params/Matchup_Method to: Dummy

20.2. Nearest Neighbour Matchup

The recommend matchup algorithm is the Nearest Neighbour Matchup algorithm. This consists of the following steps for each measurement:

- Select a representative L1B Mie measurement-bin number latitude, longitude and centroid date-time
- Apply a time window on all available NWP profiles
- Apply a distance range check to all NWP profiles



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

 Loop through all NWP profiles that passed the above two checks and choose the profile closest to the L1B measurement-bin geolocation

No interpolation between NWP profiles is implemented at the moment.

The algorithm is selected by setting the AUX_PAR_2B AMD_Matchup_Params/Matchup_Method to: Nearest Neighbour

Relevant parameters for the algorithm are:

- Max_Allowed_Time_Diff; the maximum allowed time difference between measurement and NWP profile
- Max_Allowed_Distance: the maximum allowed distance between the measurement and the NWP profile

The four steps are implemented as follows:

20.2.1. Select the L1B measurement-bin geolocation

Inputs:

• lat, lon, date, time of the L1B measurement

Outputs:

lat, lon, date, time of a L1B measurement-bin.

Algorithm:

The geolocation of the Mie-measurement-bin half-way up the measurement profile is chosen to represent the measurement geolocation i.e. that of range-bin number 12 (of 24). This is a compromise that should be reasonably representative of the measurement in question.

20.2.2. Apply time-window

Inputs:

- Date and time of the L1B measurement-bin and of the current NWP profile
- Max_Allowed_Time_Diff $\Delta T_{\rm max}$ from AUX_PAR_2B file.

Outputs:

decision: in time-window or not

Algorithm:

• calculate the time difference in seconds between both date, time pairs

$$\Delta T = s_{day} * (d2 - d1) + (s2 - s1)$$

Eq. 20-1

• if $\Delta T < \Delta T_{\rm max}$ then this NWP profile may be used

20.2.3. Apply a distance range

Inputs:

- lat, lon of the L1B measurement-bin and of the current NWP profile
- Max_Allowed_Distance D_{max} from L2B_Aux_Par

Outputs:

profile within range or not

Algorithm:

convert both lat, lon pairs to (x,y,z) unit vectors

$$x = \cos(\lambda)\cos(\delta)$$
$$y = \sin(\lambda)\cos(\delta)$$

Eq. 20-2

 $z = \sin(\delta)$



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

• calculate the angle between both vectors α in radians, assuming the earth is a perfect globe using the goniometric property that the inner product between two unit vectors equals the cosine of the angle between them

$$\alpha = a\cos(x1*x2 + y1*y2 + z1*z2)$$

Eq. 20-3

- convert the angle distance α to a surface distance D in km, using the earth's radius R in km: $D=R^*\alpha$. We use the equatorial earth radius $R_{\rm eq}=6378.1\,{\rm km}$
- if $D \le D_{\max}$ then this NWP profile may be used

20.2.4. Choose closest NWP profile

Inputs:

 lat, lon of the L1B measurement-bin and of the allowed set of NWP profiles that passed the distance range and time-window tests

Output:

index of the selected NWP profile

Algorithm:

 Calculate the distance (as described above) between the L1B measurement-bin and each allowed NWP profile in a loop and select the NWP profile closest to the BRC centre position. Then report its index.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

21. Potential future algorithm developments

- Input data screening
 - Better screening of AUX_RBC_L2 files:
 - This could be improved in future with the checking of expected ranges for the variables related to the Rayleigh response curves.
 - Add screening of the AUX_CAL_L2 and AUX_CLM_L2 files.
- Optical Properties Code:
 - Use of AUX_CLM_L2 file in the Optical Properties Code. To get backscatter coefficient from the extinction coefficients which are determined by the OPC, it is necessary to have some estimates of the lidar ratio. These could in the future be provided by the AUX_CLM_L2 file.
- Measurement-bin selection:
 - It could be made more flexible in future to also allow vertical averaging over a number of range bins as well as measurements if this is found to be necessary (but this comes with a loss of vertical resolution).
- Selecting reference temperature and pressure data from RBC:
 - The intention is to replace nearest neighbour interpolation with a linear or higher order interpolation (more appropriate for more widely spaced NWP model levels at ~30 km).
- Observation level scattering ratio for use in the Rayleigh processing (Mie decontamination) could be derived via a new L2Bp scattering ratio algorithm using overlapping Mie-range bins (if available)
- Error quantifiers:
 - The error quantifier defined in Section 17.1 requires some further minor improvement. The details given in Section 17.1 are only for the error quantifier pertaining to the ILIAD HLOS wind estimate (Sections 13.1 and Error! Reference source not found.). Further contributions to the error are required for the post-ILIAD terms (Sections 13.4 and 13.5).



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Appendix A. Auxiliary meteorological data processing

This appendix describes auxiliary meteorological data processing, i.e. provision of auxiliary meteorological data (AUX_MET_12 file), as performed at the operational Level-2B processing facility (i.e. L2/Met PF hosted by ECMWF). Other meteorological centres can adapt the processing methods described here to suit their own needs. For further guidance see [RD6].

A.1. Determine reference locations for computing auxiliary meteorological data Inputs:

- L1B geolocation information (latitude, longitude, time) for each measurement and observation.
 As a minimum, the geolocation of the intersection of the DEM (digital elevation model) and the
 instrument's line-of-sight, applicable for the observation centroid (L1B tags
 "Geolocation_of_DEM_Intersection" and "Observation_Centroid_Time").
- (Operational L2/Met PF only). Predicted orbit derived ground-track locations. One GRND_TRACK file per 24 hours is planned to be provided to the L2/Met PF by ESA (see [AD3]), each covering a period of one repeat cycle (7 days) ahead. The most recent predictions are used.

Outputs:

 Reference locations (latitudes, longitudes and times) for computation of auxiliary meteorological data

Algorithm:

- For each valid L1B dataset record received in time for nominal NRT processing, a reference location (latitude, longitude, time) is selected, at which auxiliary meteorological data are to be computed/extracted. The reference location can be that of the DEM intersection available at the BRC centroid, as specified in L1B data, or even use the measurement-level geolocations for more highly sampled data. The meteorological data are to take the form of vertical profiles at each reference location, together with any model information (details of vertical and/or horizontal grid structure) that may be required to facilitate collocation to L1B measurement locations.
- (Operational L2/Met PF only). Reference locations are nominally selected from the predicted ground track file (GRND_TRACK) - hence no need to wait for L1B data. The GRND_TRACK file is provided by FOS to the L2/Met PF once per day with predicted ground track (nadir and off-nadir) every 3 seconds for 7 days ahead.
- (Operational L2/Met PF only). The locations determined by i) and ii) are merged. The merge sub-task is achieved with a L2B processing tool, which reads the available L1B files and the predicted orbit track data and merges the geolocation data such that predicted orbit geolocations are only used where L1B is absent (for whatever reason). The merged result is written to the ECMWF Observation DataBase 2 format (ODB-2), so it then is fed into the ECMWF data assimilation system for the model profile information to be extracted. This merging might be necessary if the accuracy of the predicted orbit ground track geolocations is not sufficient.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

A.2. Generate auxiliary meteorological data at reference locations

Description:

i. At each reference location (input), compute the auxiliary meteorological data required for collocation to L1B measurement locations and for use in the subsequent HLOS retrieval (Table 4.1/4.2). The data to be computed also consists of meteorological parameters (related to humidity, cloud and winds) that are not required for L2B wind processing but which may be useful in L2A processing. In operational mode (L2/Met PF), the data will be vertical profiles (not along the slant path of the laser). Collocation to L1B measurement locations occurs in a separate task ("pre-processing", Item 5.3). The ECMWF model vertical profiles are provided with geometric altitudes above mean sea level which is approximately equal to the geoid (hence we say they are with respect to the geoid). Selection of the reference locations supplied as input is explained in Section 5.1. Consequently, such selection may be driven either by the geolocation information of L1B data, by predicted ground track information, or by the available meteorological model. Precise details will depend on the particular implementation of L2B processing at different sites,

Inputs:

- Reference locations (latitude, longitude, time) for computation of auxiliary meteorological data
- Meteorological fields

Outputs:

• Meteorological profile data at reference locations, i.e. prior to pre-processing (Table 4.1/4.2). The vertical coordinates of the meteorological input are retained.

Algorithm:

- The task is achieved through integration of the reference geolocations into dummy observations to be used in the ECMWF data assimilation system. A standard part of the system, known as screening job, involves 1) the computation of background meteorological fields, and 2) interpolation in space and time to the location of meteorological observations. The background fields are obtained from a short-term forecast initialized with the meteorological analysis from the previous assimilation window.
- By treating the L1B (and predicted orbit) geolocation data as meteorological observations, the meteorological profile data needed for Aeolus processing are obtained.



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

A.3. Pre-process auxiliary meteorological data

Preprocessing of auxiliary meteorological data involves storing auxiliary meteorological profile at the measurement scale of L1B data i.e. selecting the closest available AUX_MET data to the L1B measurement-bin geolocation. See section 20 on AUX_MET matchup algorithms.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Appendix B. Mie error quantifier derivation

This appendix clarifies the assumptions, and provides details of the mathematics, that lead to the expression proposed in Section 18.2 for predicting the level of error on Mie winds.

The Mie core algorithm estimates the frequency of the Mie return by minimizing the cost function:

$$J(f) = \sum_{j=3}^{18} [N(i,j) - \mu_j(f)]^2$$
 (B1)

where N(i,j) is a weighted photo-count for i-th height-bin and j-th CCD bin and $\mu_j(f)$ is a prediction of the same number based on an ad-hoc model (at present, a Lorentzian on top a uniform level of background light).

The photo-counts N(i, j) are computed from the measurement level CCD photo-counts LID(i, j, k) (after the removal of the video offset):

$$N(i,j) = \sum_{k=1}^{N_{\text{meas}}} w_k \text{LID}(i,j,k)$$
(B2)

where N_{meas} is the total number of measurements and w_{k} are the weights allocated to measurement k.

In equation (B1), the minimization bears only on the frequency, while 4 parameters are optimized by the Mie core algorithm (the central frequency, the amplitude, the width and the uniform level of background light). Here, we simplify the problem by limiting the optimization to the single frequency parameter, hoping that the equation we derive will apply with no major deficiency to the more complex case.

Let us denote by f_0 the frequency that optimizes the cost function

$$\overline{J}(f) = \sum_{i=3}^{18} \left[\overline{N}(i,j) - \mu_j(f) \right]^2$$
 (B3)

where $\overline{N}(i,j)$ denotes the mathematical expectation of N_j . Then, let us approximate J(f) around f_0 by a second order expansion:

$$J(f) \approx J(f_0) + \frac{\partial J}{\partial f}(f - f_0) + \frac{1}{2} \frac{\partial^2 J}{\partial f^2}(f_0)(f - f_0)^2$$
(B4)

and assume that the frequency \hat{f} that minimizes J(f) is very close the frequency that minimizes (B3). This assumption can be written:

$$\hat{\mathbf{f}} \approx \mathbf{f}_0 - \left[\frac{\partial^2 \mathbf{J}}{\partial \mathbf{f}^2} (\mathbf{f}_0) \right]^{-1} \frac{\partial \mathbf{J}}{\partial \mathbf{f}} (\mathbf{f}_0)$$
 (B5)

Now, let us denote $J'(f) = J(f) - \bar{J}(f)$ and assume

$$\frac{\partial J'}{\partial f}(f_0) << \frac{\partial \bar{J}}{\partial f}(f_0) \text{ and } \frac{\partial^2 J'}{\partial f^2}(f_0) << \frac{\partial^2 \bar{J}}{\partial f^2}(f_0)$$
(B6)

Equation (B4) can then be approximated by the first order expansion

$$\hat{\mathbf{f}} - \mathbf{f}_0 \approx - \left[\frac{\partial^2 \overline{\mathbf{J}}}{\partial \mathbf{f}^2} (\mathbf{f}_0) \right]^{-1} \left[\frac{\partial \overline{\mathbf{J}}}{\partial \mathbf{f}} (\mathbf{f}_0) + \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_0) \right] = - \left[\frac{\partial^2 \overline{\mathbf{J}}}{\partial \mathbf{f}^2} (\mathbf{f}_0) \right]^{-1} \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_0)$$
(B7)



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

From which follows that

$$\left\langle \left(\hat{\mathbf{f}} - \mathbf{f}_{0}\right)^{2} \right\rangle = \left\lceil \frac{\partial \overline{\mathbf{J}}}{\partial \mathbf{f}} (\mathbf{f}_{0}) \right\rceil^{-2} \left\langle \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_{0}) \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_{0}) \right\rangle \tag{B8}$$

From (B1) and (B3), we can write

$$J'(f) = \sum_{i=3}^{18} N'(i,j)^2 - 2\sum_{i=3}^{18} N'(i,j) [\overline{N}(i,j) - \mu_j(f)]$$
 (B9)

SO

$$\frac{\partial \mathbf{J'}}{\partial \mathbf{f}}(\mathbf{f}_0) = 2\sum_{i=3}^{18} \mathbf{N'}(\mathbf{i}, \mathbf{j})\alpha_{\mathbf{j}}(\mathbf{f}_0)$$
 (B10)

where $\alpha_j(f_0) = \partial \mu_j(f_0)/\partial f$. Since $\langle N'(i,j)N'(i,k)\rangle = \sigma_{i,j}^2 \, \delta(j-k)$ (the random fluctuations of the photo counts are independent), it follows that

$$\left\langle \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_0) \frac{\partial \mathbf{J'}}{\partial \mathbf{f}} (\mathbf{f}_0) \right\rangle = 4 \sum_{i=3}^{18} \sigma_{i,j}^2 \alpha_j^2 \tag{B11}$$

From equation (B3)

$$\frac{\partial^2 \overline{\mathbf{J}}}{\partial \mathbf{f}^2} (\mathbf{f}_0) = -2 \sum_{j=3}^{18} \frac{\partial \alpha_j}{\partial \mathbf{f}} (\mathbf{f}_0) [\overline{\mathbf{N}} (\mathbf{i}, \mathbf{j}) - \mu_j (\mathbf{f}_0)] + 2 \sum_{j=3}^{18} \alpha_j^2 (\mathbf{f}_0)$$
(B12)

The first term can be neglected if $\overline{N}(i,j) \approx \mu_j(f_0)$. This condition should be met as long as the model $\mu_i(f)$ is a good model for the photo-counts $\overline{N}(i,j)$, so we can make the approximation

$$\frac{\partial^2 \overline{\mathbf{J}}}{\partial \mathbf{f}^2} (\mathbf{f}_0) = 2 \sum_{i=3}^{18} \alpha_j^2 (\mathbf{f}_0)$$
 (B13)

Now, combining (B11) and (B13) gives

$$\left| \left\langle \left(\hat{\mathbf{f}} - \mathbf{f}_0 \right)^2 \right\rangle \approx \left[\sum_{j=3}^{18} \alpha_j^2(\mathbf{f}_0) \right]^{-2} \sum_{j=3}^{18} \sigma_{i,j}^2 \alpha_j^2(\mathbf{f}_0) \right| \tag{B14}$$

This is the basis for the expression given in Section 18.2 which uses the photo-count model

$$\mu_{j}(f) = T_{j}^{obs} \int_{f_{j}^{-}}^{f_{j}^{+}} \left[\frac{2A}{\pi \Delta} \left[1 + \frac{4(x - f)^{2}}{\Delta^{2}} \right]^{-1} + B \right] dx$$
 (B15)

where f_j^+ and f_j^+ are the upper and lower frequency bounds of CCD bin j, T_j^{obs} is the tripod obscuration factor for bin j, Δ is the FWHM of the Lorentzian spectrum assumed for the Mie return, A is its amplitude, and B is the uniform level of background light. Considering this model, it follows that

$$\alpha_{j}(f_{0}) = T_{j}^{\text{obs}} \frac{2A}{\pi \Delta} \left[\frac{1}{1 + \frac{4(f_{j}^{+} - f_{0})^{2}}{\Delta^{2}}} - \frac{1}{1 + \frac{4(f_{j}^{-} - f_{0})^{2}}{\Delta^{2}}} \right]$$
(B16)

In practice, A, Δ and f₀ are approximated with the parameters estimated by the Mie core algorithm, the link between both sets being



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Version: 3.0 Date: 6 September 2017

$$\begin{aligned} \text{peak_height} &\leftrightarrow \frac{2A}{\pi\Delta} \\ \text{FWHM} &\leftrightarrow \Delta \end{aligned} \tag{B17}$$

 $frequency\ estimate {\longleftrightarrow}\ f_0$

It now remains to give an expression for $\sigma_{i,j}^2$. If we assume that the random fluctuations of LID(i,j,k) follow independent, Poisson statistics, we have

$$\sigma_{i,j}^{2} = \sum_{k=1}^{N_{meas}} w_{k}^{2} \overline{LID}(i,j,k)$$
(B18)

which we can approximate by

$$\sigma_{i,j}^2 \approx \sum_{k=1}^{N_{meas}} w_k^2 \text{LID}(i,j,k)$$
 (B19)

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Appendix C. Checking of signal calibration factors

Note GJM 10/11/2015. Probably this appendix can be removed. Monitoring of Rayleigh channel calibration is described now in section 19. Eq. D-1 is similar to Eq. 19-7. Mie channel signals are currently not part of the Optical Properties Code and there is no plan to do so.

At the time of writing (May 2006) the calibration strategy for the Rayleigh and Mie channels is still an open issue. [RD12] provides a possible scheme showing that in principle, the calibration constants C_1 , C_2 , C_3 , C_4 , K_{ray} and K_{mie} , may be obtained from calibration measurements. K_{ray} is obtained from the two uppermost bins as outlined in section C.1.

It was agreed at the L2B-PM5 meeting in March 2006 that the calibration constants are assumed as known input parameters in L2B, until more detailed information on the calibration procedure becomes available.

In this section a check on the calibration values is described using measured data in the Rayleigh and Mie channels.

C.1. Rayleigh channel signal calibration

Calibration of the Rayleigh channel is done on the measured Rayleigh signals in the first 2 bins, assuming no particles in these bins.

C.1.1. Input parameters

- 1 $S_{ray}(1)$ and $S_{ray}(2)$: the Rayleigh channel useful signal in the first and second bin from L1B;
- 2 τ_0^M : signal transmission through molecular scattering and absorption between the satellite and the first bin, from NWP data. This value will generally be very close to 1;
- 3 Molecular backscatter (β_1^M) and transmission (τ_1^M) within the first bin, from NWP data;
- 4 Calibration constant $C_1(v, T, P)$ from interpolating the lookup table.
- 5 R_1 , R_2 , Δz_1 , Δz_2 , $\varepsilon_{\text{raycal}}$

C.1.2. Output parameters

- 1 K_{rav}: Rayleigh channel calibration value
- 2 A flag indicating the reliability of K_{ray}

C.1.3. Algorithm

An estimate of calibration factor K_{ray} may be obtained from the measured Rayleigh signal in the first bin, $S_{ray}(1)$, using Eq. (9) and assuming no particles between the satellite and second altitude bin, i.e. $\tau_0^P=1$, $\tau_1^P=1$ and $\beta_1^P=0$, $\rho_1=1$. Then from Eq. C-12Error! Reference source not found.:

$$K_{\text{ray}} = \frac{S_{\text{ray}}(1)R_1^2}{\beta_1^M C_1 \Delta z_1 \left[\tau_0^M\right]^2 \tau_1^M}$$
 Eq. 21-1

since τ_0^M , τ_1^M and β_1^M are known for known temperature and pressure profiles, according to Eq. C-15Error! Reference source not found.

The above algorithm provides a good calibration value only if the first bin is free of particles. This is verified by using the signal in the second bin. If both bins are free of particles then the ratio of both signals is independent of the calibration value and equals



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

$$\frac{S_{\text{ray}}(2)}{S_{\text{ray}}(1)} = \frac{\Delta z_2}{\Delta z_1} \frac{C_1(2)}{C_1(1)} \frac{R_1^2}{R_2^2} \frac{\beta_2^M}{\beta_1^M} \tau_1^M \tau_2^M$$
 Eq. 21-2

This "expected" ratio can be determined from NWP data. If the measured "true" ratio deviates more than a pre-defined threshold value, \$\varepsilon_{\text{raycal}}\$, from the expected value then this is an indication that either the first or second bin contains particles and a flag is set. (The reliability of the computed calibration factor may also be checked by comparing with calibration values from previous BRCs in a monitoring step, e.g. to detect the unlikely event that both bins are contaminated with particles.)

The percentage of cases that one of either bins is contaminated with particles will be checked for the atmospheric database in the sensitivity study.

Following further progress in the calibration strategy, more elaborated assumptions will be implemented.

C.2. Mie channel signal calibration

Calibration of the Mie channel is done using the measured molecular backscatter "noise floor" from the Fizeau interferometer. It is assumed that the first couple of bins in the stratosphere are (almost) free of particles, i.e. $S_{mie}(i) = 0$. This assumption will be verified with the expected signal ratio criterion from section C.1. Then the total signal measured by the Mie channel is obtained from Eq. C-14, with $\tau^P = 1$:

$$\begin{split} S_{\text{mie}}\left(i\right) &= 0 \\ N_{\text{mie}}\left(i\right) &= K_{\text{mie}}C_{4}\!\left(v, P, T\right) \! \frac{\beta_{i}^{M} \Delta z_{i}}{R_{i}^{2}} \prod_{j=1}^{i-1} \! \left(\tau_{j}^{M}\right)^{\! 2} \! \tau_{i}^{M} \end{split}$$
 Eq. 21-3

C.2.1. Input parameters

- 1 $S_{mie}(i) + N_{mie}(i)$: total Mie channel signal, from L1B
- 2 Molecular backscatter (β_i^M) and transmission (τ_i^M), from NWP data
- 3 C₄, from [RD12]
- 4 R_i , Δz_i from L1B

C.2.2. Output parameters

1 K_{mie} : Mie channel calibration value

C.2.3. Algorithm

$$K_{\text{mie}}(i) = \frac{N_{\text{mie}}(i)R_i^2}{C_4 \beta_i^M \Delta z_i \prod_{j=1}^{i-1} (\tau_j^M)^2 \tau_i^M}$$
 Eq. 21-4

This computation can in principle be done for all altitude bins that are (almost) free of particles. This needs to be checked against the expected signal ratio criterion from section C.1 and derived aerosol optical thickness in Appendix D. The vertical averaging of the resulting estimates to reduce measurement noise in the calibration estimate needs to be further investigated.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Appendix D. Scheme for computation of particle transmission from the Fabry-Pérot channel signal

Particle transmission is computed from the measured and estimated Fabry-Pérot (FP) signal from **Eq. 19-8**. Here we describe the iterative scheme implemented in the optical properties code (OPC) to estimate the particle transmission profile, starting at the topmost bin. The used signals in the scheme have been defined in Eq. 19-2, Eq. 19-4, Eq. 19-5 and **Eq. 19-6**. For the measured signal in Eq. 19-4 we adopt a slightly different notation here that does not harm the calculations but will later on show an intriguing property of the implemented scheme. For the measured FP signal we write here:

$$FP(i) = (1 - \delta(i))FP_{\text{mol}}(i)\overline{T}_{p}^{2}(i-1)\overline{\tau}_{p}(i)$$

Eq. 21-5

with $\delta(i)$ accounting for cross-talk and measurement noise in the FP measurement and the overbar denoting the (unknown) true particle transmission. The following iterative (i.e. layer-stepping) scheme has been implemented to retrieve particle transmission in bin i from the measured FP signal.

$$T_{p}(0) = 1, T_{p}(-1) = 1, x(0) = 1$$

$$i = 1$$

$$T_{p}(i-1) = T_{p}(i-2)x(i-1)$$

$$F\hat{P}(i) = F\hat{P}_{mol}(i)T_{p}^{2}(i-1)$$

$$x(i) = \frac{FP(i)}{F\hat{P}(i)}$$

$$i \to i+1$$

Figure 21-1. Iterative scheme to retrieve particle transmission in bin i, from the measured Fabry-Pérot signal, FP(i).

In the scheme in Figure 21-1, $F\hat{P}(i)$ denotes the expected FP signal in bin i when there are no particles in bin i. The idea is that the quotient of the measured and expected FP signal in bin i (parameter x) provides an estimate of the particle transmission in bin i.

To study the behaviour of the scheme above, a simplified atmosphere is assumed with a constant aerosol transmission profile: $\bar{\tau}_p(i) = \bar{\tau}_p$ and thus $\bar{T}_p(i) = (\bar{\tau}_p)^i$. From **Eq. 21-5** we may then write $FP(i) = (1 - \delta(i))FP_{mol}(i)[\bar{\tau}_p]^{2i-1}$. Also the error δ is assumed constant throughout the profile for simplicity. The solution of the scheme in Figure 21-1 with these assumptions is then easily obtained:

$$x(i) = \overline{\tau}_{p} (1 - \delta)^{(-1)^{i+1}}$$
 $i \ge 1$

Eq. 21-6

showing that the parameter *x* oscillates around the true particle transmission value. Subsequent estimate for aerosol extinction follows from

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$\alpha^{p}(i) = \frac{-\ln(x(i))}{\Delta z}$$

$$= \frac{-\ln(\overline{\tau}^{p})}{\Delta z} + \frac{(-1)^{i+1}\ln(1-\delta)}{\Delta z}$$

$$\approx \frac{-\ln(\overline{\tau}^{p})}{\Delta z} + \frac{(-1)^{i+1}\delta}{\Delta z}$$

$$= \overline{\alpha}^{p}(i) + \Delta \alpha^{p}(i)$$

Eq. 21-7

showing that the retrieved aerosol extinction obviously also alternates around the true value. This behaviour is visualized by the red curves in Figure 21-3. From **Eq. 21-7**, the relative error in the retrieved aerosol extinction equals: $|\Delta \alpha^{\rm p}(i)|/\overline{\alpha}^{\rm p}(i) = |\delta|/\ln(\overline{\tau}^{\rm p})$.

A solution to damp the alternating behaviour of the particle optical properties solution is obtained by the alternative scheme proposed in Figure 21-2 that only differs from Figure 21-1 through the power k that is applied to the computation of x.

$$T_{p}(0) = 1, T_{p}(-1) = 1, x(0) = 1$$

$$i = 1$$

$$T_{p}(i-1) = T_{p}(i-2)x(i-1)$$

$$F\hat{P}(i) = F\hat{P}_{mol}(i)T_{p}^{2}(i-1)$$

$$x(i) = \left[\frac{FP(i)}{F\hat{P}(i)}\right]^{k}$$

$$i \to i+1$$

Figure 21-2. Same as Figure 21-1, but with a power k in the computation of parameter x.

The solution of the iterative scheme in Figure 21-2 is

$$x(j) = \overline{\tau}_p^{\beta(j,k)} \left\{ (1 - \delta) \overline{\tau}_p \right\}^k$$

Eq. 21-8

with $\beta(j,k)$ a polynomial of k as follows

$$\beta(1,k) = 0$$

$$\beta(2,k) = 2k$$

$$\beta(3,k) = 4k - 4k^{2}$$

$$\beta(4,k) = 6k - 12k^{2} + 8k^{3}$$

$$\beta(5,k) = 8k - 24k^{2} + 32k^{3} - 16k^{4}$$
etc.

A general expression for $\beta(j,k)$ is described later in the text. Here we constrain to the properties of $\beta(j,k)$

• for k=1, the value of $\beta(j,k)$ alternates between 0 and 2 and **Eq. 21-8** is in agreement with Eq. 21-6.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

- For k=1/2: $\beta(j,1/2)=1$ for j>0.
- $\lim_{i \to \infty} \beta(j,k) = 1$, for 0 < k < 1

The last property implies that for suitable values of k, the impact of the error δ in the estimate for particle transmission damps with increasing j, i.e., further down into the profile. This is visualized in Figure 21-3 that shows aerosol extinction retrieval for different values of the power k.




Figure 21-3. L2B retrieval of aerosol extinction from the FP signal. No aerosol backscatter contamination is assumed. There is no aerosol attenuation at the top of the atmosphere. Aerosol extinction has a constant value of 10^{-5} 1/m (black lines) below 17.1 km (left panel) corresponding to a moderate value for δ , below 17.5 km (middle panel) corresponding to a large value for δ , and below 17.9 km (right panel) corresponding to a small value for δ . The red, blue and green lines show the L2B retrieval for k=1, 0.8 and 0.5 (see Figure 21-2) respectively.

From Figure 21-3 it follows that the aerosol optical properties retrieval depends on the position in the first range bin where substantial aerosol is found. This location determines the value of δ . In any case the solution for k=1 alternates around the true value, the amplitude depending on the location of aerosols within the first aerosol contaminated bin. For values of k smaller than one, the retrieved aerosol extinction converges to the true value at the expense of a bias in the first aerosol contaminated bin. This is explained later in the text.

Figure 21-4 shows similar results for a linear increasing aerosol extinction.




Figure 21-4. Same as Figure 21-3, but now for a linear aerosol extinction.

The behaviour of the retrieval algorithm is further explored in the next section for noisy FP signals.

D.1 Iterative scheme for non-constant particle transmission profile and noisy FP signals

In general, particle backscatter and transmission are a non-constant function of altitude. In addition, measured FP signals are contaminated with random noise. The solution of the scheme in Figure 21-2 with non-constant $\delta(i)$ and non-constant (unknown) true particle transmission profile $\tau^p(j)$ is



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$x(i) = \gamma(i) \prod_{j=1}^{i} \left[\frac{\tau_{p}(j)}{\gamma(j)} \right]^{\alpha(i-j+1,k)}$$
$$\gamma(i) = \left[(1 - \delta(i)) \tau_{p}(i) \right]^{k}$$

Eq. 21-9

with for α :

$$\alpha(1,k) = 0$$

$$\alpha(2,k) = 2k$$

$$\alpha(3,k) = 2k - 4k^{2}$$

$$\alpha(4,k) = 2k - 8k^{2} + 8k^{3}$$

$$\alpha(5,k) = 2k - 12k^{2} + 24k^{3} - 16k^{4}$$
etc.

Parameter α has the following properties:

$$\sum_{j=1}^i \alpha(j,k) = \beta(j,k)$$
 Eq. 21-10
$$\alpha(j,k) = 2k \Big(1-\beta(i-j,k)\Big)$$
 Eq. 21-11

For the special case of a constant particle transmission profile, $\tau_p(i) = \tau_p$ and constant error $\delta(i) = \delta$, $\gamma(j) = \gamma = \left[(1 - \delta) \tau_p^{-1} \right]^k$ and Eq. 21-9 becomes $x(i) = \gamma \left(\tau_p / \gamma \right)^{\alpha(1,k) + \alpha(2,k) + \dots + \alpha(i,k)} = \gamma \left(\tau_p / \gamma \right)^{\beta(i,k)}$, using **Eq. 21-10**. Substituting γ into this equation yields Eq. 21-8. Also from Eq. 21-10 and Eq. 21-11 a general expression for β is found:

$$\beta(1,k) = 0$$

$$\beta(i,k) = 2k \sum_{l=1}^{i-1} (1 - \beta(i-l,k)), \quad i > 1$$

Eq. 21-12

Substituting Eq. 21-11 into Eq. 21-9 yields

$$x(i) = \gamma(i) \prod_{j=1}^{i-1} \left[\frac{\overline{\tau}_{p}(j)}{\gamma(j)} \right]^{2k[1-\beta(i-j,k)]}$$
$$\gamma(i) = \left[(1 - \varepsilon(i)) \overline{\tau}_{p}(i) \right]^{k}$$

Eq. 21-13

In other words, for i substantially larger than j, $\beta(i-j,k)$ is (close to) zero meaning that the impact of errors $\delta(j)$, e.g., measurement noise, in bin j (through $\gamma(j)$) does (almost) not contaminate x(i), i.e., the particle transmission estimate in bin i, the amount of contamination depending on the value of k and the difference i-j.

Examples

1. *k*=1

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

For k=1, $\beta(j)$ alternates between 0 and 2. Then **Eq. 21-13** becomes

$$x(i) = \gamma(i) \prod_{j=1}^{i-1} \left[\frac{\overline{\tau}_{p}(j)}{\gamma(j)} \right]^{2(-1)^{i-j+1}}$$

$$= \gamma(i) \left[\frac{\overline{\tau}_{p}(i-1)}{\gamma(i-1)} \right]^{2} \left[\frac{\overline{\tau}_{p}(i-2)}{\gamma(i-2)} \right]^{-2} \dots \left[\frac{\overline{\tau}_{p}(1)}{\gamma(1)} \right]^{2}$$

$$= \overline{\tau}_{p}(i) (1 - \delta(i)) [1 - \delta(i-1)]^{-2} [1 - \delta(i-2)]^{2} \dots$$

Eq. 21-14

This yields for the expected value and standard deviation of x(i):

$$E[x(i)] = \overline{\tau}_{p}(i)$$

$$std[x(i)] \approx \sqrt{[\sigma(i)]^{2} + \sum_{j=1}^{i-1} [2\sigma(j)]^{2}}$$

$$\approx \sigma\sqrt{1 + 4(i-1)} \quad \text{for constant } \sigma(i)$$

Eq. 21-15

assuming for the relative (noise/signal) measurement error δ , $E[\delta\ (i)]=0$ and with $\sigma(i)$ denoting the standard deviation of $\delta(i)$. For the computation of the standard deviation in **Eq. 21-15** a Taylor expansion for the negative powers has been applied and uncorrelated noise between subsequent bins was assumed.

Thus from **Eq. 21-14**, **Eq. 21-15**, the estimate x(i) for particle transmission in bin i alternates around the true value. The error increases with increasing bin number, i.e., further down into the profile since the particle transmission estimate in the current bin is contaminated by measurement noise in the current and all bins above.

2.
$$k=1/2$$

For k=1/2, $\beta(1)=0$, $\beta(j)=1$ j>1. Then **Eq. 21-13** becomes

$$x(i) = \gamma(i) \left[\frac{\overline{\tau}_{p}(i-1)}{\gamma(i-1)} \right]^{2k[1-\beta(1,k)]}$$

$$= \gamma(i) \frac{\overline{\tau}_{p}(i-1)}{\gamma(i-1)}$$

$$= \left[(1-\delta(i))\overline{\tau}_{p}(i) \right]^{1/2} \frac{\overline{\tau}_{p}(i-1)}{\left[(1-\delta(i-1))\overline{\tau}_{p}(i-1) \right]^{1/2}}$$

$$= \left[\frac{(1-\delta(i))}{(1-\delta(i-1))} \right]^{1/2} (\overline{\tau}_{p}(i)\overline{\tau}_{p}(i-1))^{1/2}$$

Eq. 21-16

This yields for the expected value and standard deviation of x(i):

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

$$E[x(i)] = \left[\overline{\tau}_{p}(i-1)\overline{\tau}_{p}(i) \right]^{1/2}$$

$$std[x(i)] = \sqrt{\left[\frac{1}{2}\sigma(i)\right]^{2} + \left[\frac{1}{2}\sigma(i-1)\right]^{2}}$$

$$\approx \sigma/\sqrt{2}$$

Eq. 21-17

i.e. the estimate x(i) for particle transmission in bin i has a bias $\tau_p(i) \left(1 - \sqrt{\tau_p}(i-1)/\tau_p(i)\right)$, which is small for a smooth particle attenuation profile but large for e.g. aerosol gradients. However in case of large aerosol gradients cross-talk on the FP signal through aerosol contamination will be detected by the algorithm and subsequent flagging or advanced processing is applied. Besides the bias note the small error due to measurement noise contamination, i.e., only noise in the current and previous bin contaminate the particle transmission estimate.

For values of k larger than 1/2 and smaller than 1, it can be shown that the bias reduces with increasing values of k but at the expense of an increased standard deviation of error in the particle transmission estimate.

Results

The left panel in Figure 21-5 shows a typical noisy realization from a noise-free FP signal based on the linear aerosol extinction profile of Figure 21-3. Gaussian distributed random noise with zero mean and standard deviation equal to the square root of the number of photon counts of the noise-free signal has been added to the noise-free profile. The right panel of Figure 21-5 shows the corresponding retrieved aerosol extinction for different values of the power k in the iterative scheme.






Figure 21-5. Left panel, simulated Fabry-Perot signal with linearly increasing aerosol attenuation according to Figure 21-4. The dashed line corresponds to the noise-free signal, the solid line to a typical noisy realization, assuming Gaussian distributed noise with the mean and standard deviation equal to the square of the number of photon counts. The right panel shows the corresponding aerosol extinction retrieval for k=1 (red), k=0.8 (blue) and k=0.5 (green). The black line denotes the true aerosol extinction.

Figure 21-6 show the statistics of retrieved aerosol extinction obtained from 10000 retrievals each with another noise realization applied to the FP signal. Depending on the location of substantial aerosol attenuation within the first aerosol contaminated bin a large (left panel) or negligible (middle panel) bias is found for k=1 in the iterative scheme in Figure 21-2. Using other values for k in the iterative scheme introduces a relative large negative bias in the first aerosol contaminated bin but smaller biases of less than 10% in the lower bins, this percentage quickly decreasing in subsequent bins, in agreement with the analysis above. Larger biases are found for smaller values of k. On the other hand the standard deviation of error decreases substantially with decreasing values for k. A reduction of almost a factor of 10 is achieved when using k=0.5 instead of k=1.










Figure 21-6. Statistics of aerosol backscatter retrieval from noisy Fabry-Perot channel data. Bias for the case of aerosol attenuation below 17.5 km (left panel) and below 17.9 km (middle panel). The right panel show the standard deviation that is similar for both cases.

Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Date: 6 September 2017

Appendix E. Retrieval of atmosphere molecular backscatter and extinction (Rayleigh scattering)

The optical properties code (OPC) as described in Section 19, requires as input estimates of molecular backscatter and extinction throughout the measurement profile. OPC has two options discussed in the following subsections to obtain these inputs. The choice is controlled via the AUX_PAR_2B file: Optical Properties Params/MolExt Method

Option 1: MolExt Method Parametrised

Option 2: MolExt Method Proper

Option 1: Basic parameterization

A simple parameterization for molecular backscatter coefficient can be used in case information of atmospheric pressure and temperature is not available (however it should always be available from the compulsory AUX_MET_12 data). The following parameterization is obtained from literature, e.g., [RD17]

$$\beta_m(z) = 10^{-7} \left(\frac{\lambda_0}{\lambda}\right)^{4.09} e^{-z/z_0}$$

$$\alpha_m(z) = \frac{8\pi}{3} \beta_m(z)$$

Eq. 21-18

with β_m molecular backscatter (m⁻¹sr⁻¹), α_m molecular extinction (m⁻¹), z altitude (m), z_0 the atmosphere density scale height with a value of 8000 m, λ the Aeolus laser beam wavelength (m) and λ_0 a reference wavelength of 1.06·10⁻⁶ m. The relation between molecular backscatter and extinction follows from Rayleigh scattering theory.

Option 2: AUX_MET data based parameterization (the recommended option)

Additional prior knowledge of the atmosphere is available from auxiliary NWP data (AUX_MET_12) and is used for the retrieval of atmosphere optical properties, in particular profiles of pressure and temperature from NWP models. Note that a priori wind information is not used in the L2B processing. Molecular backscatter and extinction may be determined from Rayleigh scattering theory given profiles of atmospheric pressure and temperature between the earth's surface and satellite altitude as follows [RD15].

Estimates of the atmosphere temperature and pressure at measurement location are available from the AUX_MET_12 input files, i.e., from short-range forecasts of an NWP model. Molecular backscatter and extinction coefficients may be determined from Rayleigh theory given profiles of atmospheric pressure and temperature followingError! Reference source not found.:

$$n(z) = \frac{p(z)}{kT(z)}$$

$$m_s = 1 + 10^{-8} \left[\frac{5791817}{238.0185 - (10^6 \lambda)^{-2}} + \frac{167909}{57.362 - (10^6 \lambda)^{-2}} \right]$$

$$\sigma_{\text{mol}}(z) = \left(\frac{24\pi^3}{n_s^2 (10^2 \lambda)^4} \right) \left[\frac{m_s^2 - 1}{(m_s^2 + 2)^2} \right] \left[\frac{(6 + 3\rho)}{(6 - 7\rho)} \right]$$

$$\alpha_m(z) = \sigma_{\text{mol}}(z)n(z)$$

$$\beta_m(z) = \frac{3}{8\pi} \alpha_m(z)$$

Eq. 21-19

The top equation of Error! Reference source not found. is the ideal gas law. Furthermore:

k=1.3806503⋅10⁻²³ : [J/K] ; Boltzmann constant

98/109



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0

Version: 3.0
Date: 6 September 2017

 n_s = 2.54743·10⁻¹⁹ : [m⁻³] ; molecular number density at standard p and T

p : [Pa] ; pressure T : [K] ; temperature

n : [m⁻³] ; molecular number density

 λ =355·10⁻⁹ : [m] ; laser wavelength

 m_s =1.00028569773896 : [-] ; refractive index of air for 355 nm laser wavelength

 ρ =0.03178 : [-] ; yielding the depolarization constant

 σ_{mol} : [m²] ; molecular scattering cross-section per molecule

Both options described in sections have been implemented in the L2BP OPC. Examples are found in [RD17].



Ref: AE-TN-ECMWF-L2BP-0023 Version: 3.0 Date: 6 September 2017

Appendix F. Overview of AUX_PAR_2B settings and the control of the L2B processor algorithms

The AUX_PAR_2B parameters which are relevant for the L2B processing is shown in Table 8, along with brief comments or references related to the use of the parameter. [RD10] provides a complete list of the options.

Not used and obsolete

Not used but may be in the future

Table 8. List of AUX_PAR_2B parameters relevant to the L2B processing algorithms

Top	Second level	Third level	Fourth level	Recomme	Description/Status
level	0000110110101			nded	2 ccomparer a ctatalo
				option	
WVM_					
Params					
	Rangebin_Mis				Not used in L2Bp
	match_Toleran				
	ce				
	Line_of_Sight			False i.e.	Determines whether
	_Wind_Flag			HLOS	the wind results are
				winds,	LOS or HLOS
				common	winds. See
				choice for	sections 13 and 14
				NWP	
	NI OL - MI - M			purposes	
	N_Obs_Mie_M ax				Obsolete
	N_Obs_Raylei				Obsolete
	gh_Max				
	BRC_Groupin				See section 7
	g_Params				
		Grouping_Method			
		Max_Vertical_Rangebin_			
		Misalignment_Mie			
		Max_Vertical_Rangebin_			
		Misalignment_Rayleigh			
		Max_Horizontal_Accumul			
		ation_Length_Mie			
		Max_Horizontal_Accumul			
		ation_Length_Rayleigh			
		Max_Allowed_Gap_Betw			
		een_Mie_Measurements			
		Max_Allowed_Gap_Betw			
		een_Rayleigh_Measurem			
		ents			
		num_BRCs_to_merge			
	Classification_				
	Params	0		01 5	0 " 0 0 0
		Classification_Type_Mie		Class_Bac	See section 8.2. Or
				kscat_Rati	see section 8.3 if
				0	interested in using
		Observe To De la		01	OPC feature finder
		Classification_Type_Rayl		Class_Bac	See section 8.2. Or
		eigh		kscat_Rati	see section 8.3 if
				0	interested in using
-		List of Mis Destroyation			OPC feature finder A flexible number of
		List_of_Mie_Backscatter Ratio_Thresholds			Threshold_Value
		Natio_Tillesilolus			and associated
					Altitude. Can have
				<u> </u>	Ailliude. Can nave



Top level	Second level	Third level	Fourth level	Recomme nded option	Description/Status
					different thresholds for the Mie and Rayleigh.
		List_of_Rayleigh_Backsc atterRatio_Thresholds			Similar to that of Mie above.
		List_of_Mie_Extinction_T hresholds			Similar to above, but for extinction values if using the OPC derived extinction.
		List_of_Rayleigh_Extincti on_Thresholds			See above, but for Rayleigh.
	Optical_Proper ties_Params				
		ScatRatio_Method		Scat_Rati o_from_L 1B_Mie_r efined	Method for getting scattering ratio. See section 8.2
		ScatRatio_Method2		Scat_Ratio _One_lf_N o_Mie	Backup in case above gives no result. See section 8.2
		PartExt_Method		PartExt_M ethod_Itera tive; if want extinction derived from OPC	Method to retrieve particle extinction; which can be used in classification. See section 8.3
		MolExt_Method		MolExt_Me thod_Prop er; the method that uses the AUX_MET data	Method to get molecular extinction. See Appendix E
		Minimum_Altitude_for_As suming_Rho_1			Lowest altitude above which it is OK to set the scattering ratio to 1.0 (i.e. clear air); if using Scat_Ratio_One_If_ No_Mie
		k_power			OPC related setting. See section 19
		FP_Xtalk_factor			OPC related setting. See section 19
		Median_Filter_Window_ Width_x			OPC related setting. See section 19
		Median_Filter_Window_ Width_y			OPC related setting. See section 19
		Calibration_from_AuxCal			OPC related setting. See section 19
		Cross_Talk_from_AuxCal			OPC related setting See section 19
		Apply_Median_Filter			OPC related setting. See section 19
		Apply_2D_Feature_Finde r			OPC related setting. See section 19
		FP_On_Upper_Bin_Std_ Threshold			OPC related setting. See section 19



Top level	Second level	Third level	Fourth level	Recomme nded option	Description/Status
	Error_Quantifi er_Params			·	See description of choices in sections 17 and 18
		ErrorQuantMethod_Mie			
		ErrorQuantMethod_Rayle			
	Common_Proc essing_Param	igh			
	S	141 500 5			
		Mie_PCD_Params	Alpha_Correction		Not used
			Summation_Index		
		Mie_Core_Algorithm_Par ams{,Reference_Pulse}	Summation_mask		Settings for the Mie core algorithm for atmospheric return and the reference pulse can be defined
			SNR_Threshold		
			Start_FWHM Residual_Error_T hreshold		
			Max_Iterations_Lo rentz_Fit		
			FWHM_Upper_Th reshold		
			FWHM_Lower_Th reshold		
			Peak_Height_Upp er_Threshold		
			Peak_Height_Low er_Threshold		
			Peak_Location_T hreshold		
			Nonlinear_Optimiz ation_Threshold		
			Max_Iterations_N onlinear_Optimiza tion		
			Num_Spectral_Su b_Samples		
		Corrupt_Data_Detection_ Params			
			Max_Signal_Deriv ative		
			Pixel_Saturation_ Threshold		
	Mie_Algorithm _Params				
		Copy_L1B_Mie_Core_Al gorithm_Params		True	Switch to import L1B Mie Core algorithm Downhill simplex settings. It is usually recommended to set to true
		Copy_MieCoreAlgParam s_to_IntRef		true	Switch to be able to use the atmospheric Mie core settings for the internal reference channel
	1	Mie_Height_Assignment_	1	use_fixed_	Currently only one



		the Aeolus L2B			
Top level	Second level	Third level	Fourth level	Recomme nded option	Description/Status
		Mie_Height_Weight_Upp er		0.5	Since the distribution of attenuated back-scatter within the bin is unknown, then best to assign half-way through bin.
		Skip_Mie_Non_Linearity_ Correction		false	The non-linearity of the Mie response should be considered i.e. not skipped
		Extrapolate_Mie_Calibrat ion_Data		false	Switch as to whether the non- linear response can be extrapolated
		Use_Ref_Pulse_Zero_Fr eq		true	Switch to use the zero frequency value of the internal calibration
		Use_Meas_Zero_Freq		true	Switch to use the zero frequency of the atmospheric calibration
		Offset_Subtraction_Col2 0_Weight		0.5	How much to weight column 20 versus column 19 in the offset subtraction
		List_of_SNR_Thresholds		TBD with real Aeolus data	List made up of SNR thresholds for given altitude ranges. For QC
		Flag_Clear_Mie_Results _Invalid		false	Option to flag all Mie-clear winds as invalid
	RBC_Algorith				
	m_Params	Rayleigh_Height_Assign ment_Method		use_fixed_ weight	Choose which method for Rayleigh height assignment
		Rayleigh_Height_Weight _Upper		0.49	A good compromise value to account for typical attenuated backscatter profile in a bin.
		Do_Mie_Decontamination		true	Switch to control if the effect of Mie signal in the Rayleigh channel is corrected for
		Flag_Cloudy_Rayleigh_R esults_Invalid		false	Option to flag all Rayleigh-cloudy winds as invalid
		LOS_min			This and the following 11 parameters are used to detect problems occurring in the RBC algorithm. Exact



Top level	Second level	Third level	Fourth level	Recomme nded option	Description/Status
				·	figures are to TBD with real Aeolus data.
		LOS_max			
		LOS_ref_min			
		LOS_ref_max			
		dLOSdR_min			
		dLOSdR_max			
		dLOSdT_min			
		dLOSdT_max			
		dLOSdP_min			
		dLOSdP_max			
		dLOSdrho_min			
	ANAD NAME OF	dLOSdrho_max			0
	AMD_Matchup _Params				See section 20
		Matchup_Method		Nearest_N eighbour	Choose method to select AMD data to be used in the HLOS wind retrieval
		Max_Allowed_Time_Diff		TBD	Parameter used when searching for matching AMD profiles
		Max_Allowed_Distance		TBD	Parameter used when searching for matching AMD profiles
		Max_Analysis_Time_Diff		0 (does not check if zero)	Can restrict the HLOS retrieval from using AMD data forecasts older than a defined time period
	CLM_Matchup				
	_Params	Matakus Matkad			
	7MO Danasa	Matchup_Method			7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	ZWC_Params				Zero Wind Correction
		ZWC_Scheme_Mie		ZWC_sche me_use_L 2B_setting s	Method for doing the ZWC; either copy the total L1B correction, or recalculate using L2B weightings (see below). See section 14.6.
		ZWC_Scheme_Rayleigh		ZWC_sche me_use_L 2B_setting s	Method for doing the ZWC; either copy the total L1B correction, or recalculate using L2B weightings (see below). See section 13.5.
		Mie_Ground_Correction_ Weighting		TBD	
		Mie_HBE_Ground_Corre ction_Weighting		TBD	
		Rayleigh_Ground_Correction_Weighting		TBD	
		Rayleigh_HBE_Ground_ Correction_Weighting		TBD	



_		THE AEGIUS LZD			15 11 /0: :
Top	Second level	Third level	Fourth level	Recomme	Description/Status
level				nded	
				option	
		Mie_Rayleigh_Ground_C		TBD	
		orrection_Weighting			
		Mie_Rayleigh_Ground_C		TBD	
		orrection_Offset		100	
	DDD D	Offection_Offset			No was ally DDD
	RDB_Params				Normally RDB
					correction should be
					applied
		Do_Mie_RDB_corr		true	Switch for RDB
					correction for the
					Mie channel
		Do_Rayleigh_RDB_corr		true	Switch for RDB
					correction for the
					Rayleigh channel
Screeni					rayreign ename.
ng_Par					
ams					
	L1B_Screenin				
	g_Params				
		L1B_Geolocation_Screen			
		ing_Params			
			Latitude_Min		
			Latitude_Max		
			Longitude_Min		
			Longitude_Max		
			Altitude_Min		
			Altitude_Max		
			Altitude_DEM_Mi		
			n		
			Altitude_DEM_Ma		
			Х		
			Geoid_Separation		
			_Min		
			Geoid_Separation		
			_Max		
			Topocentric_Elev		
			ation_Min		
			Topocentric_Elev		
			ation_Max		
			Topocentric_Azim		
			uth_Min		
			Topocentric_Azim		
			uth_Max		
			AOCS_LOS_Velo		
			city_Min		
			AOCS LOS Velo		
		LAB Obs Carastina D	city_Max		Con postion C.4
		L1B_Obs_Screening_Par			See section 6.1.
]		ams			Values to be
]					determined with real
					Aeolus data.
]			L1B_Laser_Freq_	TBD	
			Unlocked_Thresh		
			old		
			L1B_Ref_Pulses_	TBD	
]			Unlocked_Thresh		
]			old		
		1		TBD	
I					
			L1B_Laser_Freq_	100	
			Offset_Threshold		
				TBD	



		the Aeolus L2B			
Тор	Second level	Third level	Fourth level	Recomme	Description/Status
level				nded	
				option	
			L1B_Laser_Freq_	TBD	
			Offs_Stdev_Thres		
			hold		
			L1B_Laser_UV_E	TBD	
			nergy_Stdev_Thre		
			shold		
			L1B_Mie_Mean_E	TBD	
			mit_Freq_Min		
			L1B_Mie_Mean_E	TBD	
			mit_Freq_Max		
			L1B_Mie_Emit_Fr	TBD	
			eq_Stdev_Thresh		
			old		
			L1B_Rayleigh_Me	TBD	
			an_Emit_Freq_Mi		
			n		
			L1B_Rayleigh_Me	TBD	
			an_Emit_Freq_Ma		
			Х		
			L1B_Rayleigh_E	TBD	
			mit_Freq_Stdev_T		
			hreshold		
			L1B_Sat_Not_on_	TBD	
			Target_Threshold		
			L1B_Mie_Corrupt	TBD	
			_Threshold		
			L1B_Rayleigh_Co	TBD	
			rrupt_Threshold		
			L1B_Mie_Ref_Pul	TBD	
			ses_Corrupt_Thre		
			shold		
			L1B_Rayl_Ref_Pu	TBD	
			Ises_Corrupt_Thr		
			eshold		
			L1B_Mie_Invalid_	TBD	
			Meas_Threshold		
			L1B_Mie_Invalid_	TBD	
			Ref_Pulses_Thres		
			hold		
			L1B_Rayl_Invalid	TBD	
			_Meas_Threshold		
			L1B_Rayl_Invalid	TBD	
			_Ref_Pulses_Thr		
			eshold		
		L1B_Mie_Meas_Screeni			
		ng_Params			
			L1B_Mie_Meas_I	TBD	
			nvalid_Ref_Pulse		
			s_Threshold		
			L1B_Avg_Laser_	TBD	
			Freq_Offset_Min		
			L1B_Avg_Laser_	TBD	
			Freq_Offset_Max		
			L1B_Avg_UV_En	TBD	
			ergy_Min		
			L1B_Avg_UV_En	TBD	
			ergy_Max		
			L1B_Laser_Freq_	TBD	
			Offset_Stdev_Thr		
		<u> </u>	eshold		
			L1B_UV_Energy_	TBD	
			Stdev_Threshold		
	•	•	<u> </u>		



Top Second level Third level Fourth level Recomme nded option			the Aeolus L2B	10063301)		
L1B_Vel_of_Att_U TBD necetainty_Error. Min Mean_E mitted Freq_Min Mean_E mitted Freq_Min Min Mean_E Min Mean_E Min Mean_E Min Mean_E Min Mean_E Min Min Min Min Min L1B_Mean_E Min Mean_E Min Min Min L1B_Mean_E Min Min Min L1B_Mean_E Min Min Min L1B_Mean_E Min Min Min Min L1B_Mean_E Min Min Min Min L1B_Mean_E Min Min Min Min Min L1B_Scattering_R Min	Top	Second level	Third level	Fourth level	Recomme	Description/Status
L1B. Vel. of. Att. U TBD noertainty, Error. Min L1B. Vel. of. Att. U TBD noertainty, Error. Max L1B. Wel. of. Att. U TBD noertainty, Error. Max L1B. Me. Mean_E TBD mitted_Freq. Min L1B. Me. Mean_E TBD mitted_Freq. Max L1B. Mie Emitted Freq. Max L1B. Mes. Refer TBD TBD mitted_Freq. Min TBD mitted_Freq. Max L1B. Mes. Refer TBD	level				nded	
L1B_Vel_of_Att_U TBD necertainty_Error_Min L1B_Vel_of_Att_U necertainty_Error_Max L1B_Mie_Mean_E mitted_Freq_Min L1B_Mie_Mean_E mitted_Freq_Min L1B_Mie_Mean_E mitted_Freq_Min L1B_Mie_Mean_E mitted_Freq_Min L1B_Mie_Mean_E mitted_Freq_Min L1B_Min L	.0.0.				7 7 7	
ncertainty_Error_Min L1B_Vel_of_Art_U TBD ncertainty_Error_Max L1B_Mie_Mean_E TBD mitted Freq_Min L1B_Mie_Mean_E TBD mitted Freq_Min L1B_Mie_Mean_E TBD mitted Freq_Max L1B_Mie_Emitted TBD				L1D Vol. of Att II		
Min LIB_Vel_of_Att_U ncertainty_Error_ Max LIB_Me_Mean_E mitted_Freq_Min LIB_Me_Mean_E mitted_Freq_Min LIB_Me_Mean_E mitted_Freq_Min LIB_Me_Mean_E mitted_Freq_Min LIB_Mean_E mitted_Freq_Min LIB_Mean_E mitted_Freq_Min TBD TBD TBD TBD TBD TBD TBD TBD					טסו	
L1B_Vel_of_Att_U ncertainty_Error_ Max L1B_Mile_Mean_E mitted_Freq_Min L1B_Mile_Mean_E mitted_Freq_Min L1B_Mile_Emitted _Freq_Sidev_Thr _Freq_Sidev_Thr _Freq_Sidev_Thr eshold L1B_Meas_Refer ence_Pulse_FWH _M_Min L1B_Meas_Refer ence_Pulse_FWH M_Min L1B_Meas_Refer ence_Pulse_FWH M_Min L1B_Scattering_R atto_Max L1B_Scattering_R TBD atto_Max L1B_Meas_Tresh old Mile_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mile_MeasInvalid_Switch L1B_Rayleigh_MeasInvalid_Ref_P ulses_Tireshold L1B_Rayleigh_Meas_Invalid_Ref_P ulses_Tireshold L1B_Ray_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_U_V_En _ergy_Min L1B_Laser_Freq_ Offset_Min_ L1B_Loger_Freq_ Of						
ncertainty_Error_ Max L18 Mie Mean_E mitted_Freq_Min L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E freq_Stdev_Thr eshold L18_Mie_Mean_E freq_Stdev_Thr eshold L18_Meas_Refer ence_Pulse_PVH M. Min L18_Meas_Refer ence_Pulse_FVH M. Max L18_Scattering_R atio. Min L18_Scattering_R atio. Max L18_Mie_SNR_T TBD Mile_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Max_Signal_Deriv ative Pixel_Saturation_ Threshold L18_Rayleigh_Meas_Scr eening_Params L18_Rayleigh_Meas_Scr eening_Params L18_Rayleigh_Meas_Freq_Offset_Min L18_Avg_Laser_ Freq_Offset_Min L18_Avg_Laser_ Freq_Offset_Max L18_Ray_UV_En ergy_Min L18_L8_Freq_Offset_Max L18_L8_Freq						
ncertainty_Error_ Max L18 Mie Mean_E mitted_Freq_Min L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E mitted_Freq_Max L18_Mie_Mean_E freq_Stdev_Thr eshold L18_Mie_Mean_E freq_Stdev_Thr eshold L18_Meas_Refer ence_Pulse_PVH M. Min L18_Meas_Refer ence_Pulse_FVH M. Max L18_Scattering_R atio. Min L18_Scattering_R atio. Max L18_Mie_SNR_T TBD Mile_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Max_Signal_Deriv ative Pixel_Saturation_ Threshold L18_Rayleigh_Meas_Scr eening_Params L18_Rayleigh_Meas_Scr eening_Params L18_Rayleigh_Meas_Freq_Offset_Min L18_Avg_Laser_ Freq_Offset_Min L18_Avg_Laser_ Freq_Offset_Max L18_Ray_UV_En ergy_Min L18_L8_Freq_Offset_Max L18_L8_Freq				L1B Vel of Att U	TBD	
L1B Mie Mean E mitted Freq Min L1B Mie Mean E mitted Freq Min L1B Mie Mean E mitted Freq Min Min L1B Mie Mean E mitted Freq Max L1B Mie Emitted Freq Max L1B Mie Emitted Freq Min Min L1B Meas Refer ence Pulse FWH M Min Min L1B Meas Refer ence Pulse FWH M Max Max L1B Min Min L1B Scattering R TBD atio Min Min Min L1B Scattering R TBD Min						
L1B Mie Mean E mitted Freg Min L1B_Mie Mean E mitted Freg Min L1B_Mie Mean E mitted Freg Max L1B_Mie Emitted Freg Max L1B_Mie Emitted Freg Max L1B_Mie Emitted Freg Max L1B_Mie Firted Freg Min Min L1B Meas Refer ence Pulse FWH M Min Max L1B_Scattering_R atio. Min L1B_Scattering_R atio. Min L1B_Scattering_R atio. Min L1B_Scattering_R atio. Min Max Signal_Deriv ative Max_Signal_Deriv ative Pixel_Saturation_Threshold Min Ground_Bin_Thickness_Threshold Inporte Mie Meas Invalid_Switch In						
mitted_Freq_Min L1B_Mie_Mean_E mitted_Freq_Max L1B_Mie_Emitted _Freq_Stdev_Thr eshold L1B_Meas_Refer ence_Pulse_FWH M_Min L1B_Meas_Refer ence_Pulse_FWH M_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R TBD atio_Min L1B_Mie_SNR_T hreshold Mile_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_MeasInvalid_Switch L1B_Rayleigh_Meas_Freq_ ulses_Threshold L1B_Ray_Laser_ Freq_Offset_Min L1B_Ray_Laser_ Freq_Offset_Min L1B_Ray_Laser_ Freq_Offset_Min L1B_Ray_Laser_ Freq_Offset_Min L1B_Ray_U_DEn ergy_Min L1B_Ray_U_DEn ergy_Min L1B_Lay_LEner_ Offset_Stdev_Thr eshold L1B_U_Energy_ Stdev_Threshold L1B_U_Energy_ TBD Robertside_Catter Robertside_Error_ Robertside_	 				TDD	
L1B Mie Mean E TBD mitted_Freq_Max L1B Mie Emitted _Freq_Stdev_Thr eshold L1B Meas_Refer ence_Pulse_FWH M_Min L1B Meas_Refer ence_Pulse_FWH M_Min L1B_Scattering_R alio_Min L1B_Scattering_R alio_Min L1B_Scattering_R alio_Min L1B_Scattering_R alio_Min L1B_Scattering_R alio_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R alio_Min L1B_Scattering_R alio_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R alio_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Meas_Refer ence_Pulse_Fwh Max LIB_Rayleigh_Meas _Invalid_Switch L1B_Rayleigh_Meas _Invalid_Switch L1B_Rayleigh_Meas _Invalid_Ref_P ulses_Threshold L1B_Avg_Laser Freq_Offset_Min L1B_Avg_Laser Freq_Offset_Max L1B_Avg_U_Ene ence_Pulse_Freq Offset_Max L1B_Avg_U_Ene ence_Pulse_Fred Offset_Max L1B_Avg_U_Ene ence_Pulse_Fred Offset_Max L1B_Laser_Freq Offset_Max L1B_Laser_Freq Offset_Mreshold L1B_VV_Energy TBD Statev_Threshold L1B_VV_Energ					ושט	
mitted_Freq_Max L1B_Mie_Emitted _Freq_Stder_Thr eshold L1B_Meas_Refer ence_Pulse_FWH M_Min L1B_Mas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R TBD atio_Min L1B_Scattering_R TBD atio_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R TBD atio_Min L1B_Scattering_R TBD atio_Min L1B_Scattering_R TBD atio_Min L1B_Meas_STR_T TBD Mie_Ground_Bin Thickness_Threshold Mie_Ground_Bin Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation Threshold Ignore_Mie_Meas _Invalid_Switch I1B_Meas_Ref_P ulses_Threshold L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr ening_Params L1B_Rayleigh_Meas_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Max L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Min L1B_BU_VEnergy_ Stdev_Threshold L1B_VE_IO_Fatt_U TBD						
L1B Mie Emitted _Freq_Stdev_Thr eshold L1B Mass_Refer ence_Pulse_FWH M_Min L1B_Mass_Refer ence_Pulse_FWH M_Min L1B_Scattering_R atio_Max L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_MassInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Freq_Offset_Miax L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_U_En ergy_Min L1B_Avg_U_En ergy_Min L1B_Avg_U_Fn ergy_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Miax L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Miax L1B_Laser_Freq_Off				L1B_Mie_Mean_E	TBD	
L1B Mie Emitted _Freq_Stdev_Thr eshold L1B Mass_Refer ence_Pulse_FWH M_Min L1B_Mass_Refer ence_Pulse_FWH M_Min L1B_Scattering_R atio_Max L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_MassInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Freq_Offset_Miax L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_U_En ergy_Min L1B_Avg_U_En ergy_Min L1B_Avg_U_Fn ergy_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Miax L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Miax L1B_Laser_Freq_Off				mitted_Freq_Max		
Freq Stdev_Thr eshold					TBD	
eshold L1B_Mass_Refer ence_Pulse_FWH M_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_Meas _Invalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_UV_Energy_ Stdev_Threshold						
L1B_Meas_Refer ence_Pulse_FWH M_Min_ L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R TBD atio_Min L1B_Scattering_R TBD atio_Min L1B_Mie_SNR_T TBD hreshold Mile_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Lignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_L1pvalid_Ref_P atio_Nin_Min_Min_Min_Min_Min_Min_Min_Min_Min_M						
ence_Pulse_FWH M_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Mine_SNR_T TBD L1B_Mine_SNR_T TBD hreshold Mine_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mine_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser Freq_Offset_Mine_ L1B_Avg_UV_En ergy_Min L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdey_Threshold	ļ				TOD	
M_Min L1B_Meas_Refer ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Max L1B_Me_SNR_T hreshold Mile_Ground_Bin_Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_Meas_Linvalid_Switch L1B_Rayleigh_Meas_Screening_Params L1B_Rayleigh_Meas_Screening_Params L1B_Rayleigh_Meas_Threshold L1B_Avg_Laser_Freq_Offset_Max_L1B_Avg_UV_Energy_Min L1B_Avg_UV_Energy_Min L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_Laser_Freq_Offset_Sidev_Treshold L1B_UV_Energy_ TBD Sidev_Threshold				L1B_Meas_Refer	IBD	
L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Cr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Luser_ Freq_Offset_Min L1B_Avg_Luser_ Freq_Offset_Min L1B_Avg_UV_En ergy_Max L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_Offset_Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold						
ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Cr eening_Params L1B_Rayleigh_Meas_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Lave_Inergy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold				M_Min		
ence_Pulse_FWH M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Threshold L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En ergy_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Lave_Freq_ Offset_Stdev_Threshold L1B_Lave_Freq_ Offset_Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold				L1B Meas Refer	TBD	
M_Max L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Max L1B_Mie_SNR_T below atio_Mie_Ground_Bin_Thickness_Thresh old Mie_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_Meas_Invalid_Switch L1B_Rayleigh_Meas_Sor_eening_Params L1B_Rayleigh_Meas_Invalid_Ref_Pulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_UV_En_ergy_Min L1B_Avg_UV_En_ergy_Min L1B_Avg_UV_En_ergy_Max L1B_Laser_Freq_Offset_Sidev_Threshold L1B_VV_Energy_Stdev_Threshold						
L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Scattering_R atio_Min L1B_Mine_SNR_T in the should be ative Mine_Ground_Bin_Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mine_Mens_Linvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me L1B_Rayleigh_Me as_invalid_Ref_P ulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_UV_Energy_Min L1B_Avg_UV_Energy_Min L1B_Avg_UV_Energy_Min L1B_Laser_Freq_Offset_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_Ve_Iof_Att_Uncertainty_Error_ TBD TBD TBD TBD TBD TBD TBD TB				M May		
atio_Min L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Threshold Mie_Ground_Bin_Thickness_Threshold Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_Meas_Invalid_Switch L1B_Rayleigh_Meas_Screening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_UV_Energy_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Max L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Laser_Freq_Offset_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_Vel_of_Att_Uncertainty_Error_			+		TDD	
L1B_Scattering_R atio_Max L1B_Mie_SNR_T hreshold Mie_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_Meas_Invalid_Switch L1B_Rayleigh_Meas_Scr_eening_Params L1B_Rayleigh_Meas_Cr_eening_Params L1B_Rayleigh_Meas_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_UV_En_ergy_Min L1B_Avg_UV_En_ergy_Min L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Laser_Freq_Offset_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_Stdev_Threshold L1B_UV_Energy_TTBD					חמו	
atio_Max L1B_Nie_SNR_T hreshold Mie_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En TBD L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ TBD						
atio_Max L1B_Nie_SNR_T hreshold Mie_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En TBD L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Laser_Freq_Offset_Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ TBD					TBD	
L1B_Mie_SrNR_T hreshold Mie_Ground_Bin_Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_Threshold Ignore_Mie_Meas_Invalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_Freq_Offset_Min L1B_Avg_Laser_Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold						
hreshold Mie_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_Meas _Invalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_RefP ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_VEnergy_ Stdev_Threshold L1B_VEnergy_ Stdev_Threshold L1B_VENERGY TBD TBD TBD TBD TBD TBD TBD TB					TRD	
Mie_Ground_Bin_ Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_Meas _Invalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Min L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ TBD TBD TBD TBD TBD TBD TBD TBD						
Thickness_Thresh old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_Meas _Invalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Miax L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ TBD TBD TBD TBD TBD TBD TBD TBD						
old Max_Signal_Deriv ative Pixel_Saturation_ Threshold Ignore_Mie_MeasInvalid_Switch L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_Laser_Treq_ Offset_Stdev_Threshold L1B_Laser_Tred_ Offset_Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ Stdev_Threshold L1B_UV_Energy_ TBD TBD TBD TBD TBD TBD TBD TBD				Wile_Ground_Bin_		
Max_Signal_Deriv ative						
ative Pixel Saturation_ Threshold Ignore Mie_Meas Invalid_Switch If Davoid using the L1Bp definitions of an invalid measurement range-bin L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En TBD ergy_Max L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_ TBD				old		
ative Pixel Saturation_ Threshold Ignore Mie_Meas Invalid_Switch If Davoid using the L1Bp definitions of an invalid measurement range-bin L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_Uv_En ergy_Min L1B_Avg_Uv_En TBD ergy_Max L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_Uv_Energy_ Stdev_Threshold L1B_Uv_Energy_ Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_ TBD				Max Signal Deriv		
Pixel_Saturation_Threshold Ignore_Mie_Meas_Invalid_Switch Ignore_Mie_Meas_Invalid_Switch To avoid using the L1Bp definitions of an invalid measurement range-bin						
Threshold Ignore_Mie_Meas _ Invalid_Switch Ignore_Mie_Meas_Scr eening_Params Ignore_Mie_Meas _ Invalid_Ref _ Invalid_						
Ignore_Mie_Meas _ Irue						
				Inresnoid		
L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_UV_Energy_ Stdev_Threshold L1B_VU_Gren_ UL1B_UV_Energy_ Stdev_Threshold L1B_VU_Gren_ UL1B_UV_Energy_ Stdev_Threshold L1B_VU_Gren_ UL1B_UV_Energy_ Stdev_Threshold L1B_VU_Gren_UTBD UNDER STDE L1B_UV_Energy_ Stdev_Threshold L1B_VU_Gren_UTBD UNDER STDE UNDER					true	
an invalid measurement range-bin L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD ergy_Min L1B_Aser_Freq_ TBD L1B_Aser_Freq_ TBD Offset_Stdev_Threshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD				_Invalid_Switch		To avoid using the
an invalid measurement range-bin L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD L1B_UV_Energy_ TBD						L1Bp definitions of
measurement range-bin L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD L1B_Avg_UV_En TBD L1B_Laser_Freq_Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_UV_En_GAIT_U ncertainty_Error_ TBD TBD						
L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD TBD TBD TBD TBD TBD TBD TBD						
L1B_Rayleigh_Meas_Scr eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_UV_Energy_ Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_ TBD TBD						
eening_Params L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En ergy_Max L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_UV_Energy_ Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_ TBD TBD	ļ		145 5 1 1 1 1 1			range-bin
L1B_Rayleigh_Me as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ Freq_Offset_Max L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD L1B_Avg_UV_En TBD L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_UV_Energy_ Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_						
as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_			eening_Params			
as_Invalid_Ref_P ulses_Threshold L1B_Avg_Laser_				L1B_Rayleigh_Me	TBD	
ulses_Threshold L1B_Avg_Laser_ Freq_Offset_Min L1B_Avg_Laser_ TBD Freq_Offset_Max L1B_Avg_UV_En TBD ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_						
L1B_Avg_Laser_ TBD Freq_Offset_Min L1B_Avg_Laser_ TBD Freq_Offset_Max L1B_Avg_UV_En TBD ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_						
Freq_Offset_Min L1B_Avg_Laser_ TBD Freq_Offset_Max L1B_Avg_UV_En TBD ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_					TRD	
L1B_Avg_Laser_ TBD Freq_Offset_Max L1B_Avg_UV_En TBD ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_					טט ו	
Freq_Offset_Max L1B_Avg_UV_En	ļ					
L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_					IRD	
L1B_Avg_UV_En ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_	<u> </u>				<u> </u>	
ergy_Min L1B_Avg_UV_En TBD ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_					TBD	
L1B_Avg_UV_En regy_Max L1B_Laser_Freq_ Offset_Stdev_Threshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U rbd ncertainty_Error_						
ergy_Max L1B_Laser_Freq_ TBD Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_				I 1R Ava IIV En	TRD	
L1B_Laser_Freq_ Offset_Stdev_Thr eshold L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_					טטו	
Offset_Stdev_Thr eshold L1B_UV_Energy_ Stdev_Threshold L1B_Vel_of_Att_U ncertainty_Error_	<u> </u>		1		TDE	
eshold					IRD	
L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_						
L1B_UV_Energy_ TBD Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_				eshold		
Stdev_Threshold L1B_Vel_of_Att_U TBD ncertainty_Error_					TBD	
L1B_Vel_of_Att_U TBD ncertainty_Error_						
ncertainty_Error_			1		TDD	
					טסו	
				Min		
L1B_Vel_of_Att_U TBD				L1B_Vel_of_Att_U	TBD	
ncertainty_Error_						
Max						
		ı	1	max	I	1



		the Aeolus L2B			
Top level	Second level	Third level	Fourth level	Recomme nded option	Description/Status
			L1B_Rayleigh_Me an_Emitted_Freq_ Min	TBD	
			L1B_Rayleigh_Me an_Emitted_Freq_ Max	TBD	
			L1B_Rayleigh_E mitted_Freq_Stde v_Threshold	TBD	
			L1B_Rayleigh_SN R_Min	TBD	
			L1B_Rayleigh_SN R_Max	TBD	
			Rayleigh_Ground _Bin_Thickness_T hreshold		
			Pixel_Saturation_ Threshold		
			Ignore_Rayleigh_ Meas_Invalid_Swi tch	true	An important switch. To avoid using the L1Bp definitions of an invalid measure- ment range-bin
	L1B_Cal_Char _Data_Screeni ng_Params				None of the parameters under this tag are used in the L2Bp. N.B. have shifted one column to the left to fit it in.
		Sat_Char_Data_Screenin g_Params			
			Tripod_Obscur_C orr_Min		
			Tripod_Obscur_C orr_Max		
		Mie_Resp_Calib_Data_S creening_Params			
			Meas_Resp_Min		
			Meas_Resp_Max		
			Meas_Err_Mie_R esp_Min		
			Meas_Err_Mie_R esp_Max		
			Ref_Pulse_Resp_ Min		
			Ref_Pulse_Resp_ Max		
			Ref_Pulse_Err_Mi e_Resp_Min		
			Ref_Pulse_Err_Mi e_Resp_Max Ref_Pulse_Zero_		
			Freq_Min Ref_Pulse_Zero_		
			Freq_Max Ref_Pulse_Mean_		
			Sensitivity_Min Ref_Pulse_Mean_		
			Sensitivity_Max		



		the Aeolus LZD	1 10063301)		
Top level	Second level	Third level	Fourth level	Recomme nded	Description/Status
				option	
			Meas_Zero_Freq_		
			Min		
			Meas_Zero_Freq_		
			Max		
			Meas_Mean_Sen		
			sitivity_Min		
			Meas_Mean_Sen		
			sitivity_Max		
		L1B_GWD_ADS_Screeni ng_Params	7		
			Zero_Wind_Corr_ Min		
			Zero_Wind_Corr_		
			Max		
			Zero_Wind_Corr_		
			Weight_Factor_Mi		
			n		
			Zero_Wind_Corr_		
			Weight_Factor_M		
			ax		
			Mie_Rayl_Correcti		
			on_Offset_Min		
			Mie_Rayl_Correcti		
			on_Offset_Max		
	L2B_AMD_Scr				See section 6.2.
	eening_Param				Some reasonable
	s				values suggested
					below.
		L2B_AMD_p_min		1	Pa
		L2B_AMD_p_max		1100*1E2	Pa
		L2B_AMD_T_min		150	K
		L2B_AMD_T_max		400	K
L	1		<u> </u>		<u> </u>